

INPUT

```
<!DOCTYPE html>
<html>
  <head>
    <title> my blog of HTML </title>
  </head>
  <body bgcolor="lightgreen" text="black"></body>
  <h4> INTRODUCTION </h4>

<p> HTML stands for hypertext markup language. It is used to design web pages
using a markup language.
</p>
<ul>
  <li> anchor tag : <p> This tag is used for link.</p>
  <p> for eg. <a href="http://www.my HTML blog.com/"> visit our website
</a></p></li>
  <li> list tag : <p> If you want to enter the contents in the listed
order, then use this tag. There are two types of
  lists.
  </p>
  </li>
  <li> ordered list : <p> The list will be in sequence. </p></li>
  <p> for eg. <ol>
    <li> apple </li>
    <li> blue </li>
  </ol></p>
  <li> unordered list : <p> In this list the order will not in
sequence. </p></li>
  <p> for eg. <ul><li> mango </li>
    <li> guava </li>
  </ul></p>
  <li> image tag : <p> It is used to insert an image within an HTML
document.</p>
  <p> for eg. </p> </li>
  <p> table data(td) : It is used to define cells of an HTML table
which contains table data.</p>
  <p> table head(th) : It defines the head cell of an HTML. </p>
  <p> table row(tr) : It defines the row cells in an HTML table.</P>
  <p> for eg. <table border="4" width="50%">
    <tr>
      <th> name </th>
```

```
        <th> roll no </th>
    </tr>
    <tr>
        <td> ram </td>
        <td> 01 </td>
    <tr>
        <td> shyam </td>
        <td> 02 </td>
    </tr>
</tr>
</table>
    </p>
</li>
</ul></html>
```

OUTPUT

INTRODUCTION

HTML stands for hypertext markup language. It is used to design web pages using a markup language.

- anchor tag :

This tag is used for link.

for eg. [visit our website](#)

- list tag :

If you want to enter the contents in the listed order, then use this tag. There are two types of lists.

- ordered list :

The list will be in sequence.

for eg.

1. apple
2. blue

- unordered list :


In this list the order will not in sequence.

for eg.

- mango
- guava

- image tag :

It is used to insert an image within an HTML document.



for eg.

table data(td) : It is used to define cells of an HTML table which contains table data.

table head(th) : It defines the head cell of an HTML.

table row(tr) : It defines the row cells in an HTML table.

for eg.

name	roll no
ram	01
shyam	02