
## CONTAINER ORCHESTRATION AND INFRASTRUCTURE AUTOMATION LAB

NAME- Shubhi Dixit


BATCH-05

SAP ID- 500094571


 Search Apache image, pull appropriate Apache image. Check whether the image is pulled or not. Run Apache and check port. As it is not exposed outside, re-run the Apache with -p option to expose port outside. Now check and browse in any browser, run once again by customizing the port.



-p flag: This flag allows us to map ports from host machine to ports within the container, enabling network communication between the host and the containerized application.



Use of curl- It is like a magic command that helps us do things with the internet from our computer's command line



To change the output generated by an Apache container, we can do that by accessing the container's shell and make the necessary changes.

```
C:\Users\admin>docker exec -it mywebserver bash
root@25e5e8eafec7:/usr/local/apache2# apt-get update
Get:1 http://deb.debian.org/debian bookworm InRelease [151 kB]
Get:2 http://deb.debian.org/debian bookworm-updates InRelease [52.1 kB]
Get:3 http://deb.debian.org/debian-security bookworm-security InRelease [48.0 kB]
Get:4 http://deb.debian.org/debian bookworm/main amd64 Packages [8906 kB]
Get:5 http://deb.debian.org/debian bookworm-updates/main amd64 Packages [4952 B]
 Get:6 http://deb.debian.org/debian-security bookworm-security/main amd64 Packages [61.6 kB]
 Fetched 9224 kB in 15s (616 kB/s)
 Reading package lists... Done root@25e5e8eafec7:/usr/local/apache2# apt-get install -y nano Reading package lists... Done
 Building dependency tree... Done
Reading state information... Done
  The following additional packages will be installed:
      libgpm2 libncursesw6
  Suggested packages:
     gpm hunspell
  The following NEW packages will be installed:
      libgpm2 libncursesw6 nano
  0 upgraded, 3 newly installed, 0 to remove and 1 not upgraded.
 Need to get 837 kB of archives.
After this operation, 3339 kB of additional disk space will be used.

Get:1 http://deb.debian.org/debian bookworm/main amd64 libncursesw6 amd64 6.4-4 [134 kB]

Get:2 http://deb.debian.org/debian bookworm/main amd64 nano amd64 7.2-1 [689 kB]

Get:3 http://deb.debian.org/debian bookworm/main amd64 libgpm2 amd64 1.20.7-10+b1 [14.2 kB]
 Fetched 837 kB in 3s (273 kB/s)
 debconf: delaying package configuration, since apt-utils is not installed Selecting previously unselected package libncursesw6:amd64.
 (Reading database ... 8502 files and directories currently installed.) Preparing to unpack .../libncursesw6_6.4-4_amd64.deb ...
     ⇒ 30°C
Haze
                                                                                                                                                🚅 🖿 🖸 😰 🗶 📜 🗯 🥑
                                                                                         Q Search
    Command Prompt - docker e × + ×
 0 upgraded, 3 newly installed, 0 to remove and 1 not upgraded.
B upgraded, 3 newly installed, 8 to remove and 1 not upgraded.

Need to get 837 kB of archives.


After this operation, 3339 kB of additional disk space will be used.


Get:1 http://deb.debian.org/debian bookworm/main amd64 libncursesw6 amd64 6.4-4 [134 kB]

Get:2 http://deb.debian.org/debian bookworm/main amd64 nano amd64 7.2-1 [689 kB]

Get:3 http://deb.debian.org/debian bookworm/main amd64 libgpm2 amd64 1.20.7-10+b1 [14.2 kB]

Fetched 837 kB in 3s (273 kB/s)
Fetched 837 kB in 3s (273 kB/s)
debconf: delaying package configuration, since apt-utils is not installed
Selecting previously unselected package libncursesw6:amd64.
(Reading database ... 8592 files and directories currently installed.)
Preparing to unpack .../libncursesw6.6.4-4_amd64.deb ...
Unpacking libncursesw6:amd64 (6.4-4) ...
Selecting previously unselected package nano.
Preparing to unpack .../archives/nano_7.2-1_amd64.deb ...
Unpacking nano (7.2-1) ...
Selecting paravively unselected package libnum3.amd64
Unpacking nano (7.2-1) ...
Selecting previously unselected package libgpm2:amd64.
Preparing to unpack .../libgpm2.1.20.7-10+b1_amd64.deb ...
Unpacking libgpm2:amd64 (1.20.7-10+b1) ...
Setting up libpcm2:amd64 (1.20.7-10+b1) ...
Setting up libncmsessw6:amd64 (6.4-4) ...
Setting up nano (7.2-1) ...
update-alternatives: using /bin/nano to provide /usr/bin/editor (editor) in auto mode
update-alternatives: warning: skip creation of /usr/share/man/mani/editor.1.gz because associated file /usr/share/man/mani/nano.1.gz (of link group
editor) doesn't exist
update-alternatives: using /hin/nano to provide /usr/bin/nico (nice) is oute made-
 update-alternatives: using /bin/nano to provide /usr/bin/pico (pico) in auto mode
update-alternatives: warning: skip creation of /usr/share/man/man1/pico.1.gz because associated file /usr/share/man/man1/nano.1.gz (of link group pi
 co) doesn't exist
Processing triggers for libc-bin (2.36-9+deb12u1) ...
 root@25e5e8eafec7:/usr/local/apache2# ls
bin build cgi-bin conf error htdocs icons include logs modules
root@25e5e8eafec7:/usr/local/apache2# cd htdocs
root@25e5e8eafec7:/usr/local/apache2/htdocs# ls
  index.html
  root@25e5e8eafec7:/usr/local/apache2/htdocs# nano index.html
  root@25e5e8eafec7:/usr/local/apache2/htdocs#
                                                                                                                             🚧 🖬 🗅 😥 刘 📜 🗯 🥩 🔿 🖼 📲
                                                                                                                                                                                                                                                      ^ ♠ ☐  ♠ ♠ ■ 8:57 PM 9/13/2023
                                                                             Q Search
```





Using the curl command again, we can check that the result has been altered or not.

