



DOCUMENT FINISHING PRODUCTS CORPORATE BROCHURE

LAMINATORS
www.imate.co

About Us

Welcome to the thriving world of exclusive products.

Shubhrachi Automation is a leading and independent platform for a wide range of products with more than 20 authorized global brands.

Shubhrachi's exclusive brand 'OMATE' offer a wide range of document finishing, banking and security products globally as a sole manufacturer and is serving both government and private sectors since 2005.

Content

Why Us?	02
Our Products	03
Pouch Lamination Machine	04
Office Purpose Machines	05
Roll to Roll Lamination Machine	06
Lamination Rolls & Consumables	06
Clients	


Why Us?



Our organization has gained recognition as the leading manufacturer of a wide assortment of quality products. Below mentioned are important factors that have been instrumental to gain success in this competitive industry:

- ✓ Transparent dealings
- ✓ Wide distribution network
- ✓ Ethical business policy
- ✓ Optimum quality products
- ✓ Affordable pricing structure

Our Products



Pouch Lamination Machine



Model: COLT PL V1

SPECIFICATIONS:

• Lamination size	: 325mm
• Reverse	: Yes
• Rollers Quantity	: 4
• Laminating Thickness	: 1mm
• Speed	: 600 mm/min
• Heating Methods	: Outside the Roller
• Power	: 600W
• Motor Size	: 60 KTYZ
• Machine Size	: 500*239*92 mm

Model: COLT PL V2

SPECIFICATIONS:

• Lamination size	: 320mm
• Reverse	: Yes
• Rollers Quantity	: 4
• Laminating Thickness	: 1mm
• Speed	: 475 mm/min
• Heating Methods	: Outside the Roller
• Power	: 400W
• Motor Size	: 50 KTYZ
• Machine Size	: 442*175*98 mm



Model: COLT PL V3

SPECIFICATIONS:

• Lamination size	: 320mm
• Reverse	: Yes
• Rollers Quantity	: 4
• Laminating Thickness	: 1mm
• Speed	: 530 mm/min
• Heating Methods	: Outside the Roller
• Power	: 500W
• Motor Size	: 50 KTYZ
• Machine Size	: 500*210*110 mm



Office Purpose Lamination Machine



Model: COLT PL V4

SPECIFICATIONS:

• Lamination Size	: A4
• Entry Width	: 230mm
• Warmup Time	: 3-5 mins
• Speed	: 230mm/min
• Lamination Thickness	: 0.6mm

Model: COLT PL V5

SPECIFICATIONS:


• Lamination Size	: A3/Legal Size
• Entry Width	: 340mm
• Warmup Time	: 3-5 mins
• Speed	: 250mm/min
• Lamination Thickness	: 0.6mm




Model: DELTA RTR 1100

SPECIFICATIONS:

• Maximum film width	: 1050mm
• Maximum film thickness	: 3mm
• Fastest film thickness	: 3000mm/min
• Highest film temperature	: 60-160°C
• Power	: 110,220v/50,60Hz
• Heating power	: 3300W , 16A
• Motor power	: 50W
• Size	: 135*60*125cm
• Weight	: 160 kgs
• Dia.of Heating Rubber Rollers	: 75mm
• Dia.of Discharging Rollers	: 55mm
• Mold core specification	: 3"



Roll to Roll Lamination Machine



Model: MAJOR RTR AF 390

SPECIFICATIONS:

• Maximum film width	: 380mm
• Maximum film thickness	: 6mm
• Fastest film thickness	: 0-5000mm/min
• Highest film temperature :	: 140°C
• Display	: LED Display
• Driver motor	: AC motor
• Power	: 220V/50Hz
• Heating power	: 1500W
• Motor power	: 120W
• Size	: 101*74*62cm
• Weight	: 100kgs
• Steel roller diameter	: 80mm
• Mold core specification	: 3"


Model: MAJOR RTR 355

SPECIFICATIONS:

• Automation Grade	: Semi-Automatic
• Number Of Rollers	: 4
• Laminating Film	: Polyester
• Laminating Speed	: 6 m
• Warranty	: 12 Month
• Machine Capacity	: Standard
• Film Core	: 1" and 3"
• Pressure Adjustment	: Yes
• Speed Control	: Yes
• Temperature Control	: Yes
• Country of Origin	: Made in India



Roll to Roll Lamination Machine



Model: MAJOR RTR AF 490

SPECIFICATIONS:

• Max. Lamination width	: 490mm
• Max. Lamination speed	: 10 meter / min
• Max. Lamination temperature	: 150°C
• Steel roller dia	: 100mm
• Recommended film	: 25-250micron
• Warm up time	: About 10 mins
• Speed Control	: Manual
• Single side Lamination Function	: Yes
• Double side Lamination Function	: Yes
• With perforating blade	: Yes
• Auto Feeding paper	: No
• Hot & Cold Lamination	: Yes
• Max. diameter of roll film	: 500
• Pull roller dia	: 45mm
• Diameter of core	: 1, 1.5, 3"
• Display	: Numerical control
• Temperature Control	: Sensor


Model: DELTA RTR 1100

SPECIFICATIONS:

• Cold Lamination	: Yes
• Thickness	: 80-400 GSM
• Feeding Length	: 110-700 mm
• Feeding Width	: 130-350
• Laminating Width	: 330 mm
• Voltage	: 220V, 1 Phase
• Weight (in KGS)	: 52
• Speed	: 360 Sheets/hr
• Roller	: Steel+Silicon
• Both Side Laminating	: Yes
• Other	: Anti Curling System
• Power	: 1450 W



Roll to Roll Lamination Machine



Model: MAJOR RTR 381

SPECIFICATIONS:

- Machine Type : Double Side Roll laminator
- Hot+ cold lamination : Yes
- Jumbo Roll Running : Yes
- Machine Size : 15"
- Film Thickness : 25-250 MIC
- Film Quality : Thermal Lamination, Poly-ester & BOPP Film
- Warm-up Time : About 10 minute
- Max. speed/Hour : 12/15
- Film Roll Diameter : 15"
- Mounting Feeder : Yes
- Speed Control : Yes
- Single/Double Side Lamination: Yes
- Lamination film size : 15"
- Machine Dimensions H.L.W: 50x54x42
- Machine Weight : Approx. 200kg
- Film Roll Core size : 1, 2, 3 inch
- Roller Type : Front Side still roller/Back side Silicone roller
- Feeder : Manual Feeder
- DC Control With variable Speed
- PID Type Temperature Controller for each roller
- Silicon Nipping Roller with Pneumatic Pressure




Model: MAJOR RTR V1

SPECIFICATIONS:

- Size : 13" - 62"
- Temperature Range : 0-160 degree C
- Film Thickness : 10 mic - 400 miv
- Digital Temperature Regulator
- Dual Coolong Fan
- Manual Pressure Adjustment



Roll to Roll Lamination Machine



Model: MAJOR RTR AF 520

SPECIFICATIONS:

- Breaking length : Arbitrary settings
- Maximum film width : 480mm
- Maximum film thickness : 6mm
- Fastest film thickness : 0-12000mm/min
- Highest film temperature : 160?
- Display : LED display
- Driver motor : AC motor
- Power source : 220V/50Hz
- Heating power : 4000W
- Motor power : 400W
- Pressure mode : Electro-hydraulic
- Packaging dimension (L xW x H): 900x1600x1400mm
- Weight : 320kg
- Steel roller diameter : 200mm
- Mold core specification : 3 inch



Lamination Rolls & Consumables



Lamination Pouch Sheet

- Sizes Availabe: Custom Size Available



BOPP Roll

- Sizes Availabe: 9" -62"
- Jumbo Roll also Available



3D Printed BOPP Roll

- Sizes Availabe: Custom upto 300 micron

Our Valuable Clients



O-Mate®

Engaging
Businesses
The Right Way
Make a difference today

CONTACT US

Address:

A-82, Bhan Nagar, Queens
Road, Jaipur (Raj.)-302021

Phone:

1800-102-4020
+91-8078670696

Mail:

info@omate.co
shubhrachi@gmail.com

Service Centers:

Jammu | Chandigarh | Pathankot | Dehradun | Hissar | Gurugram | Delhi | Noida | Jaipur | Ahmedabad |
Surat | Indore | Kanpur | Patna | Kolkata | Siliguri | Cuttack | Hyderabad | Bangalore | Mumbai | Chennai |
Kochi | Raipur | Vishakapatnam | Vijaywada | Port Blair