

Health as a Category in Emoji Ordering

Subject: Proposed reorganization of Emoji Ordering to establish a top-level Health group

Author: David Rhew, MD (Microsoft), point of contact. Shuhan He, MD (Massachusetts General Hospital).

Date of submission: 2026-07-21

Addressed to: Unicode Technical Committee (UTC), for referral to the Emoji Standard and Research Working Group (ESR) and the Common Locale Data Repository Technical Committee (CLDR TC).

1 Abstract

This document proposes no new emoji. It concerns only the grouping of emoji that are already encoded. Health related emoji are presently distributed across seven of the ten top-level groups in Emoji Ordering, and the `medical` subgroup holds seven of approximately thirty-seven of them. The anatomical heart (U+1FAC0) and lungs (U+1FAC1), encoded in Emoji 13.0 for medical use, are classified under `People & Body > body-parts`. We ask the UTC to establish a top-level Health group, to populate it with the existing `medical` subgroup and a new `body-organ` subgroup, and to assign future health related emoji to it by default. Precedent exists. The top-level group list changed from eight groups to ten in Emoji 12.0.

2 Request

We request that the UTC direct the ESR Working Group and the CLDR TC to:

1. Establish a top-level group named Health in Emoji Ordering.
2. Move the existing `medical` subgroup into it, intact and unchanged.
3. Create a `body-organ` subgroup within it, containing U+1F9E0 brain, U+1FAC0 anatomical heart, and U+1FAC1 lungs.
4. Assign future health related emoji to the Health group by default.

No character is added, removed, renamed, or re-encoded by this request.

Fallback request. If the UTC declines to create a top-level group at this time, we ask that it (a) formally designate `Objects > medical` as the default destination for future health related emoji, and (b) direct the ESR Working Group to report on health emoji organization at a subsequent meeting.

3 Background

Emoji Ordering assigns every emoji to one of ten top-level groups and to a subgroup within it. The data is published in `emoji-test.txt` and is described in Unicode Technical Standard #51 (UTS #51), section 5, *Ordering and Grouping*, which states that the ordering data “has been incorporated into CLDR.” The file `emoji-test.txt` states that “the file is in CLDR order.”

Grouping governs presentation. It determines the sections of an emoji keyboard palette and the layout of the published emoji charts. It does not affect code points, character names, or character properties.

Because the specification is owned by the UTC and the ordering data is owned by the CLDR TC, this request is filed with both. A parallel ticket has been filed in the CLDR issue tracker and cross-references this document.

4 Findings

All counts below were computed on 2026-07-09 from `emoji-test.txt` for Emoji 17.0 (file dated 2025-08-04), retrieved from <https://unicode.org/Public/emoji/latest/emoji-test.txt>, counting entries marked `fully-qualified`. The script that produces every table in this document is described in Appendix C.

4.1 There is no Health group

Group	Fully-qualified emoji
Smileys & Emotion	171
People & Body	2,418
Component	0
Animals & Nature	160
Food & Drink	131
Travel & Places	219
Activities	85
Objects	266
Symbols	224
Flags	270
Total	3,944

The group `Component` is a top-level group containing zero fully-qualified emoji.

4.2 The medical subgroup holds seven emoji

`medical` is one of eighteen subgroups of `Objects`. Its members are:

Code point	Name	Emoji version
U+1F489	syringe	E0.6
U+1F48A	pill	E0.6

Code point	Name	Emoji version
U+1FA78	drop of blood	E12.0
U+1FA79	adhesive bandage	E12.0
U+1FA7A	stethoscope	E12.0
U+1FA7B	x-ray	E14.0
U+1FA7C	crutch	E14.0

Ranked against the other subgroups of Objects, medical is third smallest:

Subgroup	Count	Subgroup	Count
clothing	47	sound	9
tool	27	music	9
household	25	other-object	9
office	23	writing	7
book-paper	17	science	7
light & video	16	medical	7
computer	14	phone	6
musical-instrument	13	lock	6
mail	13		
money	11		

Medicine is allotted the same space as writing, less than musical-instrument, and roughly a seventh of clothing.

4.3 Health emoji are distributed across seven of the ten groups

Approximately thirty-seven encoded emoji denote health, illness, care, or clinical objects. They occupy fourteen subgroups across seven groups. The medical subgroup accounts for seven of them.

Group and subgroup	Members
Objects > medical	syringe, pill, drop of blood, adhesive bandage, stethoscope, x-ray, crutch
People & Body > body-parts	brain, anatomical heart, lungs, tooth, mechanical arm, mechanical leg, ear with hearing aid
Smileys & Emotion > face-unwell	face with medical mask, face with thermometer, face with head-bandage, nauseated face, face vomiting, sneezing face, woozy face
People & Body > person-activity	person with white cane, person in motorized wheelchair, person in manual wheelchair
Objects > science	test tube, petri dish, dna
People & Body > person-role	health worker, pregnant person
Animals & Nature > animal-mammal	guide dog, service dog
Animals & Nature > animal-bug	microbe

Group and subgroup	Members
People & Body > person-gesture	deaf person
Symbols > other-symbol	medical symbol
Symbols > transport-sign	wheelchair symbol
Travel & Places > place-building	hospital
Travel & Places > transport-ground	ambulance
Smileys & Emotion > face-negative	skull and crossbones

The anatomical heart (U+1FAC0) and lungs (U+1FAC1) were encoded in Emoji 13.0 following a proposal made on medical grounds. Both are classified under People & Body > body-parts, alongside the mechanical arm and the ear. Neither appears in the medical subgroup.

A user looking for health emoji must therefore search a minimum of seven palette sections.

4.4 The top-level group list has been revised before

The set of top-level groups is not fixed. It changed in Emoji 12.0.

Release	Top-level groups	Count
Emoji 5.0 (2017)	Smileys & People; Animals & Nature; Food & Drink; Travel & Places; Activities; Objects; Symbols; Flags	8
Emoji 11.0 (2018)	identical to Emoji 5.0	8
Emoji 12.0 (2019)	Smileys & Emotion; People & Body; Component; Animals & Nature; Food & Drink; Travel & Places; Activities; Objects; Symbols; Flags	10
Emoji 17.0 (2025)	identical to Emoji 12.0	10

Sources are listed in Appendix B, each retrieved 2026-07-09.

In Emoji 12.0 the group Smileys & People was divided into two top-level groups, and the group Component was added. The reorganization proposed here is smaller in scope than the change made then.

4.5 Saliency

The strongest available measurement of how often people raise health in a text interface comes from a study of consumer conversational artificial intelligence (AI) usage:

Costa-Gomes B, Tolmachev P, Taysom E, Sounderajah V, Richardson H, Schoenegger P, Liu X, Nour MM, Spielman S, Way SF, Shah Y, Bhaskar M, Nori H, Kelly C, Hames P, Gross B, Suleyman M, King D. *Public use of a generalist LLM chatbot for health queries*. Nature Health, 2026. doi:10.1038/s44360-026-00117-x

The study analyzed “over 500,000 de-identified health-related conversations with Microsoft Copilot from January 2026.” Its findings include:

- “nearly one in five conversations involve users describing their own symptoms, interpreting their own test results, or managing their own conditions”
- “across both condition information and symptom questions, one in seven conversations are on behalf of someone else, whether a child, an aging parent, or a partner”
- “The largest category, ‘Health Information & Education,’ accounts for over 40% of conversations.”

Earlier work by the same group found that “health-related queries on consumer Microsoft Copilot were the most prevalent topic category on mobile.”

The authors state four limitations, which we reproduce so that the committee may weigh them. The analysis covers a single platform. It covers a single month, January 2026, a month associated with health resolutions. It observes queries and not outcomes. The sample is global, with approximately 22 percent of conversations originating in the United States and approximately 45 percent in English.

We offer this as evidence of salience, which is the property a top-level group encodes. We do not offer it as evidence of expected usage frequency for any individual character, and this document requests no character.

5 Proposed structure

The proposal is deliberately narrow. Each emoji that moves imposes a relearning cost on users, so we ask for the smallest change that resolves the finding in section 4.3.

5.1 Emoji that move

Destination	Current location	Members
Health > medical	Objects > medical	All seven, intact: U+1F489, U+1F48A, U+1FA78, U+1FA79, U+1FA7A, U+1FA7B, U+1FA7C
Health > body-organ	People & Body > body-parts	U+1F9E0 brain, U+1FAC0 anatomical heart, U+1FAC1 lungs

The Health group would contain ten emoji. That exceeds the membership of four existing subgroups of Objects and of the top-level group Component.

5.2 Emoji that do not move

We propose no change for the following, and we state this explicitly so that the scope of the request is unambiguous.

Emoji	Current location	Rationale for leaving them
The seven unwell faces	Smileys & Emotion > face-unwell	They are faces, and users locate them among faces
tooth, mechanical arm, mechanical leg, ear with hearing aid	People & Body > body-parts	External body parts and worn devices
health worker, pregnant person, deaf person, the three wheelchair and cane personas	People & Body	They depict people
hospital, ambulance	Travel & Places	A building and a vehicle
medical symbol, wheelchair symbol	Symbols	Signage and symbols
microbe, test tube, petri dish, dna	Animals & Nature; Objects > science	Biology and laboratory science rather than care

5.3 Default assignment of future emoji

We ask that health related emoji encoded in future releases be assigned to the Health group by default. Had such a rule existed in 2020, the anatomical heart and lungs would have been classified with the other clinical emoji rather than with external body parts.

6 Stability analysis

Grouping is presentation. The following table separates what this request affects from what it does not.

Unaffected	Affected
Code points	CLDR emoji ordering data
Character names	Group and subgroup comments in <code>emoji-test.txt</code>
Character properties, including <code>Emoji</code> and <code>Emoji_Presentation</code>	Section headings in keyboard palettes
Encoding stability guarantees	The published emoji chart pages
Existing sequences and zero-width joiner behavior	Implementations that hard-code group names

No code point is affected. The Unicode stability policies govern code points and character names, and neither changes here. The Emoji 12.0 precedent establishes that group membership is revisable.

There is a genuine cost. Users who have learned to find the pill under `Objects` would find it under `Health`. This is a one-time relearning of the same kind imposed by the Emoji 12.0 split, which was absorbed without reported incident.

7 Anticipated objections

This is an emoji proposal in disguise. It requests no character. Any future character proposal will be filed through the Unicode Emoji Submission Form, as the guidelines require.

Categories are stable. The top-level group list changed in Emoji 12.0, from eight groups to ten. See section 4.4 and Appendix B.

Health is a cause, and the guidelines discount cause arguments. The emoji proposal guidelines discount cause arguments as justification for encoding a character. This document requests no character. Its claims concern the coherence and the measured salience of an existing set of characters.

Ten emoji do not warrant a top-level group. The top-level group Component contains zero fully-qualified emoji. Four subgroups of Objects contain fewer than ten.

Where does reorganization end. The request is bounded by section 5.2, which enumerates what does not move, and by section 5.1, which defines the group as the existing `medical` subgroup plus internal organs. We do not intend to seek further reorganization.

Ordering data belongs to CLDR. In part it does. UTS #51 is maintained by the UTC and the ordering data is maintained by the CLDR TC. A parallel ticket has been filed with the CLDR TC and cross-references this document.

8 Appendix A: Census of health related emoji

The complete listing, with group and subgroup for each entry, is generated by the script described in Appendix C. Its output accompanies this document as `census-2026-07-09.txt`.

9 Appendix B: Sources for the top-level group lists

Each retrieved 2026-07-09.

Release	Source
Emoji 5.0	https://unicode.org/Public/emoji/5.0/emoji-test.txt
Emoji 11.0	https://unicode.org/Public/emoji/11.0/emoji-test.txt
Emoji 12.0	https://unicode.org/Public/emoji/12.0/emoji-test.txt
Emoji 13.0	https://unicode.org/Public/emoji/13.0/emoji-test.txt
Emoji 17.0	https://unicode.org/Public/emoji/latest/emoji-test.txt

10 Appendix C: Method

Counts were produced by parsing `emoji-test.txt` and counting lines marked `fully-qualified`, attributing each to the most recent `# group:` and `# subgroup:` comment above it. The script is published at https://github.com/ShuhanCS/medicalemoji/blob/main/evidence/emoji_group_census.py and its output at <https://github.com/ShuhanCS/medicalemoji/blob/main/evidence/census-2026-07-09.txt>. Any reader can reproduce every count in this document by retrieving the same data file and running the script.