

2026 Medical Emoji: Microsoft Internal Decision Brief

Choose one lead and preserve one filing-ready fallback before July 31

Prepared for David Rhew, MD, and Vishal Chowdhary

July 13, 2026

Status: Internal decision document. It requests normal Microsoft product and standards review, not a favorable Unicode outcome.

Decision requested

Please identify the Microsoft owners who can make one focused decision by **Friday, July 17**:

Should Microsoft advance **Ultrasound** as the conditional lead after a 48-hour evidence and design sprint, with **CT Scan** as the filing-ready fallback?

Please also determine whether the responsible Windows/Segoe UI Emoji product owner and Microsoft Legal can approve the selected paradigm, the CC0 artwork route, and the anticipated-implementation language in the clearance section.

Recommendation

Make Ultrasound the conditional lead. Keep CT Scan as the filing-ready fallback. Do not route the full twelve-concept portfolio as simultaneous submissions.

Ultrasound is the highest-upside concept found in the expanded review. No matching proposal appears in Unicode's public status sheet, its recent Google Books signal is approximately **1.70 times** Unicode's elephant comparator, and the monitor-plus-probe form supports pregnancy, cardiac, abdominal, bedside, procedure-guidance, education, and veterinary contexts without showing a patient or diagnosis.

Ultrasound is not file-ready today. A Google CAPTCHA/rate limit prevented fresh Search, Video, Web Trends, and Image Trends captures. The 48-hour sprint has a simple pass/fail output: add those four required screenshots and confirm small-size recognition. If either step fails or misses the internal cutoff, file CT Scan. Its packet already contains all five evidence categories and a recognizable gantry-and-table paradigm.

The three organ concepts declined on November 4, 2022 - Kidney, Stomach, and Liver - are not eligible for the intake closing July 31, 2026 because their decline dates are less than four years before the deadline. Their completed drafts should remain future assets, not consume the July Microsoft review window.

The four concepts Microsoft should see

Concept	Packet today	Strength	Main concern	Call
Ultrasound	Missing four Google captures	Novel public-sheet concept; Ngram approximately 1.70x elephant; broad scan uses	Evidence incomplete; probe must remain legible	Conditional lead
CT Scan	Complete	Strong complete corpus packet; recognizable scanner; procedure and appointment uses	Must distinguish from X-Ray; resubmission	Filing-ready fallback
Maze	Missing four Google captures	Mouse-maze paradigm; puzzle, learning, memory, research, and navigation uses	Declined twice; current Ngram below elephant	Evidence reserve
First Aid Kit	Missing four Google captures	Novel public-sheet concept; iconic preparedness object	Low books signal; existing substitutes	Hold

Hold the other eight. Weight Scale and Blood Bag are reserves. The other six carry greater evidence, recognition, overlap, or implementation risk.

Internal route and deliverables

1. **Unicode/standards lead - July 15:** confirm the proper route for one individual proposal.
2. **Evidence owner and Shuhan He - July 15:** run the Google helper from an accepted Microsoft or residential network, capture all four missing Ultrasound screenshots, and issue a pass/fail note.
3. **Bing Search owner - July 16, only if Google remains inaccessible:** identify a public, reproducible Web, Video, Web-trend, and Image-trend method comparable to Google's categories. Do not substitute private telemetry or the three-image supplement without standards review.
4. **Windows/Segoe UI Emoji and Fluent Emoji - July 17:** accept the 18x18 Ultrasound probe or select CT Scan.
5. **Microsoft Legal - July 20:** clear the CC0 artwork route and final anticipated-implementation statement.
6. **David Rhew and Shuhan He - July 31:** rebuild, inspect, and file the selected proposal individually.

Guardrails

- Shuhan He remains the individual submitter; the Unicode form does not accept a company as the submitter.
- Ask Microsoft's Unicode contacts about process and venue, never for a preferred technical outcome.
- Do not describe Microsoft as supporting implementation until the responsible product owner and legal team approve the language.
- File one lead proposal. A second filing should require a separate product decision and clearly independent evidence.
- Do not file both Pill Box and Pill Pack, or both Blood Bag and IV Bag, without resolving their overlap.
- Maze uses a mouse-maze paradigm; justify it through concrete puzzle, learning, memory, navigation, and research uses, not an awareness cause.
- First Aid Kit must retain a generic non-red safety cross and must not reproduce a protected humanitarian emblem.
- Evidence gaps are labeled accurately. Do not submit an editorial placeholder as if it were a compliant screenshot.

Material ready for review

- A complete CT Scan fallback packet.
- Full evidence-gated drafts for Ultrasound, Maze, and First Aid Kit.
- Reproducible Bing Web/Video/Image supplements for all three evidence-gated drafts, explicitly separated from the still-missing Google categories.
- Comparative ranking and independent drafts across the twelve-concept expanded portfolio.
- Original color and black-and-white SVG/PNG artwork released under CC0 1.0.

Proposal release:

<https://github.com/ShuhanCS/medicalemoji/tree/codex/eligible-2026-slate/submissions/v1.5.0>

Complete CT Scan fallback:

<https://github.com/ShuhanCS/medicalemoji/tree/codex/eligible-2026-slate/submissions/v1.3.0/ct-scan>

Source record

- Unicode proposal guidance: <https://www.unicode.org/emoji/proposals.html>
- Unicode Emoji Submission FAQ: https://www.unicode.org/faq/emoji_submission.html

Draft for Product and Legal Clearance

Microsoft anticipated implementation support

Working text - do not submit until approved and signed by the responsible Microsoft product owner.

Microsoft supports the Unicode Consortium's consideration of the **[Ultrasound / CT Scan - select one]** emoji proposal submitted by Shuhan He. If the character is encoded and recommended for general interchange as emoji, Microsoft anticipates implementing it in Segoe UI Emoji and relevant Microsoft emoji experiences through its standard design, product-planning, accessibility, legal, and release processes.

Microsoft would retain control of its vendor-specific artwork and implementation schedule. This statement supplies anticipated vendor support; it does not request preferential treatment, pre-judge Unicode's technical review, or bypass Microsoft's normal approvals.

Select Ultrasound only after all four missing Google screenshots are inserted and the design owner approves the monitor-and-probe paradigm. Otherwise select CT Scan and refresh its historical evidence where a clean manual session permits it.

Approved by: _____

Title / product responsibility: _____

Date: _____

Microsoft contact: _____