


CS Dept Map

C = Corridor

R₂ ROOM

W.R = Wash Room



BFS Table

initial state: Lib

Goal state: Hall

Q_2 [Lib]

V_2 [Lib]

degree Lib ξ exp

Q_2 [Lab 3]

V_2 [Lib, Lab 3]

degree Lab 3 ξ exp

Q_2 [C₄]

V_2 [Lib, Lab 3, C₄]

degree C₄

Q_2 [1st floor, C₅]

V_2 [Lib, Lab 3, C₄, 1st floor, C₅]

degree 1st floor

Q_2 [C₁]

V_2 [Lib, Lab 3, C₄, 1st floor, C₅, C₁]

degree C₁

Q_2 [Lab 1, C₂]

V_2 [Lib, Lab 3, C₄, 1st floor, C₅, C₁, Lab 1, C₂]

degree Lab 1

Q_2 [Hall]

V_2 [Lib, Lab 3, C₄, 1st floor, C₅, C₁, Lab 1, C₂, Hall]

Shortest Path from LiB to Hall

LiB



LaB 3



C4



1st floor (Stairs)



C1



LaB 1



HALL

Problem Formulation

- initial state: Lib
- Goal state: Hall
- Action:

Move from Lib to any directly connected room

- Transition model:

Current location
+

move $\rightarrow$ new loc

- ~~Goal test~~

- Path test:

Each movement has a cost of 1