
Dual-View Native Time-Series Prompting for Few-Shot Time Series Classification

Anonymous Author(s)

Affiliation

Address

email

Abstract

Few-shot time series classification remains challenging because extremely limited supervision is often insufficient to learn robust class-discriminative patterns from raw sequences. While large language models (LLMs) offer strong pretrained priors, directly applying them to time series is nontrivial: continuous temporal signals must first be converted into representations that are both compatible with frozen language models and stable under scarce labels. In this work, we present DuoTSP, a generative framework for few-shot time series classification based on dual-view native time-series prompting. Instead of relying on a single time-series-to-language pathway, DuoTSP encodes each sequence from two complementary views: a temporal branch captures local patch relations and long-range dynamics, while a visual branch transforms the sequence into a pseudo-image and leverages a pretrained vision transformer to model global morphology and cross-local structures. The resulting token-level representations are fused into soft time-series prompts and inserted into the input of a frozen LLM. To bridge the gap between time-series representations and language modeling, we further introduce a three-stage curriculum pretraining strategy that progressively improves dual-view representation learning, time-series-to-language generation transfer, and semantic alignment. Finally, for downstream few-shot classification, we formulate prediction as constrained generative label selection with dataset-specific class tokens, avoiding an additional classifier head and restricting decoding to a compact label subspace. This design yields a parameter-efficient and LLM-consistent adaptation mechanism for few-shot classification. Experiments on few-shot UCR benchmarks show that DuoTSP provides a strong and stable transfer paradigm for time series classification under limited supervision.

1 Introduction

Time series classification (TSC) is a fundamental problem in machine learning, with applications spanning healthcare monitoring, industrial diagnosis, sensor analytics, and scientific discovery Ismail Fawaz et al. [2019]. In many real-world scenarios, however, labeled time series are scarce: obtaining expert annotations can be expensive, class distributions are often imbalanced, and newly introduced categories may have only a handful of examples. These challenges make few-shot time series classification particularly difficult, as the model must generalize from very limited supervision while still capturing subtle temporal patterns that distinguish classes Tang et al. [2020]. Although recent deep architectures have substantially improved TSC performance, their effectiveness often degrades in the low-data regime, where robust inductive biases and transferable representations become especially important Pan et al. [2024a].

Existing few-shot TSC methods have mainly explored meta-learning, prototype- or shapelet-based reasoning, and spectral or contrastive representation learning Barreda et al. [2024], Tang et al. [2020],

Yang et al. [2022]. In parallel, a growing line of work has attempted to exploit pretrained foundation models for time-series understanding, especially through large language models (LLMs), which offer strong sequence modeling priors and a unified generative interface Zhang et al. [2024], Jin et al. [2024], Cheng et al. [2024]. However, applying LLMs to time series is far from straightforward. Unlike text, time series are continuous numerical signals whose discriminative cues may appear simultaneously in local temporal dependencies, long-range dynamics, and global waveform morphology. Existing approaches often address only part of this mismatch. Some methods focus on a single temporal encoding pathway and project time-series features into the language space, while others discretize time series into textual prototypes or convert them into images for visual encoders Zhang et al. [2024], Jin et al. [2024], Cheng et al. [2024]. These strategies are useful, but they leave three key issues insufficiently resolved for few-shot classification: incomplete representation, unstable cross-modal transfer, and a decision mechanism that is not fully aligned with the generative nature of LLMs.

First, representation is often incomplete when time series are modeled from only one perspective. The class identity of a sequence may depend not only on local segments and temporal evolution, but also on holistic shape, texture-like patterns, and cross-local structural cues. Recent work increasingly suggests that visualized time-series signals can expose morphology-aware information that is complementary to sequence-space modeling Ni et al. [2025], Liu et al. [2025]. Under few-shot supervision, missing any of these signals can be especially harmful, because the model has little data to compensate for a weak inductive bias. Second, transferring time-series features into a frozen LLM is itself a difficult optimization problem. A small labeled support set is rarely sufficient to simultaneously learn task-specific classification and bridge the distribution gap between continuous time-series representations and the hidden space of a language model Chang et al. [2025], Cheng et al. [2024]. Third, even when time-series features are successfully injected into an LLM, many approaches still rely on a conventional classifier head for downstream prediction or on unconstrained open-vocabulary generation. This makes the final decision process only weakly aligned with the native autoregressive mechanism of the pretrained LLM. Recent evidence that prompt outputs can underestimate the time-series classification capability already contained in LLM representations further reinforces this concern Schumacher et al. [2026].

In this paper, we argue that effective few-shot TSC with frozen LLMs requires a complete transfer pipeline that jointly addresses these three challenges. Based on this view, we propose **DuoTSP**, short for **D**ual-view native time-series **T**ime-**S**eries **P**rompting, a generative framework that turns time series into native soft prompts for LLMs. Instead of mapping a sequence to language through a single pathway, DuoTSP builds token-level time-series prompts from two complementary views. A temporal branch models patch-level relations and long-range dependencies directly on the raw sequence, preserving the native sequential structure of time series. In parallel, a visual branch converts the sequence into a pseudo-image and uses a pretrained vision transformer to capture global morphology, texture-like patterns, and cross-local structures that are difficult to express through a purely temporal pathway. The temporal encoder is inspired by patchified time-series Transformers Nie et al. [2022]. The two branches are fused at the token level, producing soft time-series tokens that are inserted together with textual tokens into the input sequence of a frozen causal LLM. In this way, the model conditions generation on a richer and more complete time-series representation before any downstream supervision is applied.

To make this dual-view prompting mechanism transferable under limited labels, we further introduce a three-stage curriculum pretraining strategy. The first stage focuses on branch-faithful self-supervised representation learning, encouraging both branches and their fused representation to learn stable features while using branch dropout to reduce collapse toward a single dominant view. The second stage establishes the time-series-to-language generation pathway by training the model to answer textual questions conditioned on time-series soft prompts, with a projector warm-up strategy that stabilizes the transition from encoder space to LLM space. The third stage enhances semantic bridgeability through captioning, synthetic attribute supervision, and alignment objectives, encouraging the learned time-series representations to move closer to language-expressible semantic structures. These stages are not merely additional pretraining for scale; rather, they progressively address three different obstacles in transfer: representation learning, generative interfacing, and semantic alignment.

Finally, for downstream few-shot classification, we avoid introducing an extra classifier head and instead formulate prediction as constrained generative label selection. For each dataset, we dynamically add class-specific tokens to the vocabulary and only expose the corresponding embedding and output rows for learning, thereby confining task adaptation to a compact label subspace. During

inference, decoding is explicitly restricted to the candidate class tokens and the end-of-sequence token, which turns open-vocabulary generation into a controlled label-space decision process. This design preserves consistency with the autoregressive objective of the frozen LLM, reduces unnecessary output freedom under scarce labels, and provides a parameter-efficient adaptation mechanism well suited to few-shot classification.

Our work makes three main contributions. First, we propose a dual-view native time-series prompting framework that jointly preserves temporal dependency patterns and morphology-level structures before conditioning a frozen LLM. Second, we develop a three-stage curriculum pretraining strategy that progressively bridges time-series representation learning, language generation transfer, and semantic alignment. Third, we cast few-shot time series classification as constrained generative prediction in a dataset-specific label space, avoiding an additional discriminative head and yielding a stable parameter-efficient adaptation paradigm. Extensive experiments on few-shot UCR classification benchmarks demonstrate the effectiveness of the proposed framework.

2 Related Work

Few-shot time series classification. Few-shot time series classification (TSC) has mainly been studied through meta-learning, metric learning, and prototype-based inductive biases. Narwariya et al. [2020] introduced a meta-learning framework that trains residual networks across heterogeneous UCR tasks for rapid adaptation under scarce supervision. Tang et al. [2020] proposed Dual Prototypical Shapelet Networks (DPSN), which combine representative class prototypes with discriminative local shapelets to improve both interpretability and data efficiency. Yang et al. [2022] further explored spectral relations and introduced the Spectral Propagation Graph Network (SPGN) to propagate class information through spectrum-wise comparisons. More recently, COSCO Barreda et al. [2024] improved few-shot multivariate TSC from the optimization perspective by combining sharpness-aware minimization with a prototypical loss. These methods demonstrate the importance of transferable priors and structured inductive biases, but they remain essentially discriminative pipelines and mostly operate within a single temporal representation space.

LLMs and foundation models for time series. Recent surveys show that foundation-model research for time series has rapidly expanded from adapting pretrained language models to building native temporal foundation models Jiang et al. [2024], Ye et al. [2024], Shi et al. [2025]. Representative adaptation-based approaches include TEST Sun et al. [2023], which aligns time-series embeddings with the LLM embedding space through text-prototype-aware contrastive learning; Time-LLM Jin et al. [2024], which reprograms time-series patches into a frozen LLM via text prototypes and prompt-as-prefix; and S²IP-LLM Pan et al. [2024b], which aligns time-series embeddings with semantic anchors derived from pretrained word embeddings. LLM4TS Chang et al. [2025] further adopts a two-stage alignment-and-task fine-tuning strategy, while OpenTSLM Langer et al. [2025] moves toward native time-series language models with soft-prompt and cross-attention interfaces. A recent line of work has also begun to study few-shot classification with LLM-based architectures. The closest to our setting is LLMFew Chen et al. [2025], which uses a patch-wise temporal encoder, LoRA-tuned decoder, and a conventional classification head for few-shot multivariate TSC. Compared with this line, we focus on dual-view temporal evidence, explicit stage-wise alignment before few-shot adaptation, and generative label-token prediction rather than an external classifier. We are also motivated by recent ablation studies suggesting that naively attaching time-series inputs to pretrained LLMs is insufficient unless the temporal interface is meaningfully designed and aligned Tan et al. [2024].

Vision-based representations for time series. Beyond sequence-space modeling, a growing body of work represents time series as images so that waveform morphology, texture, periodicity, and holistic structural patterns can be captured by vision backbones. Recent surveys identify this as an increasingly important branch of time-series foundation modeling Ni et al. [2025]. In the context of multimodal reasoning, Liu et al. [2025] show that visualization can substantially improve LLM reasoning over time series. For classification, TiViT Roschmann et al. [2025] demonstrates that pretrained vision transformers applied to imaged time series can yield highly competitive representations and are complementary to time-series foundation models. These results suggest that visualized signals expose discriminative cues that are not fully captured by sequence-only modeling. However, existing visual approaches are typically used as alternatives to temporal encoders or as

149 interfaces for reasoning, rather than being fused at the token level with a temporal branch for few-shot
 150 generative classification.

151 **Generative classification and constrained decoding.** Casting classification as generation has been
 152 widely explored in NLP, most notably in the text-to-text paradigm of T5 Raffel et al. [2020]. Rather
 153 than relying on an external discriminative head, this paradigm formulates prediction as conditional
 154 token generation, making the decision process more naturally aligned with the pretrained objective
 155 of language models. In parallel, constrained decoding has been studied as a general mechanism
 156 for restricting generation to valid outputs under lexical or structural constraints Hokamp and Liu
 157 [2017], Koo et al. [2024]. Inspired by these ideas, we formulate few-shot time series classification
 158 as generation of class-specific label tokens conditioned on textual instructions and time-series soft
 159 prompts. Instead of attaching a separate classifier, our model performs prediction in the native
 160 autoregressive manner of a frozen causal LLM, while restricting decoding to the candidate label
 161 space of the current episode further reduces irrelevant output freedom and improves decision stability
 162 under low-data uncertainty.

163 In summary, our method lies at the intersection of these four lines of work: few-shot TSC, LLM-based
 164 time-series adaptation, vision-based time-series representation learning, and generative classification
 165 with constrained decoding. It differs from prior work by jointly combining dual-view token-level
 166 encoding, stage-wise time-series-to-LLM alignment, and episode-wise constrained label-token gener-
 167 ation in a unified framework for few-shot TSC.

168 3 Method

169 3.1 Problem Setup and Unified Time-Series-to-Language Formulation

170 We study few-shot time series classification with a frozen causal large language model (LLM). Given
 171 a time series $x \in \mathbb{R}^T$, we construct each training example as a unified sequence-to-sequence instance
 172 consisting of a textual prefix p^{pre} , an optional textual description p^{ts} , the time series itself, a textual
 173 suffix p^{post} , and a target answer y . The answer can be either a natural-language response (e.g., for
 174 question answering or captioning) or a dataset-specific class token (e.g., for classification).

175 Our key design principle is to treat time series as a native conditioning modality for language
 176 modeling, rather than serializing raw values into text. Concretely, the model converts the input series
 177 into a sequence of continuous soft tokens, projects them into the hidden space of the LLM, and
 178 inserts them into the token stream together with the textual prompt. The resulting mixed sequence is
 179 processed by the frozen LLM under the standard autoregressive objective.

180 Let $\text{Tok}(\cdot)$ denote the tokenizer, $\text{Emb}(\cdot)$ the input embedding layer of the LLM, and $P(\cdot)$ the
 181 projector from time-series features to the LLM hidden space. If Z_x denotes the time-series soft
 182 prompt extracted from x , the final input sequence to the LLM is

$$H = [\text{Emb}(\text{Tok}(p^{\text{pre}})); \text{Emb}(\text{Tok}(p^{\text{ts}})); P(Z_x); \text{Emb}(\text{Tok}(p^{\text{post}}))] . \quad (1)$$

183 During training, the answer tokens are appended to the end of this mixed sequence, and the causal
 184 language modeling loss is computed only on answer positions. This formulation provides a single
 185 interface for all stages of training and all downstream tasks. In particular, few-shot classification is
 186 not treated as a separate discriminative problem with an additional classifier head, but as a constrained
 187 answer generation problem within the same autoregressive framework. Figure 1 provides an overview
 188 of the proposed pipeline.

189 3.2 Dual-View Native Time-Series Prompting

190 As illustrated in Figure 1, our method consists of three tightly coupled components: dual-view native
 191 time-series prompting, curriculum bridging from time series to language, and constrained generative
 192 label prediction for few-shot classification. A central challenge in few-shot time series learning is
 193 that class-discriminative cues are not concentrated in a single representational view. Some cues arise
 194 from local temporal relations, long-range dependencies, phase shifts, and trend evolution, while
 195 others are more naturally expressed as global waveform shapes, texture-like patterns, or cross-local
 196 morphological structures. Relying on a single encoding pathway therefore risks discarding useful
 197 inductive bias precisely when supervision is scarce.




Figure 1: Overview of the proposed framework. Given a raw time series, we construct dual-view native time-series prompts using a temporal branch and a visual branch. The fused soft tokens are projected into the hidden space of a frozen LLM and combined with textual prompts for autoregressive generation. Training proceeds in three stages: dual-view self-supervised representation learning, generative transfer via time-series question answering, and semantic bridging with captioning and attribute supervision. For downstream few-shot classification, we introduce dataset-specific class tokens and perform constrained decoding in the label subspace.

198 To address this issue, we introduce a *dual-view native time-series prompting* mechanism that generates
 199 soft time-series tokens from two complementary branches under a unified interface.

200 **Temporal branch.** The temporal branch preserves the sequential nature of the signal. We divide the
 201 input series into overlapping patches and encode them with a Transformer-style time-series backbone,
 202 producing a sequence of temporally contextualized tokens,

$$Z^t = E_t(x), \quad (2)$$

203 where E_t denotes the temporal encoder. This branch is designed to capture local patch interactions as
 204 well as longer-range temporal dependencies.

205 **Visual branch.** The visual branch captures morphology-level patterns that may be difficult to
 206 express through a purely sequential pathway. We first transform the 1D series into a pseudo-image
 207 $I(x)$, and then feed it into a pretrained vision transformer to obtain visual tokens,

$$Z^v = E_v(I(x)), \quad (3)$$

208 where E_v denotes the visual encoder. This branch emphasizes global waveform geometry, texture-like
 209 regularities, and structural patterns across distant parts of the sequence.

210 After branch-specific projection into a shared encoder space, we fuse the two token streams at the
 211 token level to form the final soft time-series prompt,

$$Z_x = F(Z^t, Z^v). \quad (4)$$

212 In our main instantiation, $F(\cdot)$ is implemented by direct token concatenation, which preserves branch-
 213 specific information without prematurely collapsing the two views into a single vector. We further
 214 maintain pooled representations $\bar{z}^t$, $\bar{z}^v$, and $\bar{z}^f$ for branch-level and fused-level auxiliary objectives.

215 This design differs from standard “encoder + projector + LLM” pipelines in an important way. We do
 216 not map time series to language through a single pathway. Instead, we construct native time-series
 217 prompts from dual-view inductive biases, so that both temporal dependency patterns and morphology-
 218 level structures are preserved before language conditioning. It also differs from pure image-based
 219 approaches, where the visual view replaces time-series modeling. In our framework, the visual
 220 pathway complements rather than substitutes temporal encoding.

3.3 Curriculum Bridging from Time Series to Language

Simply attaching a time-series encoder to a frozen LLM is often unstable, especially in the few-shot regime. The difficulty is not only representational, but also architectural and semantic: the model must first learn robust dual-view features, then learn how these features should condition language generation, and finally organize the internal representation into a more language-compatible semantic space. We therefore adopt a three-stage curriculum that progressively bridges time-series representation and language modeling.

3.3.1 Stage I: Dual-view Self-Supervised Representation Learning

The first stage trains the dual-branch encoder before interfacing it with the LLM. The goal is to obtain stable and complementary representations from both branches while preventing the fused representation from collapsing onto a single dominant view.

We use a combination of masked reconstruction and multi-view self-supervision. Specifically, the temporal branch is trained with a masked reconstruction objective L_{rec} , which encourages recovery of masked temporal content from partially observed inputs. In addition, we apply branch-specific and fused self-supervised regularization across augmented views of the same series, yielding losses L_{ssl}^t , L_{ssl}^v , and L_{ssl}^f for the temporal, visual, and fused representations, respectively. The overall objective of Stage I is

$$L_I = \lambda_{\text{rec}} L_{\text{rec}} + \lambda_t L_{\text{ssl}}^t + \lambda_v L_{\text{ssl}}^v + \lambda_f L_{\text{ssl}}^f. \quad (5)$$

To reduce the risk that training overfits to a single branch, we further introduce *branch dropout*: during pretraining, each forward pass randomly uses the temporal branch only, the visual branch only, or both branches together. This simple strategy encourages each branch to remain individually informative and leads to a more balanced fused representation.

3.3.2 Stage II: Generative Transfer via Time-Series Question Answering

The second stage establishes the functional path from time-series soft prompts to language outputs. We initialize the dual-branch encoder from Stage I, attach the projector and the frozen LLM, and train the model on time-series question answering data. Given the mixed prompt sequence defined in Section 3.1, the model is optimized with the standard causal language modeling objective,

$$L_{II} = L_{\text{LM}}^{\text{TSQA}}. \quad (6)$$

This stage is not merely another pretraining phase. It is the first stage that explicitly trains the model to generate text conditioned on time-series soft prompts, thereby converting a time-series encoder into a time-series-conditioned language model. To mitigate optimization instability when moving from the encoder feature space to the LLM hidden space, we first warm up the projector while keeping the encoder fixed, and then jointly optimize the encoder and projector. This warm-start procedure stabilizes cross-space interfacing and reduces alignment shock at the beginning of language-conditioned training.

3.3.3 Stage III: Semantic Bridging with Captioning and Attribute Supervision

Although Stage II teaches the model to answer language queries from time-series prompts, the learned internal representation may still be overly task-specific. For downstream few-shot classification, we want the representation to be more explicitly organized around semantically expressible properties of time series.

We therefore perform a third stage of training on a mixture of time-series question answering, captioning, and automatically constructed attribute-oriented supervision. The synthetic attribute data describes interpretable time-series properties such as trend, periodicity, spikes, abrupt changes, volatility, or stationarity in textual form. These tasks encourage the model to connect latent time-series structure with language-compatible semantics.

In addition to the standard language modeling loss, Stage III introduces two auxiliary objectives. First, we apply a representation-text alignment loss L_{align} that pulls time-series representations closer to their matched textual semantics in a shared alignment space. Second, we use a branch-consistency

267 loss L_{cons} that encourages the temporal and visual branches to produce semantically consistent
 268 representations for the same input. The Stage III objective is

$$L_{\text{III}} = L_{\text{LM}}^{\text{sem}} + \lambda_{\text{align}} L_{\text{align}} + \lambda_{\text{cons}} L_{\text{cons}}. \quad (7)$$

269 The three stages are thus not redundant training tricks. They progressively address three distinct
 270 obstacles in time-series-to-language transfer: representation learning, generative interfacing, and
 271 semantic bridging.

272 3.4 Few-Shot Classification as Constrained Generative Label Selection

273 Most existing methods that combine time-series features with LLMs still revert to a conventional
 274 classifier head for final decision making. While effective in some settings, this design breaks the
 275 generative interface of the frozen LLM and introduces a separate discriminative output space that
 276 must be learned from very limited supervision.

277 Instead, we reformulate few-shot classification as a constrained generative label prediction problem.
 278 For each dataset D with K classes, we dynamically introduce a set of class tokens

$$\mathcal{C}_D = \{\langle c_0 \rangle, \langle c_1 \rangle, \dots, \langle c_{K-1} \rangle\}. \quad (8)$$

279 The input prompt ends with a task-specific classification suffix (e.g., “Class:”), and the target answer is
 280 the corresponding class token. Therefore, downstream classification remains a next-token prediction
 281 problem under the same autoregressive objective used throughout training.

282 To keep adaptation compact and stable in the few-shot regime, we do not open the full vocabulary for
 283 task-specific learning. Instead, only the embedding vectors and output-layer rows corresponding to
 284 the newly introduced class tokens are made trainable, while the rest of the vocabulary remains fixed.
 285 This creates a small dataset-specific label subspace in which task adaptation is concentrated.

286 At inference time, we further apply *constrained decoding* by restricting the candidate output set to
 287 $\mathcal{C}_D \cup \{\text{eos}\}$. The prediction is therefore

$$\hat{y} = \arg \max_{c \in \mathcal{C}_D \cup \{\text{eos}\}} p(c \mid H). \quad (9)$$

288 This procedure preserves the generative interface of the LLM while eliminating the unnecessary
 289 freedom of open-vocabulary generation. As a result, few-shot adaptation becomes both more
 290 parameter-efficient and more decision-stable.

291 3.5 Downstream Adaptation

292 For downstream few-shot adaptation, we use a two-phase training schedule. In the first phase, we
 293 warm up the task-critical components, namely the time-series encoder, the projector, and the dataset-
 294 specific class-token parameters. In the second phase, we optionally enable lightweight language-side
 295 adaptation (e.g., LoRA) and jointly tune the trainable components. This staged adaptation avoids
 296 introducing excessive optimization freedom at the beginning of few-shot learning, where the number
 297 of labeled examples is extremely limited.

298 Overall, our method is built around a simple but crucial claim: few-shot time series classification
 299 with frozen LLMs becomes effective only when representation completeness, cross-modal transfer,
 300 and label-space decision are co-designed as a single pipeline. Dual-view native prompting allows the
 301 model to see more complete evidence, curriculum bridging allows the LLM to consume time-series
 302 information more reliably, and constrained generative label selection allows the final decision to
 303 remain stable under scarce supervision.

304 4 Experiments

305 4.1 Experimental Setup

306 We evaluate DuoTSP on the UCRArchive 2018 benchmark under a fixed full-label-space few-shot
 307 classification protocol. For each dataset, we keep its native class set instead of sampling episode-
 308 specific class subsets, draw $K \in \{1, 2, 5, 10\}$ support examples per class from the training split, and

Table 1: Few-shot classification accuracy (%) on 128 shared UCR datasets. We report the mean over 5 runs. Best is bold and second-best is underlined.

Model	1-shot	2-shot	5-shot	10-shot	Avg	AvgRank
ResNet	47.79	53.98	61.27	66.24	57.32	4.89
TapNet	45.40	50.79	59.47	64.93	55.15	5.45
COSCO-ResNet	<u>47.88</u>	<u>54.95</u>	<u>63.55</u>	<u>67.18</u>	<u>58.39</u>	<u>4.70</u>
DLinear	44.21	48.01	52.30	55.43	49.99	7.24
PatchTST	42.39	48.43	56.94	62.72	52.62	6.54
TimesNet	45.16	49.95	57.86	62.79	53.94	5.90
Autoformer	36.78	39.45	43.20	46.04	41.37	9.47
Crossformer	44.31	49.45	57.20	61.94	53.23	6.04
FEDformer	37.71	41.71	47.30	51.50	44.56	8.68
Informer	46.42	51.14	58.35	63.13	54.76	5.59
GPT4TS	35.61	38.30	42.94	46.88	40.93	9.26
Ours	48.31	55.55	64.14	69.16	59.29	4.24

evaluate on the corresponding test split. All compared methods are reported on the 128 datasets that are jointly covered by every baseline in the final benchmark. Due to the main-paper page budget, we defer the complete per-dataset results and implementation details to Appendix A and Appendix B.

We compare DuoTSP against three groups of baselines: classical few-shot or supervised TSC architectures (RESNET, TAPNET, and COSCO-RESNET), Transformer-style or decomposition-based time-series backbones (PATCHTST, DLINEAR, TIMESNET, AUTOFORMER, CROSSFORMER, FEDFORMER, and INFORMER), and a foundation-style baseline (GPT4TS). Following the migrated batch results used for the paper, all methods are evaluated over five runs and we report mean accuracy in the main paper; standard deviations are provided in the appendix tables.

Our main instantiation of DuoTSP uses meta-llama/Llama-3.2-1B as the frozen causal LLM and facebook/dinov2-base as the visual backbone. The temporal branch uses a patch length of 16, stride 8, and hidden size 128. The visual branch uses the `tivit_sqrt_overlap` pseudo-image construction. During few-shot adaptation, we adopt a two-phase schedule with 5 warm-up epochs followed by 55 joint optimization epochs, together with LoRA rank 16 and LoRA alpha 32. Additional hyperparameters are summarized in Appendix B.

4.2 Main Results

Table 1 reports the benchmark-level mean accuracy and average rank across the 128 shared UCR datasets. DuoTSP achieves the best average accuracy at every shot setting, reaching 48.31, 55.55, 64.14, and 69.16 for 1-, 2-, 5-, and 10-shot evaluation, respectively. The strongest non-DuoTSP baseline is COSCO-RESNET, which obtains 47.88, 54.95, 63.55, and 67.18. This corresponds to absolute gains of +0.43, +0.60, +0.59, and +1.98 points for DuoTSP, with the largest margin appearing at 10-shot. DuoTSP also attains the lowest average rank (4.24), improving over COSCO-RESNET (4.70) and RESNET (4.89), which indicates stronger overall robustness across the benchmark rather than gains on a small number of favorable datasets.

The head-to-head Win/Tie/Loss comparison in Table 2 further clarifies where the gains come from. DuoTSP wins on a clear majority of datasets against PATCHTST, TIMESNET, and GPT4TS across all shot settings. The comparison with COSCO-RESNET and RESNET is much closer on a per-dataset basis, but DuoTSP still yields the best aggregate accuracy and the lowest overall rank. This pattern is consistent with our claim that dual-view prompting, curriculum bridging, and constrained generative prediction improve benchmark-level stability rather than depending on isolated outlier datasets.

References

- J. Barreda, A. Gomez, R. Puga, K. Zhou, and L. Zhang. Cosco: a sharpness-aware training framework for few-shot multivariate time series classification. In *Proceedings of the 33rd ACM international conference on information and knowledge management*, pages 3622–3626, 2024.

Table 2: Win/Tie/Loss of Ours against selected baselines on 128 shared UCR datasets.

Baseline	1-shot	2-shot	5-shot	10-shot
COSCO-ResNet	68 / 0 / 60	68 / 1 / 59	58 / 0 / 70	64 / 0 / 64
PatchTST	97 / 0 / 31	97 / 0 / 31	99 / 0 / 29	94 / 2 / 32
TimesNet	88 / 0 / 40	92 / 0 / 36	86 / 0 / 42	93 / 1 / 34
GPT4TS	106 / 2 / 20	110 / 0 / 18	114 / 1 / 13	121 / 1 / 6
ResNet	64 / 1 / 63	66 / 1 / 61	67 / 0 / 61	69 / 0 / 59
TapNet	75 / 0 / 53	75 / 3 / 50	76 / 1 / 51	72 / 3 / 53

- 343 C. Chang, W.-Y. Wang, W.-C. Peng, and T.-F. Chen. Llm4ts: Aligning pre-trained llms as data-
344 efficient time-series forecasters. *ACM Transactions on Intelligent Systems and Technology*, 16(3):
345 1–20, 2025.
- 346 Y. Chen, Z. Li, C. Yang, X. Wang, and G. Xu. Large language models are few-shot multivariate time
347 series classifiers. *Data Mining and Knowledge Discovery*, 39(5):66, 2025.
- 348 M. Cheng, Y. Chen, Q. Liu, Z. Liu, and Y. Luo. Advancing time series classification with multimodal
349 language modeling. *arXiv preprint arXiv:2403.12371*, 2024.
- 350 C. Hokamp and Q. Liu. Lexically constrained decoding for sequence generation using grid beam
351 search. In *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics*
352 *(Volume 1: Long Papers)*, pages 1535–1546, 2017.
- 353 H. Ismail Fawaz, G. Forestier, J. Weber, L. Idoumghar, and P.-A. Muller. Deep learning for time
354 series classification: a review. *Data mining and knowledge discovery*, 33(4):917–963, 2019.
- 355 Y. Jiang, Z. Pan, X. Zhang, S. Garg, A. Schneider, Y. Nevmyvaka, and D. Song. Empowering time
356 series analysis with large language models: A survey. *arXiv preprint arXiv:2402.03182*, 2024.
- 357 M. Jin, S. Wang, L. Ma, Z. Chu, J. Zhang, X. Shi, P.-Y. Chen, Y. Liang, Y.-f. Li, S. Pan, et al.
358 Time-llm: Time series forecasting by reprogramming large language models. In *International*
359 *Conference on Learning Representations*, 2024.
- 360 T. Koo, F. Liu, and L. He. Automata-based constraints for language model decoding. *arXiv preprint*
361 *arXiv:2407.08103*, 2024.
- 362 P. Langer, T. Kaar, M. Rosenblattl, M. A. Xu, W. Chow, M. Maritsch, R. Jakob, N. Wang, J. Liu,
363 A. Verma, et al. Opentslm: Time-series language models for reasoning over multivariate medical
364 text-and time-series data. *arXiv preprint arXiv:2510.02410*, 2025.
- 365 H. Liu, C. Liu, and B. A. Prakash. A picture is worth a thousand numbers: Enabling llms reason about
366 time series via visualization. In *Proceedings of the 2025 Conference of the Nations of the Americas*
367 *Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume*
368 *1: Long Papers)*, pages 7486–7518, 2025.
- 369 J. Narwariya, P. Malhotra, L. Vig, G. Shroff, and T. Vishnu. Meta-learning for few-shot time series
370 classification. In *Proceedings of the 7th ACM IKDD CoDS and 25th COMAD*, pages 28–36. 2020.
- 371 J. Ni, Z. Zhao, C. Shen, H. Tong, D. Song, W. Cheng, D. Luo, and H. Chen. Harnessing vision
372 models for time series analysis: a survey. In *Proceedings of the Thirty-Fourth International Joint*
373 *Conference on Artificial Intelligence*, pages 10612–10620, 2025.
- 374 Y. Nie, N. H. Nguyen, P. Sinthong, and J. Kalagnanam. A time series is worth 64 words: Long-
375 term forecasting with transformers. In *The Eleventh International Conference on Learning*
376 *Representations*, 2022.
- 377 S. Pan, H. Luo, M. C. Chua, K. Pugalenth, and E. K. Yapp. A review of similarity-based few-
378 shot learning methods for time series classification in manufacturing. In *2024 6th International*
379 *Conference on Industrial Artificial Intelligence (IAI)*, pages 1–6. IEEE, 2024a.

380 Z. Pan, Y. Jiang, S. Garg, A. Schneider, Y. Nevmyvaka, and D. Song. S²IP-LLM: Semantic space
381 informed prompt learning with LLM for time series forecasting. In *International Conference on*
382 *Machine Learning*, pages 39135–39153. PMLR, 2024b.

383 C. Raffel, N. Shazeer, A. Roberts, K. Lee, S. Narang, M. Matena, Y. Zhou, W. Li, and P. J. Liu.
384 Exploring the limits of transfer learning with a unified text-to-text transformer. *Journal of machine*
385 *learning research*, 21(140):1–67, 2020.

386 S. Roschmann, Q. Bouniot, V. Feofanov, I. Redko, and Z. Akata. Time series representations for
387 classification lie hidden in pretrained vision transformers. *arXiv preprint arXiv:2506.08641*, 2025.

388 D. Schumacher, E. Nourbakhsh, R. Slavin, and A. Rios. Prompting underestimates llm capability for
389 time series classification. *arXiv preprint arXiv:2601.03464*, 2026.

390 F. Shi, X. Yin, K. Wang, W. Tu, Q. Sun, and H. Ning. Large language models for time series analysis:
391 Techniques, applications, and challenges. *arXiv preprint arXiv:2506.11040*, 2025.

392 C. Sun, H. Li, Y. Li, and S. Hong. Test: Text prototype aligned embedding to activate llm’s ability for
393 time series. *arXiv preprint arXiv:2308.08241*, 2023.

394 M. Tan, M. A. Merrill, V. Gupta, T. Althoff, and T. Hartvigsen. Are language models actually useful
395 for time series forecasting? *Advances in Neural Information Processing Systems*, 37:60162–60191,
396 2024.

397 W. Tang, L. Liu, and G. Long. Interpretable time-series classification on few-shot samples. In *2020*
398 *International joint conference on neural networks (IJCNN)*, pages 1–8. IEEE, 2020.

399 L. Yang, S. Hong, and L. Zhang. Spectral propagation graph network for few-shot time series
400 classification. *arXiv preprint arXiv:2202.04769*, 2022.

401 J. Ye, W. Zhang, K. Yi, Y. Yu, Z. Li, J. Li, and F. Tsung. A survey of time series foundation
402 models: Generalizing time series representation with large language model. *arXiv e-prints*, pages
403 arXiv–2405, 2024.

404 X. Zhang, R. R. Chowdhury, R. K. Gupta, and J. Shang. Large language models for time series: A
405 survey. *arXiv preprint arXiv:2402.01801*, 2024.

406 A Full UCR Benchmark Results

407 This appendix reports the complete per-dataset few-shot benchmark results for all 128 shared UCR
408 datasets. Each cell is shown as mean $\pm$ standard deviation over five runs, and the summary rows at
409 the end of each table report average accuracy, average rank, and the number of datasets attaining the
410 best mean accuracy (counting ties).

Table 3: Per-dataset 1-shot classification results on 128 shared UCR datasets (continued).

Dataset	ResNet	TapNet	COSCO-ResNet	DLinear	PatchTST	TimesNet	Autoformer	Crossformer	FEDformer	Informer	GPT4TS	Ours
SemgHandSubjectCh2	28.89 $\pm$ 5.77	29.07 $\pm$ 4.60	28.00 $\pm$ 2.65	35.60 $\pm$ 4.19	29.91 $\pm$ 10.77	26.37 $\pm$ 1.89	23.11 $\pm$ 2.89	26.67 $\pm$ 4.87	21.56 $\pm$ 1.94	26.96 $\pm$ 3.68	27.91 $\pm$ 3.11	37.42 $\pm$ 8.82
ShakeGestureWiimoteZ	63.20 $\pm$ 7.69	58.00 $\pm$ 11.83	67.60 $\pm$ 11.61	40.40 $\pm$ 11.26	43.20 $\pm$ 9.55	45.33 $\pm$ 3.06	16.00 $\pm$ 7.21	40.00 $\pm$ 3.46	24.40 $\pm$ 4.98	46.00 $\pm$ 6.00	43.20 $\pm$ 9.55	60.40 $\pm$ 7.92
ShapeletSim	66.33 $\pm$ 12.25	87.00 $\pm$ 16.91	73.89 $\pm$ 23.85	50.11 $\pm$ 2.27	75.22 $\pm$ 8.30	53.89 $\pm$ 1.67	52.96 $\pm$ 1.40	48.89 $\pm$ 5.64	50.44 $\pm$ 1.82	51.11 $\pm$ 0.96	47.78 $\pm$ 3.07	62.44 $\pm$ 7.44
ShapesAll	23.63 $\pm$ 4.60	15.60 $\pm$ 1.98	23.63 $\pm$ 4.60	45.70 $\pm$ 2.59	19.27 $\pm$ 4.58	44.72 $\pm$ 2.58	6.00 $\pm$ 0.58	43.94 $\pm$ 2.14	8.07 $\pm$ 3.90	44.06 $\pm$ 1.11	8.13 $\pm$ 2.75	50.20 $\pm$ 3.03
SmallKitchenAppliances	40.37 $\pm$ 15.51	46.24 $\pm$ 15.42	44.32 $\pm$ 15.50	42.19 $\pm$ 3.16	38.13 $\pm$ 22.42	32.98 $\pm$ 5.23	32.80 $\pm$ 3.67	35.82 $\pm$ 4.27	35.41 $\pm$ 3.13	36.89 $\pm$ 7.74	38.88 $\pm$ 7.80	42.88 $\pm$ 15.27
SmoothSubspace	74.93 $\pm$ 5.59	74.40 $\pm$ 5.13	<u>74.80 $\pm$ 8.48</u>	31.73 $\pm$ 3.96	50.00 $\pm$ 10.52	46.67 $\pm$ 1.76	53.33 $\pm$ 9.45	50.22 $\pm$ 10.96	62.27 $\pm$ 6.56	60.67 $\pm$ 10.35	56.67 $\pm$ 5.19	68.53 $\pm$ 8.95
SonyAIBORobotSurface1	77.57 $\pm$ 10.30	80.80 $\pm$ 8.99	<u>80.37 $\pm$ 5.89</u>	59.80 $\pm$ 6.73	64.53 $\pm$ 18.83	52.86 $\pm$ 10.38	56.96 $\pm$ 5.82	55.35 $\pm$ 9.37	56.07 $\pm$ 4.43	57.68 $\pm$ 9.32	55.61 $\pm$ 9.09	57.20 $\pm$ 8.62
SonyAIBORobotSurface2	80.29 $\pm$ 6.43	84.09 $\pm$ 5.18	<u>80.90 $\pm$ 6.99</u>	67.39 $\pm$ 19.08	73.03 $\pm$ 13.78	66.18 $\pm$ 11.61	60.37 $\pm$ 27.05	61.35 $\pm$ 27.10	69.49 $\pm$ 15.13	68.07 $\pm$ 16.06	57.31 $\pm$ 15.03	66.09 $\pm$ 10.78
StarLightCurves	63.75 $\pm$ 3.45	62.30 $\pm$ 9.88	<u>57.59 $\pm$ 9.08</u>	57.39 $\pm$ 13.40	57.55 $\pm$ 15.28	67.54 $\pm$ 17.11	37.78 $\pm$ 3.53	57.92 $\pm$ 15.55	27.99 $\pm$ 0.00	67.36 $\pm$ 17.40	64.81 $\pm$ 14.61	63.03 $\pm$ 14.23
Strawberry	52.27 $\pm$ 4.26	51.84 $\pm$ 3.86	54.43 $\pm$ 4.33	54.86 $\pm$ 4.34	53.62 $\pm$ 3.45	<u>58.29 $\pm$ 0.95</u>	54.86 $\pm$ 13.21	60.18 $\pm$ 0.68	56.11 $\pm$ 9.26	<u>57.93 $\pm$ 0.83</u>	45.89 $\pm$ 11.15	51.46 $\pm$ 5.21
SwedishLeaf	65.95 $\pm$ 6.01	46.08 $\pm$ 6.36	65.95 $\pm$ 6.01	27.42 $\pm$ 3.44	40.83 $\pm$ 4.40	36.69 $\pm$ 1.99	27.20 $\pm$ 2.42	24.53 $\pm$ 4.08	31.65 $\pm$ 2.48	38.19 $\pm$ 0.81	8.10 $\pm$ 1.23	<u>57.98 $\pm$ 2.72</u>
Symbols	85.77 $\pm$ 4.83	70.17 $\pm$ 4.91	76.68 $\pm$ 7.53	79.60 $\pm$ 7.65	72.50 $\pm$ 6.12	81.54 $\pm$ 3.92	37.15 $\pm$ 0.97	82.18 $\pm$ 0.42	46.13 $\pm$ 9.06	80.57 $\pm$ 0.95	51.54 $\pm$ 6.72	80.94 $\pm$ 7.54
SyntheticControl	72.53 $\pm$ 6.61	76.40 $\pm$ 5.24	68.67 $\pm$ 10.59	38.47 $\pm$ 6.28	80.33 $\pm$ 9.12	47.78 $\pm$ 5.87	44.89 $\pm$ 3.20	<u>48.22 $\pm$ 0.38</u>	42.13 $\pm$ 2.87	50.00 $\pm$ 4.48	24.53 $\pm$ 7.68	84.20 $\pm$ 6.54
ToeSegmentation1	69.82 $\pm$ 7.39	69.65 $\pm$ 4.27	65.09 $\pm$ 8.05	51.67 $\pm$ 1.47	<u>55.79 $\pm$ 6.85</u>	49.27 $\pm$ 1.10	49.71 $\pm$ 3.29	46.64 $\pm$ 4.73	52.46 $\pm$ 2.82	48.39 $\pm$ 3.23	49.47 $\pm$ 2.47	58.16 $\pm$ 3.70
ToeSegmentation2	68.92 $\pm$ 8.63	70.31 $\pm$ 3.38	<u>70.92 $\pm$ 10.76</u>	50.31 $\pm$ 5.37	65.54 $\pm$ 9.84	50.26 $\pm$ 2.91	35.90 $\pm$ 10.81	50.51 $\pm$ 4.24	33.23 $\pm$ 16.47	52.05 $\pm$ 6.54	41.54 $\pm$ 14.95	75.23 $\pm$ 12.13
Trace	61.00 $\pm$ 4.64	65.20 $\pm$ 9.09	<u>65.80 $\pm$ 6.61</u>	49.60 $\pm$ 3.65	<u>74.40 $\pm$ 6.15</u>	51.33 $\pm$ 5.51	42.33 $\pm$ 4.51	47.67 $\pm$ 0.58	44.80 $\pm$ 7.69	51.33 $\pm$ 4.93	37.80 $\pm$ 6.42	99.20 $\pm$ 1.79
TwoLeadECG	69.48 $\pm$ 12.74	64.97 $\pm$ 10.26	<u>66.51 $\pm$ 13.23</u>	54.03 $\pm$ 2.33	<u>57.82 $\pm$ 5.04</u>	59.32 $\pm$ 3.05	53.32 $\pm$ 7.30	52.62 $\pm$ 3.32	54.47 $\pm$ 5.41	60.32 $\pm$ 1.06	50.73 $\pm$ 1.02	64.88 $\pm$ 11.28
TwoPatterns	48.77 $\pm$ 2.41	61.51 $\pm$ 6.85	<u>46.17 $\pm$ 11.65</u>	31.86 $\pm$ 3.24	36.86 $\pm$ 6.10	29.76 $\pm$ 2.56	25.52 $\pm$ 1.93	28.23 $\pm$ 0.74	26.06 $\pm$ 1.27	29.87 $\pm$ 1.68	26.32 $\pm$ 2.53	45.74 $\pm$ 2.64
UMD	43.06 $\pm$ 4.02	54.58 $\pm$ 9.53	45.56 $\pm$ 6.14	46.81 $\pm$ 7.70	50.14 $\pm$ 6.28	46.30 $\pm$ 5.02	45.60 $\pm$ 3.21	47.69 $\pm$ 4.19	48.61 $\pm$ 2.55	47.45 $\pm$ 6.56	31.39 $\pm$ 4.35	45.47 $\pm$ 8.73
UWaveGestureLibraryAll	29.36 $\pm$ 4.20	24.46 $\pm$ 5.19	28.34 $\pm$ 3.82	66.77 $\pm$ 5.89	41.63 $\pm$ 5.40	<u>69.19 $\pm$ 5.01</u>	25.78 $\pm$ 1.68	67.23 $\pm$ 2.91	26.67 $\pm$ 3.53	69.21 $\pm$ 6.24	50.70 $\pm$ 5.42	33.37 $\pm$ 0.26
UWaveGestureLibraryX	26.45 $\pm$ 4.19	26.60 $\pm$ 3.44	24.71 $\pm$ 1.83	47.27 $\pm$ 6.01	35.36 $\pm$ 5.04	49.30 $\pm$ 7.17	22.37 $\pm$ 0.14	47.22 $\pm$ 8.02	24.34 $\pm$ 5.30	49.17 $\pm$ 7.61	17.28 $\pm$ 8.20	30.33 $\pm$ 0.23
UWaveGestureLibraryY	25.37 $\pm$ 4.63	26.13 $\pm$ 4.45	24.62 $\pm$ 4.93	43.95 $\pm$ 4.51	38.35 $\pm$ 7.26	47.05 $\pm$ 4.02	24.58 $\pm$ 1.89	46.37 $\pm$ 4.93	26.81 $\pm$ 2.91	47.18 $\pm$ 5.20	20.37 $\pm$ 4.71	40.36 $\pm$ 0.25
UWaveGestureLibraryZ	24.77 $\pm$ 4.74	27.03 $\pm$ 3.18	24.45 $\pm$ 3.15	42.90 $\pm$ 1.96	36.37 $\pm$ 3.72	<u>44.61 $\pm$ 1.78</u>	22.47 $\pm$ 2.82	44.70 $\pm$ 2.64	25.10 $\pm$ 2.80	<u>44.75 $\pm$ 1.63</u>	22.77 $\pm$ 3.47	47.44 $\pm$ 2.61
Wafer	50.39 $\pm$ 4.56	44.94 $\pm$ 10.31	49.91 $\pm$ 13.57	67.87 $\pm$ 4.81	51.56 $\pm$ 17.59	63.90 $\pm$ 3.73	64.15 $\pm$ 3.76	63.99 $\pm$ 9.60	63.82 $\pm$ 9.82	<u>65.48 $\pm$ 1.03</u>	43.02 $\pm$ 26.21	46.27 $\pm$ 7.11
Wine	57.41 $\pm$ 14.70	54.07 $\pm$ 4.61	<u>54.81 $\pm$ 11.31</u>	52.96 $\pm$ 8.34	50.74 $\pm$ 6.23	48.77 $\pm$ 3.85	50.00 $\pm$ 0.00	50.00 $\pm$ 0.00	52.22 $\pm$ 4.97	<u>37.65 $\pm$ 19.80</u>	51.48 $\pm$ 3.31	51.11 $\pm$ 7.48
WordSynonyms	14.92 $\pm$ 3.03	13.70 $\pm$ 5.79	<u>14.92 $\pm$ 3.03</u>	19.78 $\pm$ 2.70	16.96 $\pm$ 4.46	19.75 $\pm$ 1.90	6.79 $\pm$ 1.46	21.16 $\pm$ 1.50	10.06 $\pm$ 3.54	20.53 $\pm$ 2.41	4.98 $\pm$ 1.34	20.91 $\pm$ 2.73
Worms	36.10 $\pm$ 9.87	33.25 $\pm$ 6.66	<u>35.06 $\pm$ 11.43</u>	17.14 $\pm$ 4.04	23.90 $\pm$ 9.39	19.91 $\pm$ 6.54	23.38 $\pm$ 4.50	18.61 $\pm$ 5.86	17.66 $\pm$ 7.03	19.05 $\pm$ 5.25	17.66 $\pm$ 2.36	24.68 $\pm$ 8.95
WormsTwoClass	44.79 $\pm$ 3.48	49.09 $\pm$ 6.96	<u>52.99 $\pm$ 6.71</u>	49.09 $\pm$ 3.72	50.39 $\pm$ 3.23	49.35 $\pm$ 3.44	48.92 $\pm$ 10.50	52.38 $\pm$ 1.98	53.51 $\pm$ 4.81	53.68 $\pm$ 3.75	52.99 $\pm$ 2.82	47.53 $\pm$ 10.69
Yoga	55.60 $\pm$ 4.57	50.68 $\pm$ 5.18	<u>53.54 $\pm$ 4.28</u>	49.99 $\pm$ 1.44	49.75 $\pm$ 4.01	49.48 $\pm$ 0.91	51.11 $\pm$ 3.62	49.62 $\pm$ 0.72	51.12 $\pm$ 3.30	48.62 $\pm$ 0.52	49.35 $\pm$ 2.85	50.42 $\pm$ 4.51
Avg. Acc.	47.79	45.40	<u>47.88</u>	44.21	42.39	45.16	36.78	44.31	37.71	46.42	35.61	48.31
Avg. Rank	<u>5.11</u>	5.80	5.19	6.45	6.92	6.04	9.11	6.17	8.51	5.30	8.82	4.58
#Best	25	16	14	7	5	11	2	11	2	15	4	26

Table 4: Per-dataset 2-shot classification results on 128 shared UCR datasets (continued).

Dataset	ResNet	TapNet	COSCO-ResNet	DLinear	PatchTST	TimesNet	Autoformer	Crossformer	FEDformer	Informer	GPT4TS	Ours
SemgHandSubjectCh2	32.00 $\pm$ 3.88	30.71 $\pm$ 4.13	33.56 $\pm$ 5.04	45.91 $\pm$ 5.66	40.67 $\pm$ 4.39	29.56 $\pm$ 4.02	23.56 $\pm$ 2.47	32.52 $\pm$ 7.62	24.09 $\pm$ 3.07	30.81 $\pm$ 0.84	29.47 $\pm$ 4.28	43.20 $\pm$ 6.72
ShakeGestureWiimoteZ	76.00 $\pm$ 6.63	76.80 $\pm$ 7.43	81.60 $\pm$ 0.89	47.20 $\pm$ 7.95	58.40 $\pm$ 5.18	54.00 $\pm$ 6.00	26.00 $\pm$ 4.00	54.67 $\pm$ 4.62	32.40 $\pm$ 2.61	56.00 $\pm$ 5.29	58.40 $\pm$ 5.18	81.60 $\pm$ 2.61
ShapeletSim	78.89 $\pm$ 14.16	98.33 $\pm$ 2.08	92.11 $\pm$ 5.26	50.11 $\pm$ 2.87	80.22 $\pm$ 16.23	47.59 $\pm$ 3.16	50.74 $\pm$ 3.06	48.15 $\pm$ 1.79	49.22 $\pm$ 2.93	46.48 $\pm$ 3.06	49.67 $\pm$ 1.50	67.44 $\pm$ 10.92
ShapesAll	36.80 $\pm$ 3.60	28.17 $\pm$ 3.75	36.80 $\pm$ 3.60	50.73 $\pm$ 1.71	32.23 $\pm$ 5.06	55.78 $\pm$ 1.50	6.11 $\pm$ 0.63	53.17 $\pm$ 1.00	18.33 $\pm$ 5.95	53.33 $\pm$ 2.62	27.63 $\pm$ 3.10	63.03 $\pm$ 2.22
SmallKitchenAppliances	48.85 $\pm$ 7.91	50.40 $\pm$ 8.87	50.19 $\pm$ 7.71	41.49 $\pm$ 3.33	47.15 $\pm$ 6.04	49.60 $\pm$ 6.54	35.20 $\pm$ 2.93	40.09 $\pm$ 2.14	42.03 $\pm$ 4.49	44.09 $\pm$ 8.36	34.61 $\pm$ 4.49	55.68 $\pm$ 8.74
SmoothSubspace	78.93 $\pm$ 10.17	77.87 $\pm$ 5.55	80.13 $\pm$ 5.80	33.33 $\pm$ 0.00	51.20 $\pm$ 5.65	58.22 $\pm$ 4.73	68.89 $\pm$ 7.31	59.11 $\pm$ 4.23	70.67 $\pm$ 4.88	81.33 $\pm$ 6.36	48.27 $\pm$ 9.05	85.07 $\pm$ 5.20
SonyAIBORobotSurface1	90.42 $\pm$ 4.34	94.08 $\pm$ 1.77	89.38 $\pm$ 5.35	64.83 $\pm$ 12.29	70.05 $\pm$ 3.77	62.90 $\pm$ 13.91	61.90 $\pm$ 7.89	66.61 $\pm$ 10.89	59.10 $\pm$ 5.18	62.73 $\pm$ 9.45	52.65 $\pm$ 8.42	71.85 $\pm$ 8.28
SonyAIBORobotSurface2	88.00 $\pm$ 2.82	84.87 $\pm$ 6.58	83.67 $\pm$ 9.41	74.59 $\pm$ 3.28	78.70 $\pm$ 2.68	69.60 $\pm$ 7.04	77.26 $\pm$ 1.79	78.49 $\pm$ 0.86	78.30 $\pm$ 1.49	79.29 $\pm$ 1.17	56.81 $\pm$ 17.39	68.21 $\pm$ 5.28
StarLightCurves	76.49 $\pm$ 11.97	66.10 $\pm$ 9.91	66.22 $\pm$ 10.70	67.92 $\pm$ 13.52	71.57 $\pm$ 12.97	63.90 $\pm$ 14.70	35.37 $\pm$ 11.93	65.31 $\pm$ 14.87	34.69 $\pm$ 14.98	63.78 $\pm$ 14.15	68.45 $\pm$ 12.08	74.47 $\pm$ 15.08
Strawberry	62.81 $\pm$ 6.83	57.14 $\pm$ 6.89	60.22 $\pm$ 9.39	51.84 $\pm$ 8.28	56.59 $\pm$ 2.41	53.33 $\pm$ 7.10	66.58 $\pm$ 2.89	52.97 $\pm$ 8.18	59.62 $\pm$ 11.05	54.59 $\pm$ 4.47	51.03 $\pm$ 11.13	59.41 $\pm$ 6.38
SwedishLeaf	72.45 $\pm$ 3.37	54.30 $\pm$ 6.89	72.45 $\pm$ 3.37	34.02 $\pm$ 3.00	43.26 $\pm$ 7.26	48.91 $\pm$ 2.97	33.28 $\pm$ 3.94	46.24 $\pm$ 1.25	38.85 $\pm$ 4.16	47.52 $\pm$ 2.78	7.94 $\pm$ 0.74	64.99 $\pm$ 3.83
Symbols	90.49 $\pm$ 1.42	75.88 $\pm$ 7.72	88.48 $\pm$ 4.41	81.23 $\pm$ 0.99	76.18 $\pm$ 6.87	81.37 $\pm$ 1.84	37.42 $\pm$ 3.12	82.04 $\pm$ 0.58	58.95 $\pm$ 6.86	80.00 $\pm$ 1.74	51.50 $\pm$ 7.93	82.69 $\pm$ 3.43
SyntheticControl	79.67 $\pm$ 4.05	85.07 $\pm$ 4.63	82.60 $\pm$ 6.01	41.40 $\pm$ 6.37	83.80 $\pm$ 5.24	55.00 $\pm$ 3.38	44.11 $\pm$ 1.39	59.89 $\pm$ 3.15	47.93 $\pm$ 4.58	62.89 $\pm$ 3.15	20.80 $\pm$ 4.95	87.93 $\pm$ 3.95
ToeSegmentation1	68.42 $\pm$ 7.02	60.79 $\pm$ 8.14	61.58 $\pm$ 7.54	53.95 $\pm$ 2.19	58.60 $\pm$ 10.97	51.90 $\pm$ 4.30	53.80 $\pm$ 2.21	53.95 $\pm$ 0.44	52.37 $\pm$ 4.44	51.61 $\pm$ 3.08	50.70 $\pm$ 2.53	60.26 $\pm$ 8.54
ToeSegmentation2	76.15 $\pm$ 9.44	79.69 $\pm$ 9.24	72.15 $\pm$ 7.68	48.92 $\pm$ 5.64	68.62 $\pm$ 12.68	66.41 $\pm$ 15.71	51.54 $\pm$ 5.38	63.08 $\pm$ 15.78	47.08 $\pm$ 8.33	63.59 $\pm$ 15.79	54.31 $\pm$ 14.96	76.15 $\pm$ 12.44
Trace	76.00 $\pm$ 3.00	76.40 $\pm$ 3.05	73.80 $\pm$ 2.95	52.40 $\pm$ 4.04	76.60 $\pm$ 4.39	47.33 $\pm$ 3.21	51.00 $\pm$ 4.00	49.00 $\pm$ 3.00	55.60 $\pm$ 4.62	49.00 $\pm$ 5.00	46.00 $\pm$ 6.78	98.40 $\pm$ 3.05
TwoLeadECG	82.53 $\pm$ 6.47	79.19 $\pm$ 7.45	70.63 $\pm$ 4.92	55.68 $\pm$ 3.84	59.95 $\pm$ 3.74	62.36 $\pm$ 5.86	56.60 $\pm$ 1.27	55.90 $\pm$ 1.72	55.49 $\pm$ 2.80	60.14 $\pm$ 7.03	48.48 $\pm$ 5.21	74.63 $\pm$ 8.09
TwoPatterns	52.71 $\pm$ 4.44	71.75 $\pm$ 5.17	65.30 $\pm$ 11.45	32.62 $\pm$ 1.84	44.61 $\pm$ 9.45	31.66 $\pm$ 1.59	24.88 $\pm$ 1.30	28.57 $\pm$ 1.14	25.14 $\pm$ 0.61	29.88 $\pm$ 2.34	27.30 $\pm$ 2.15	78.23 $\pm$ 0.41
UMD	54.86 $\pm$ 7.95	71.67 $\pm$ 9.36	68.75 $\pm$ 16.74	54.17 $\pm$ 4.55	62.50 $\pm$ 12.00	52.31 $\pm$ 6.22	47.69 $\pm$ 9.93	60.19 $\pm$ 1.45	53.06 $\pm$ 4.83	56.25 $\pm$ 6.05	47.50 $\pm$ 4.16	78.86 $\pm$ 14.11
UWaveGestureLibraryAll	32.50 $\pm$ 3.38	28.30 $\pm$ 5.01	31.51 $\pm$ 4.14	69.44 $\pm$ 6.55	43.65 $\pm$ 6.39	66.54 $\pm$ 6.96	26.72 $\pm$ 0.50	66.58 $\pm$ 7.48	30.82 $\pm$ 2.10	66.61 $\pm$ 7.59	54.22 $\pm$ 7.86	42.54 $\pm$ 0.28
UWaveGestureLibraryX	31.94 $\pm$ 2.72	28.97 $\pm$ 3.44	30.99 $\pm$ 3.77	50.42 $\pm$ 3.39	42.01 $\pm$ 2.19	51.69 $\pm$ 1.72	21.35 $\pm$ 1.20	51.05 $\pm$ 1.76	28.72 $\pm$ 2.91	50.93 $\pm$ 1.76	22.53 $\pm$ 5.80	42.54 $\pm$ 0.28
UWaveGestureLibraryY	28.00 $\pm$ 4.17	26.42 $\pm$ 2.97	27.96 $\pm$ 5.26	43.36 $\pm$ 3.42	39.43 $\pm$ 5.20	42.54 $\pm$ 7.86	19.88 $\pm$ 2.66	43.61 $\pm$ 6.37	28.02 $\pm$ 2.78	41.75 $\pm$ 7.40	28.22 $\pm$ 7.42	42.54 $\pm$ 0.28
UWaveGestureLibraryZ	31.19 $\pm$ 2.60	30.19 $\pm$ 2.10	28.42 $\pm$ 4.12	44.60 $\pm$ 3.60	41.59 $\pm$ 3.78	42.17 $\pm$ 5.87	23.93 $\pm$ 2.40	43.23 $\pm$ 7.30	29.59 $\pm$ 1.71	40.53 $\pm$ 6.44	23.38 $\pm$ 7.02	59.88 $\pm$ 2.03
Wafer	47.08 $\pm$ 18.17	57.95 $\pm$ 22.06	52.16 $\pm$ 16.40	56.77 $\pm$ 13.38	49.59 $\pm$ 17.01	67.22 $\pm$ 1.00	55.02 $\pm$ 6.93	66.32 $\pm$ 1.28	56.21 $\pm$ 9.73	67.64 $\pm$ 1.29	54.99 $\pm$ 20.43	55.01 $\pm$ 15.62
Wine	60.74 $\pm$ 8.43	50.74 $\pm$ 7.92	60.48 $\pm$ 12.52	53.70 $\pm$ 8.88	47.41 $\pm$ 11.54	53.70 $\pm$ 3.21	53.09 $\pm$ 5.35	50.00 $\pm$ 0.00	50.74 $\pm$ 1.66	54.94 $\pm$ 26.28	50.74 $\pm$ 1.66	48.89 $\pm$ 5.34
WordSynonyms	20.63 $\pm$ 4.03	16.05 $\pm$ 1.67	20.63 $\pm$ 4.03	21.35 $\pm$ 4.96	20.06 $\pm$ 3.25	29.05 $\pm$ 0.77	6.11 $\pm$ 1.90	29.73 $\pm$ 1.73	13.92 $\pm$ 2.48	29.57 $\pm$ 1.41	6.43 $\pm$ 4.20	34.92 $\pm$ 2.64
Worms	54.03 $\pm$ 11.78	44.94 $\pm$ 11.42	52.73 $\pm$ 7.32	22.60 $\pm$ 2.99	28.57 $\pm$ 6.43	19.48 $\pm$ 1.30	17.32 $\pm$ 5.41	17.75 $\pm$ 5.25	15.58 $\pm$ 4.00	20.35 $\pm$ 3.75	18.70 $\pm$ 5.00	38.70 $\pm$ 4.63
WormsTwoClass	55.32 $\pm$ 9.03	52.47 $\pm$ 8.50	55.84 $\pm$ 3.31	48.57 $\pm$ 2.69	49.09 $\pm$ 4.63	49.78 $\pm$ 2.70	51.52 $\pm$ 8.84	47.19 $\pm$ 3.97	47.27 $\pm$ 4.37	46.32 $\pm$ 1.50	48.83 $\pm$ 7.82	54.03 $\pm$ 7.72
Yoga	52.99 $\pm$ 4.56	50.68 $\pm$ 2.33	50.48 $\pm$ 3.16	50.86 $\pm$ 0.91	51.49 $\pm$ 3.75	50.12 $\pm$ 2.91	51.48 $\pm$ 2.93	50.70 $\pm$ 2.90	51.46 $\pm$ 3.58	50.58 $\pm$ 2.12	51.69 $\pm$ 4.15	50.64 $\pm$ 4.90
Avg. Acc.	53.98	50.79	<u>54.95</u>	48.01	48.43	49.95	39.45	49.45	41.71	51.14	38.30	55.55
Avg. Rank	4.84	5.63	<u>4.83</u>	6.78	6.42	6.13	9.36	6.29	8.63	5.64	9.17	4.28
#Best	33	13	19	10	2	9	4	6	3	7	2	<u>32</u>

Table 5: Per-dataset 5-shot classification results on 128 shared UCR datasets. Each value is reported as mean $\pm$ standard deviation over 5 runs.

Dataset	ResNet	TapNet	COSCO-ResNet	DLinear	PatchTST	TimesNet	Autoformer	Crossformer	FEDformer	Informer	GPT4TS	Ours
ACSF1	76.00 $\pm$ 2.92	64.60 $\pm$ 5.18	72.80 $\pm$ 1.64	36.20 $\pm$ 3.49	50.40 $\pm$ 2.61	60.00 $\pm$ 2.00	40.00 $\pm$ 1.00	62.67 $\pm$ 2.52	46.80 $\pm$ 3.70	58.67 $\pm$ 1.53	30.60 $\pm$ 4.83	68.33 $\pm$ 2.89
Adiac	56.21 $\pm$ 4.18	42.81 $\pm$ 4.46	56.21 $\pm$ 4.18	35.29 $\pm$ 1.32	34.58 $\pm$ 2.33	43.82 $\pm$ 1.54	46.97 $\pm$ 3.07	38.62 $\pm$ 1.68	64.50 $\pm$ 5.47	43.99 $\pm$ 3.86	7.11 $\pm$ 1.15	69.51 $\pm$ 2.42
AllGestureWiimoteX	40.46 $\pm$ 4.50	34.14 $\pm$ 3.58	38.71 $\pm$ 5.08	23.63 $\pm$ 2.19	35.40 $\pm$ 4.31	32.24 $\pm$ 3.43	13.57 $\pm$ 1.57	29.95 $\pm$ 4.86	18.17 $\pm$ 3.28	29.38 $\pm$ 3.89	35.40 $\pm$ 4.31	39.40 $\pm$ 2.86
AllGestureWiimoteY	43.20 $\pm$ 1.70	40.60 $\pm$ 1.51	36.20 $\pm$ 3.42	27.89 $\pm$ 2.07	40.97 $\pm$ 3.06	36.76 $\pm$ 2.07	15.38 $\pm$ 0.81	34.43 $\pm$ 2.02	19.49 $\pm$ 2.37	35.43 $\pm$ 1.55	40.97 $\pm$ 3.06	48.11 $\pm$ 2.89
AllGestureWiimoteZ	41.46 $\pm$ 4.33	35.71 $\pm$ 5.12	36.46 $\pm$ 5.30	20.20 $\pm$ 1.22	27.11 $\pm$ 2.51	26.57 $\pm$ 0.25	13.86 $\pm$ 1.71	26.67 $\pm$ 2.65	17.37 $\pm$ 2.23	26.86 $\pm$ 0.99	27.11 $\pm$ 2.51	36.14 $\pm$ 0.97
ArrowHead	66.40 $\pm$ 5.44	61.03 $\pm$ 5.46	64.23 $\pm$ 7.62	59.43 $\pm$ 5.27	58.86 $\pm$ 12.66	60.19 $\pm$ 7.46	42.67 $\pm$ 0.87	60.76 $\pm$ 1.19	48.11 $\pm$ 2.87	63.43 $\pm$ 8.42	54.06 $\pm$ 9.79	73.60 $\pm$ 3.71
BME	55.60 $\pm$ 7.80	56.93 $\pm$ 3.90	68.00 $\pm$ 9.90	58.53 $\pm$ 7.20	89.60 $\pm$ 10.65	58.89 $\pm$ 5.55	73.33 $\pm$ 8.11	76.89 $\pm$ 7.34	80.00 $\pm$ 6.70	73.33 $\pm$ 5.93	53.07 $\pm$ 5.63	97.73 $\pm$ 1.53
Beef	54.67 $\pm$ 4.47	47.33 $\pm$ 2.79	55.33 $\pm$ 2.98	52.67 $\pm$ 7.60	43.33 $\pm$ 4.71	64.44 $\pm$ 3.85	50.00 $\pm$ 3.33	52.22 $\pm$ 8.39	62.00 $\pm$ 8.03	84.44 $\pm$ 1.92	35.33 $\pm$ 4.47	51.33 $\pm$ 6.91
BeetleFly	72.00 $\pm$ 7.58	60.00 $\pm$ 11.73	79.00 $\pm$ 10.84	71.00 $\pm$ 14.32	57.00 $\pm$ 8.37	70.00 $\pm$ 8.66	51.67 $\pm$ 2.89	66.67 $\pm$ 16.07	49.00 $\pm$ 6.52	70.00 $\pm$ 10.00	59.00 $\pm$ 18.51	91.67 $\pm$ 2.89
BirdChicken	69.00 $\pm$ 12.94	77.00 $\pm$ 9.75	90.00 $\pm$ 3.54	57.00 $\pm$ 5.70	61.00 $\pm$ 16.73	63.33 $\pm$ 7.64	36.67 $\pm$ 2.89	65.00 $\pm$ 10.00	54.00 $\pm$ 8.94	68.33 $\pm$ 15.28	54.00 $\pm$ 4.18	85.00 $\pm$ 11.73
CBF	95.87 $\pm$ 2.59	95.58 $\pm$ 3.67	95.89 $\pm$ 3.27	61.47 $\pm$ 7.78	95.67 $\pm$ 4.48	74.52 $\pm$ 5.66	39.04 $\pm$ 0.80	80.11 $\pm$ 4.97	42.29 $\pm$ 1.09	80.59 $\pm$ 4.09	41.20 $\pm$ 4.62	93.76 $\pm$ 3.90
Car	59.33 $\pm$ 9.02	51.00 $\pm$ 7.96	65.67 $\pm$ 5.73	52.33 $\pm$ 6.41	45.67 $\pm$ 2.79	68.89 $\pm$ 6.31	31.67 $\pm$ 5.00	48.89 $\pm$ 4.19	41.00 $\pm$ 12.56	57.78 $\pm$ 5.85	36.00 $\pm$ 4.50	69.67 $\pm$ 3.98
Chinatown	96.15 $\pm$ 2.16	96.97 $\pm$ 0.49	97.43 $\pm$ 0.38	50.96 $\pm$ 33.10	96.03 $\pm$ 2.24	84.94 $\pm$ 15.12	91.06 $\pm$ 1.94	93.00 $\pm$ 5.85	89.56 $\pm$ 2.00	87.95 $\pm$ 8.75	73.00 $\pm$ 0.76	93.46 $\pm$ 10.56
ChlorineConcentration	35.97 $\pm$ 2.09	35.63 $\pm$ 3.63	36.15 $\pm$ 2.53	35.57 $\pm$ 3.02	35.80 $\pm$ 3.16	35.02 $\pm$ 2.94	36.15 $\pm$ 1.24	35.49 $\pm$ 4.56	37.02 $\pm$ 1.05	35.96 $\pm$ 1.50	38.60 $\pm$ 5.65	39.58 $\pm$ 3.20
CinCECGTorso	49.41 $\pm$ 5.43	57.77 $\pm$ 5.88	56.17 $\pm$ 3.91	43.81 $\pm$ 1.84	69.26 $\pm$ 4.67	63.41 $\pm$ 2.73	37.80 $\pm$ 1.42	64.95 $\pm$ 2.40	64.83 $\pm$ 11.83	68.41 $\pm$ 5.18	54.58 $\pm$ 3.46	82.56 $\pm$ 7.22
Coffee	86.43 $\pm$ 14.81	97.86 $\pm$ 1.96	100.00 $\pm$ 0.00	92.86 $\pm$ 3.57	97.86 $\pm$ 1.96	86.90 $\pm$ 2.06	76.19 $\pm$ 2.06	82.14 $\pm$ 9.45	92.86 $\pm$ 10.41	85.71 $\pm$ 0.00	50.00 $\pm$ 6.19	94.29 $\pm$ 1.96
Computers	58.80 $\pm$ 7.81	61.60 $\pm$ 5.76	60.96 $\pm$ 6.58	46.64 $\pm$ 4.37	54.48 $\pm$ 7.54	48.97 $\pm$ 5.33	50.53 $\pm$ 1.29	48.00 $\pm$ 8.43	49.04 $\pm$ 4.09	48.67 $\pm$ 4.31	46.56 $\pm$ 5.23	62.67 $\pm$ 4.74
CricketX	45.90 $\pm$ 4.41	43.08 $\pm$ 3.97	43.08 $\pm$ 2.15	25.23 $\pm$ 1.80	36.10 $\pm$ 5.19	34.87 $\pm$ 4.89	11.79 $\pm$ 1.43	30.77 $\pm$ 0.51	16.92 $\pm$ 1.32	33.68 $\pm$ 3.44	11.33 $\pm$ 1.41	49.06 $\pm$ 3.21
CricketY	42.67 $\pm$ 4.49	43.08 $\pm$ 3.40	43.28 $\pm$ 6.01	30.41 $\pm$ 3.78	36.92 $\pm$ 6.92	37.86 $\pm$ 2.42	9.06 $\pm$ 1.21	36.58 $\pm$ 2.06	15.23 $\pm$ 1.85	37.26 $\pm$ 2.44	12.05 $\pm$ 2.18	49.66 $\pm$ 1.41
CricketZ	51.59 $\pm$ 3.02	49.64 $\pm$ 3.11	47.79 $\pm$ 6.26	26.31 $\pm$ 2.67	36.31 $\pm$ 4.35	37.18 $\pm$ 1.18	10.77 $\pm$ 0.51	34.87 $\pm$ 1.43	15.44 $\pm$ 1.54	37.18 $\pm$ 0.77	10.92 $\pm$ 1.59	53.68 $\pm$ 2.06
Crop	49.93 $\pm$ 1.45	46.93 $\pm$ 2.27	49.93 $\pm$ 1.45	31.91 $\pm$ 2.21	38.13 $\pm$ 2.76	46.92 $\pm$ 2.69	44.47 $\pm$ 0.97	47.82 $\pm$ 2.55	47.76 $\pm$ 1.51	48.69 $\pm$ 2.69	8.15 $\pm$ 3.22	52.18 $\pm$ 2.24
DiatomSizeReduction	85.75 $\pm$ 6.98	70.26 $\pm$ 16.84	95.95 $\pm$ 1.26	61.57 $\pm$ 2.74	65.49 $\pm$ 10.17	87.69 $\pm$ 0.50	68.63 $\pm$ 2.55	66.34 $\pm$ 8.52	73.53 $\pm$ 9.37	87.25 $\pm$ 0.00	41.83 $\pm$ 13.83	93.66 $\pm$ 1.97
DistalPhalanxOutlineAgeGroup	65.76 $\pm$ 4.54	68.63 $\pm$ 3.96	67.19 $\pm$ 5.75	58.99 $\pm$ 14.81	63.31 $\pm$ 4.46	64.75 $\pm$ 3.74	67.63 $\pm$ 2.16	69.30 $\pm$ 3.24	68.20 $\pm$ 2.35	68.59 $\pm$ 2.31	53.67 $\pm$ 12.57	69.35 $\pm$ 1.20
DistalPhalanxOutlineCorrect	66.81 $\pm$ 3.92	61.96 $\pm$ 7.85	68.62 $\pm$ 6.57	56.23 $\pm$ 10.81	60.07 $\pm$ 6.07	62.44 $\pm$ 3.65	62.68 $\pm$ 3.32	58.94 $\pm$ 3.37	63.41 $\pm$ 7.40	59.30 $\pm$ 3.08	55.87 $\pm$ 8.58	63.77 $\pm$ 11.63
DistalPhalanxTW	58.99 $\pm$ 2.69	57.12 $\pm$ 1.40	58.56 $\pm$ 3.40	49.64 $\pm$ 7.01	60.58 $\pm$ 2.61	57.31 $\pm$ 0.42	51.32 $\pm$ 3.62	59.47 $\pm$ 4.40	54.10 $\pm$ 4.24	56.59 $\pm$ 5.05	31.94 $\pm$ 15.91	56.40 $\pm$ 4.87
DodgerLoopDay	37.75 $\pm$ 3.35	40.50 $\pm$ 4.11	37.00 $\pm$ 3.26	46.75 $\pm$ 4.01	44.25 $\pm$ 2.09	52.50 $\pm$ 5.45	22.08 $\pm$ 0.72	45.42 $\pm$ 2.60	24.25 $\pm$ 3.49	50.83 $\pm$ 4.73	44.25 $\pm$ 2.09	45.75 $\pm$ 3.26
DodgerLoopGame	66.52 $\pm$ 4.02	82.32 $\pm$ 3.38	72.17 $\pm$ 3.64	76.09 $\pm$ 5.15	84.49 $\pm$ 1.89	75.36 $\pm$ 5.02	50.00 $\pm$ 2.61	78.99 $\pm$ 7.63	53.33 $\pm$ 2.09	77.29 $\pm$ 4.82	84.49 $\pm$ 1.89	72.61 $\pm$ 10.25
DodgerLoopWeekend	95.51 $\pm$ 1.65	92.46 $\pm$ 3.46	94.78 $\pm$ 1.88	97.39 $\pm$ 0.40	97.25 $\pm$ 0.61	96.62 $\pm$ 0.84	66.43 $\pm$ 4.25	97.83 $\pm$ 0.00	72.90 $\pm$ 1.82	96.86 $\pm$ 0.42	97.25 $\pm$ 0.61	93.62 $\pm$ 2.37
ECG200	76.40 $\pm$ 3.58	77.80 $\pm$ 6.26	76.20 $\pm$ 4.60	75.00 $\pm$ 1.58	62.80 $\pm$ 16.36	77.67 $\pm$ 3.06	76.67 $\pm$ 3.79	78.00 $\pm$ 2.00	77.60 $\pm$ 3.21	79.33 $\pm$ 4.93	69.60 $\pm$ 4.51	67.40 $\pm$ 8.91
ECG5000	78.85 $\pm$ 9.03	75.51 $\pm$ 9.29	75.56 $\pm$ 6.88	84.88 $\pm$ 3.51	71.69 $\pm$ 7.99	82.01 $\pm$ 5.12	76.33 $\pm$ 7.90	83.48 $\pm$ 5.73	74.58 $\pm$ 8.80	82.23 $\pm$ 5.84	18.64 $\pm$ 16.84	73.89 $\pm$ 8.21
ECGFiveDays	71.54 $\pm$ 13.30	70.27 $\pm$ 8.41	70.22 $\pm$ 9.52	69.38 $\pm$ 6.83	77.54 $\pm$ 3.65	72.94 $\pm$ 9.66	87.65 $\pm$ 8.42	75.22 $\pm$ 2.60	83.30 $\pm$ 11.51	75.61 $\pm$ 4.26	60.49 $\pm$ 6.59	70.96 $\pm$ 3.91
EOGHorizontalSignal	24.97 $\pm$ 1.88	32.71 $\pm$ 1.62	27.35 $\pm$ 3.43	29.56 $\pm$ 3.95	37.73 $\pm$ 6.23	36.92 $\pm$ 1.62	10.96 $\pm$ 1.15	38.40 $\pm$ 2.19	9.94 $\pm$ 1.90	35.17 $\pm$ 4.76	31.99 $\pm$ 1.89	46.35 $\pm$ 2.27
EOGVerticalSignal	18.18 $\pm$ 3.62	22.10 $\pm$ 3.22	18.78 $\pm$ 4.22	29.01 $\pm$ 2.45	38.23 $\pm$ 4.43	31.77 $\pm$ 5.00	8.47 $\pm$ 1.80	31.95 $\pm$ 3.43	10.39 $\pm$ 1.59	31.22 $\pm$ 4.29	22.82 $\pm$ 2.72	36.74 $\pm$ 2.24
Earthquakes	50.94 $\pm$ 12.41	50.22 $\pm$ 8.85	52.23 $\pm$ 11.61	56.83 $\pm$ 2.92	52.09 $\pm$ 5.05	56.35 $\pm$ 11.87	51.32 $\pm$ 9.11	56.12 $\pm$ 3.14	53.38 $\pm$ 4.56	54.68 $\pm$ 7.61	52.81 $\pm$ 9.99	54.68 $\pm$ 9.31
ElectricDevices	36.69 $\pm$ 5.52	36.63 $\pm$ 6.97	36.08 $\pm$ 5.74	23.65 $\pm$ 1.86	38.77 $\pm$ 8.33	38.73 $\pm$ 7.16	22.89 $\pm$ 3.05	25.09 $\pm$ 5.42	31.29 $\pm$ 6.08	38.61 $\pm$ 5.70	11.47 $\pm$ 4.02	47.06 $\pm$ 4.18
EthanolLevel	27.52 $\pm$ 1.92	26.36 $\pm$ 0.86	26.60 $\pm$ 1.66	27.88 $\pm$ 1.25	24.88 $\pm$ 0.18	28.40 $\pm$ 1.73	28.60 $\pm$ 2.78	26.53 $\pm$ 0.12	25.40 $\pm$ 0.75	29.53 $\pm$ 0.64	26.32 $\pm$ 1.07	25.92 $\pm$ 1.40
FaceAll	67.63 $\pm$ 4.66	67.75 $\pm$ 7.28	67.63 $\pm$ 4.66	53.96 $\pm$ 2.14	41.22 $\pm$ 3.29	55.76 $\pm$ 2.36	53.79 $\pm$ 5.19	55.44 $\pm$ 2.51	51.51 $\pm$ 5.08	54.30 $\pm$ 2.41	17.64 $\pm$ 1.73	54.54 $\pm$ 1.26
FaceFour	88.18 $\pm$ 2.85	61.82 $\pm$ 13.74	89.77 $\pm$ 4.62	78.86 $\pm$ 3.17	57.50 $\pm$ 8.82	86.36 $\pm$ 1.14	64.77 $\pm$ 2.27	87.88 $\pm$ 1.74	71.82 $\pm$ 1.24	85.61 $\pm$ 1.74	41.14 $\pm$ 6.88	75.68 $\pm$ 4.37
FacesUCR	78.67 $\pm$ 2.69	73.00 $\pm$ 4.70	76.25 $\pm$ 3.16	50.94 $\pm$ 2.11	43.00 $\pm$ 7.53	68.33 $\pm$ 3.31	58.46 $\pm$ 2.45	68.99 $\pm$ 1.59	60.62 $\pm$ 1.49	67.61 $\pm$ 2.78	27.20 $\pm$ 3.34	68.58 $\pm$ 2.57
FiftyWords	30.07 $\pm$ 3.14	27.91 $\pm$ 3.50	30.07 $\pm$ 3.14	47.03 $\pm$ 2.26	37.71 $\pm$ 3.50	52.23 $\pm$ 1.46	9.45 $\pm$ 3.91	56.19 $\pm$ 3.63	25.10 $\pm$ 2.19	49.38 $\pm$ 1.41	40.84 $\pm$ 2.35	61.58 $\pm$ 2.55
Fish	61.26 $\pm$ 15.63	48.69 $\pm$ 6.91	67.66 $\pm$ 6.55	56.80 $\pm$ 6.22	42.97 $\pm$ 5.32	68.76 $\pm$ 3.49	25.52 $\pm$ 2.93	56.57 $\pm$ 5.51	40.80 $\pm$ 3.78	67.05 $\pm$ 1.44	26.40 $\pm$ 8.24	64.57 $\pm$ 5.92
FordA	71.41 $\pm$ 10.22	71.94 $\pm$ 9.09	70.55 $\pm$ 10.29	50.33 $\pm$ 1.09	63.62 $\pm$ 6.82	50.28 $\pm$ 2.11	51.67 $\pm$ 1.61	49.67 $\pm$ 1.72	51.11 $\pm$ 2.04	49.82 $\pm$ 1.42	50.91 $\pm$ 1.25	49.80 $\pm$ 1.22
FordB	61.26 $\pm$ 2.75	58.96 $\pm$ 1.47	59.04 $\pm$ 3.16	50.00 $\pm$ 1.41	55.88 $\pm$ 4.39	50.86 $\pm$ 0.77	49.51 $\pm$ 0.81	48.81 $\pm$ 1.26	49.56 $\pm$ 0.80	50.21 $\pm$ 1.36	50.27 $\pm$ 2.02	

Table 5: Per-dataset 5-shot classification results on 128 shared UCR datasets (continued).

Dataset	ResNet	TapNet	COSCO-ResNet	DLinear	PatchTST	TimesNet	Autoformer	Crossformer	FEDformer	Informer	GPT4TS	Ours
GesturePebbleZ1	71.74 $\pm$ 3.41	64.53 $\pm$ 3.05	73.60 $\pm$ 2.12	65.35 $\pm$ 3.15	63.95 $\pm$ 8.94	65.89 $\pm$ 3.50	23.45 $\pm$ 1.21	73.64 $\pm$ 2.20	28.95 $\pm$ 4.06	76.16 $\pm$ 6.07	63.95 $\pm$ 8.94	63.84 $\pm$ 8.99
GesturePebbleZ2	67.34 $\pm$ 3.97	52.53 $\pm$ 17.40	73.04 $\pm$ 4.07	58.35 $\pm$ 6.18	48.10 $\pm$ 7.12	62.03 $\pm$ 7.30	19.41 $\pm$ 4.45	64.98 $\pm$ 9.05	24.81 $\pm$ 3.02	60.34 $\pm$ 8.06	48.10 $\pm$ 7.12	60.89 $\pm$ 8.06
GunPoint	82.53 $\pm$ 12.46	77.33 $\pm$ 12.19	79.87 $\pm$ 13.86	59.60 $\pm$ 4.87	73.07 $\pm$ 2.03	66.00 $\pm$ 6.36	55.11 $\pm$ 6.19	70.22 $\pm$ 2.52	65.87 $\pm$ 7.58	66.00 $\pm$ 2.91	62.40 $\pm$ 5.79	90.13 $\pm$ 10.49
GunPointAgeSpan	75.70 $\pm$ 7.16	69.81 $\pm$ 6.17	76.46 $\pm$ 8.05	75.51 $\pm$ 2.81	73.67 $\pm$ 12.74	76.79 $\pm$ 5.43	49.26 $\pm$ 6.34	75.74 $\pm$ 4.37	60.38 $\pm$ 3.16	69.20 $\pm$ 7.84	65.70 $\pm$ 10.14	81.52 $\pm$ 9.45
GunPointMaleVersusFemale	91.20 $\pm$ 8.64	96.65 $\pm$ 4.17	90.32 $\pm$ 9.07	61.14 $\pm$ 7.95	87.53 $\pm$ 12.91	74.37 $\pm$ 13.69	55.17 $\pm$ 0.48	75.00 $\pm$ 13.22	61.20 $\pm$ 4.73	77.95 $\pm$ 14.78	63.92 $\pm$ 13.57	94.62 $\pm$ 6.24
GunPointOldVersusYoung	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	75.87 $\pm$ 2.49	70.29 $\pm$ 8.33	70.79 $\pm$ 4.48	56.93 $\pm$ 3.97	73.23 $\pm$ 4.31	58.98 $\pm$ 5.43	70.48 $\pm$ 8.59	92.38 $\pm$ 8.67	80.44 $\pm$ 8.63
Ham	60.95 $\pm$ 6.21	60.00 $\pm$ 6.77	62.10 $\pm$ 4.59	62.86 $\pm$ 11.45	58.86 $\pm$ 7.48	60.00 $\pm$ 11.70	63.49 $\pm$ 0.55	56.51 $\pm$ 8.59	63.62 $\pm$ 3.26	66.35 $\pm$ 16.28	56.76 $\pm$ 9.56	60.57 $\pm$ 9.91
HandOutlines	46.86 $\pm$ 11.04	52.86 $\pm$ 13.07	67.24 $\pm$ 3.85	80.76 $\pm$ 4.40	74.49 $\pm$ 7.28	83.06 $\pm$ 3.92	47.84 $\pm$ 8.25	81.62 $\pm$ 4.95	35.95 $\pm$ 0.00	82.34 $\pm$ 4.91	75.57 $\pm$ 5.75	68.54 $\pm$ 6.21
Haptics	32.14 $\pm$ 2.79	28.25 $\pm$ 2.44	31.49 $\pm$ 1.92	35.39 $\pm$ 2.49	28.18 $\pm$ 3.44	36.58 $\pm$ 0.19	21.32 $\pm$ 3.65	37.12 $\pm$ 1.14	24.68 $\pm$ 3.46	37.12 $\pm$ 0.94	31.82 $\pm$ 7.39	26.95 $\pm$ 4.88
Herring	50.94 $\pm$ 5.70	55.00 $\pm$ 8.93	52.50 $\pm$ 7.46	51.88 $\pm$ 6.76	50.94 $\pm$ 6.68	48.96 $\pm$ 5.02	57.29 $\pm$ 4.51	51.56 $\pm$ 7.16	46.88 $\pm$ 13.58	49.48 $\pm$ 2.39	49.06 $\pm$ 7.13	45.00 $\pm$ 4.87
HouseTwenty	83.70 $\pm$ 6.31	81.18 $\pm$ 9.08	81.85 $\pm$ 9.95	58.99 $\pm$ 5.13	76.81 $\pm$ 7.55	73.67 $\pm$ 7.34	54.90 $\pm$ 2.57	66.95 $\pm$ 4.78	59.66 $\pm$ 6.85	72.83 $\pm$ 4.23	63.03 $\pm$ 4.28	84.37 $\pm$ 7.51
InlineSkate	20.15 $\pm$ 4.70	22.95 $\pm$ 2.93	19.75 $\pm$ 2.66	21.05 $\pm$ 2.12	18.98 $\pm$ 2.35	24.85 $\pm$ 1.07	16.00 $\pm$ 1.31	24.06 $\pm$ 0.93	16.51 $\pm$ 0.15	24.06 $\pm$ 0.90	19.20 $\pm$ 1.41	28.07 $\pm$ 1.19
InsectEPGRegularTrain	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	56.47 $\pm$ 1.83	78.96 $\pm$ 9.81	59.57 $\pm$ 2.67	38.96 $\pm$ 2.13	57.30 $\pm$ 1.41	53.17 $\pm$ 6.32	61.31 $\pm$ 3.42	89.88 $\pm$ 9.24	80.24 $\pm$ 3.80
InsectEPGSmallTrain	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	53.98 $\pm$ 1.90	77.03 $\pm$ 8.38	59.44 $\pm$ 2.44	52.61 $\pm$ 2.78	60.51 $\pm$ 1.98	55.66 $\pm$ 1.65	62.12 $\pm$ 1.62	83.13 $\pm$ 0.00	83.05 $\pm$ 2.80
InsectWingbeatSound	25.39 $\pm$ 1.91	24.63 $\pm$ 1.27	26.10 $\pm$ 5.93	53.74 $\pm$ 0.54	42.18 $\pm$ 1.58	56.25 $\pm$ 3.65	25.84 $\pm$ 1.75	58.96 $\pm$ 0.98	38.75 $\pm$ 2.42	57.51 $\pm$ 1.69	20.02 $\pm$ 5.68	41.44 $\pm$ 2.25
ItalyPowerDemand	87.66 $\pm$ 4.88	89.29 $\pm$ 4.25	88.36 $\pm$ 4.24	62.66 $\pm$ 11.58	93.39 $\pm$ 3.05	58.50 $\pm$ 7.42	89.57 $\pm$ 5.31	93.78 $\pm$ 2.95	95.72 $\pm$ 1.14	85.46 $\pm$ 2.44	56.64 $\pm$ 14.68	84.26 $\pm$ 5.94
LargeKitchenAppliances	60.00 $\pm$ 4.27	58.51 $\pm$ 9.39	62.67 $\pm$ 10.64	37.55 $\pm$ 2.23	60.48 $\pm$ 4.88	44.09 $\pm$ 3.07	36.98 $\pm$ 2.46	40.44 $\pm$ 3.60	37.71 $\pm$ 3.74	44.09 $\pm$ 6.61	37.17 $\pm$ 1.99	50.13 $\pm$ 3.07
Lightning2	64.92 $\pm$ 6.82	62.30 $\pm$ 7.42	67.87 $\pm$ 5.51	60.33 $\pm$ 3.91	64.92 $\pm$ 4.86	69.95 $\pm$ 2.50	50.82 $\pm$ 5.68	68.85 $\pm$ 5.68	61.64 $\pm$ 7.91	68.31 $\pm$ 3.41	59.02 $\pm$ 6.86	69.51 $\pm$ 10.47
Lightning7	58.90 $\pm$ 7.12	54.25 $\pm$ 7.09	60.55 $\pm$ 3.80	51.23 $\pm$ 2.84	50.96 $\pm$ 8.07	67.58 $\pm$ 3.45	18.26 $\pm$ 3.95	61.64 $\pm$ 3.62	30.41 $\pm$ 0.61	70.32 $\pm$ 2.85	22.19 $\pm$ 2.63	66.30 $\pm$ 3.83
Mallat	71.03 $\pm$ 13.07	70.33 $\pm$ 5.20	93.72 $\pm$ 2.08	88.67 $\pm$ 2.40	77.56 $\pm$ 9.50	94.66 $\pm$ 0.33	65.67 $\pm$ 5.01	87.51 $\pm$ 2.78	79.72 $\pm$ 5.50	90.06 $\pm$ 1.99	56.21 $\pm$ 5.78	90.88 $\pm$ 1.15
Meat	64.33 $\pm$ 14.22	50.00 $\pm$ 9.93	81.00 $\pm$ 8.47	85.33 $\pm$ 10.70	49.33 $\pm$ 15.48	76.67 $\pm$ 10.41	47.78 $\pm$ 15.03	37.22 $\pm$ 5.36	50.00 $\pm$ 11.61	88.89 $\pm$ 2.55	34.00 $\pm$ 1.49	64.00 $\pm$ 11.82
MedicalImages	45.61 $\pm$ 3.94	43.95 $\pm$ 4.74	42.63 $\pm$ 4.22	27.26 $\pm$ 7.75	32.26 $\pm$ 2.93	37.41 $\pm$ 0.59	36.84 $\pm$ 3.23	38.03 $\pm$ 3.53	40.16 $\pm$ 6.60	38.20 $\pm$ 1.38	5.24 $\pm$ 3.29	42.03 $\pm$ 2.75
MelbournePedestrian	76.79 $\pm$ 2.31	74.96 $\pm$ 2.28	77.84 $\pm$ 3.11	11.65 $\pm$ 1.29	58.25 $\pm$ 3.82	62.66 $\pm$ 1.83	70.73 $\pm$ 4.35	71.76 $\pm$ 3.72	70.23 $\pm$ 2.95	67.90 $\pm$ 5.27	58.25 $\pm$ 3.82	65.81 $\pm$ 3.77
MiddlePhalanxOutlineAgeGroup	47.01 $\pm$ 8.99	54.03 $\pm$ 8.97	50.78 $\pm$ 7.01	52.08 $\pm$ 8.63	49.09 $\pm$ 6.85	50.22 $\pm$ 4.61	51.73 $\pm$ 7.75	53.90 $\pm$ 7.87	55.06 $\pm$ 4.76	54.11 $\pm$ 9.46	31.82 $\pm$ 16.75	49.74 $\pm$ 4.72
MiddlePhalanxOutlineCorrect	53.20 $\pm$ 7.83	52.71 $\pm$ 15.62	58.14 $\pm$ 12.45	46.94 $\pm$ 12.76	48.93 $\pm$ 10.44	49.60 $\pm$ 3.67	58.65 $\pm$ 6.95	55.44 $\pm$ 15.07	51.68 $\pm$ 10.94	49.60 $\pm$ 9.23	50.93 $\pm$ 8.48	48.45 $\pm$ 7.93
MiddlePhalanxTW	45.84 $\pm$ 9.64	45.84 $\pm$ 3.45	45.71 $\pm$ 4.74	45.84 $\pm$ 4.10	43.12 $\pm$ 4.67	44.37 $\pm$ 0.37	40.04 $\pm$ 2.62	43.72 $\pm$ 4.56	44.16 $\pm$ 4.95	44.59 $\pm$ 2.28	22.86 $\pm$ 6.13	43.64 $\pm$ 5.71
MixedShapesRegularTrain	63.93 $\pm$ 9.77	61.94 $\pm$ 4.99	68.21 $\pm$ 8.35	68.04 $\pm$ 1.34	68.63 $\pm$ 3.58	67.15 $\pm$ 2.55	20.78 $\pm$ 0.21	70.05 $\pm$ 0.70	30.67 $\pm$ 6.49	67.15 $\pm$ 1.60	64.11 $\pm$ 1.37	76.68 $\pm$ 5.11
MixedShapesSmallTrain	66.24 $\pm$ 12.23	57.21 $\pm$ 4.26	72.37 $\pm$ 7.91	66.37 $\pm$ 2.62	66.13 $\pm$ 3.66	68.30 $\pm$ 1.42	22.61 $\pm$ 0.88	67.60 $\pm$ 3.67	25.23 $\pm$ 4.04	66.78 $\pm$ 1.26	60.00 $\pm$ 5.54	78.71 $\pm$ 1.70
MoteStrain	84.74 $\pm$ 4.04	83.85 $\pm$ 4.63	85.10 $\pm$ 2.03	80.19 $\pm$ 8.46	77.96 $\pm$ 3.58	85.73 $\pm$ 4.20	72.68 $\pm$ 2.25	80.09 $\pm$ 3.68	77.11 $\pm$ 6.04	85.36 $\pm$ 1.87	60.30 $\pm$ 15.64	80.37 $\pm$ 4.50
NonInvasiveFetalECGThorax1	40.80 $\pm$ 1.72	31.63 $\pm$ 3.55	40.80 $\pm$ 1.72	72.10 $\pm$ 1.96	51.79 $\pm$ 9.05	70.09 $\pm$ 3.02	22.04 $\pm$ 0.40	70.72 $\pm$ 1.13	32.89 $\pm$ 2.08	69.19 $\pm$ 0.16	28.56 $\pm$ 4.30	67.42 $\pm$ 0.56
NonInvasiveFetalECGThorax2	41.15 $\pm$ 5.46	43.13 $\pm$ 8.61	41.15 $\pm$ 5.46	78.55 $\pm$ 0.96	60.71 $\pm$ 3.55	75.84 $\pm$ 1.88	37.61 $\pm$ 1.37	75.40 $\pm$ 1.50	50.66 $\pm$ 2.46	74.93 $\pm$ 2.49	37.30 $\pm$ 2.25	75.31 $\pm$ 0.82
OSULeaf	57.85 $\pm$ 5.97	50.74 $\pm$ 10.99	72.23 $\pm$ 4.84	32.40 $\pm$ 1.86	35.37 $\pm$ 3.13	38.84 $\pm$ 1.09	16.80 $\pm$ 1.04	32.64 $\pm$ 2.71	24.05 $\pm$ 2.60	36.91 $\pm$ 1.04	23.06 $\pm$ 4.07	49.92 $\pm$ 6.46
OliveOil	59.33 $\pm$ 13.21	28.67 $\pm$ 13.66	74.00 $\pm$ 6.83	31.33 $\pm$ 9.60	26.67 $\pm$ 10.00	42.22 $\pm$ 25.02	40.00 $\pm$ 10.00	32.22 $\pm$ 13.47	40.00 $\pm$ 21.73	32.22 $\pm$ 22.19	26.67 $\pm$ 10.00	28.67 $\pm$ 11.69
PLAID	24.02 $\pm$ 4.96	24.51 $\pm$ 3.44	22.87 $\pm$ 2.95	30.06 $\pm$ 4.34	47.93 $\pm$ 3.93	36.56 $\pm$ 2.69	26.88 $\pm$ 2.01	40.16 $\pm$ 2.24	27.26 $\pm$ 3.48	37.93 $\pm$ 4.09	47.93 $\pm$ 3.93	52.96 $\pm$ 5.39
PhalangesOutlinesCorrect	56.22 $\pm$ 7.89	55.22 $\pm$ 9.82	56.85 $\pm$ 6.96	52.75 $\pm$ 11.57	53.15 $\pm$ 7.53	51.83 $\pm$ 11.55	50.35 $\pm$ 9.47	51.20 $\pm$ 13.21	53.05 $\pm$ 9.33	50.85 $\pm$ 11.66	53.61 $\pm$ 9.97	53.61 $\pm$ 8.69
Phoneme	19.05 $\pm$ 2.97	18.15 $\pm$ 2.47	19.05 $\pm$ 2.97	6.61 $\pm$ 0.25	9.00 $\pm$ 1.08	10.58 $\pm$ 0.95	6.87 $\pm$ 0.83	9.00 $\pm$ 0.29	9.61 $\pm$ 1.88	9.30 $\pm$ 1.34	8.21 $\pm$ 0.75	15.63 $\pm$ 1.56
PickupGestureWiimoteZ	56.00 $\pm$ 10.20	66.80 $\pm$ 5.93	73.60 $\pm$ 4.56	52.40 $\pm$ 1.67	56.80 $\pm$ 9.55	57.33 $\pm$ 3.06	27.33 $\pm$ 1.15	58.00 $\pm$ 3.46	42.00 $\pm$ 2.00	58.67 $\pm$ 1.15	56.80 $\pm$ 9.55	68.00 $\pm$ 2.45
PigAirwayPressure	25.00 $\pm$ 2.61	13.37 $\pm$ 2.05	48.17 $\pm$ 0.40	5.10 $\pm$ 0.26	4.62 $\pm$ 0.55	4.81 $\pm$ 0.00	4.17 $\pm$ 2.22	6.73 $\pm$ 0.48	4.04 $\pm$ 0.87	5.93 $\pm$ 0.56	4.42 $\pm$ 0.86	9.81 $\pm$ 0.73
PigArtPressure	50.96 $\pm$ 5.81	20.77 $\pm$ 3.29	68.17 $\pm$ 4.63	8.46 $\pm$ 0.65	5.10 $\pm$ 1.82	8.97 $\pm$ 1.21	6.57 $\pm$ 2.00	8.97 $\pm$ 0.73	6.92 $\pm$ 1.65	9.29 $\pm$ 1.11	18.17 $\pm$ 2.24	33.08 $\pm$ 1.33
PigCVP	29.33 $\pm$ 2.90	18.75 $\pm$ 2.40	62.98 $\pm$ 1.73	6.83 $\pm$ 0.22	3.37 $\pm$ 1.32	7.53 $\pm$ 0.56	4.65 $\pm$ 1.11	7.53 $\pm$ 0.28	3.75 $\pm$ 1.24	4.81 $\pm$ 0.48	10.38 $\pm$ 1.21	19.52 $\pm$ 0.55
Plane	100.00 $\pm$ 0.00	98.10 $\pm$ 2.43	99.62 $\pm$ 0.52	88.95 $\pm$ 7.93	95.24 $\pm$ 3.16	97.78 $\pm$ 0.55	96.51 $\pm$ 1.98	95.87 $\pm$ 1.45	97.14 $\pm$ 1.51	95.87 $\pm$ 0.55	23.05 $\pm$ 11.32	99.24 $\pm$ 1.24
PowerCons	80.56 $\pm$ 3.36	84.44 $\pm$ 5.02	84.00 $\pm$ 6.30	70.11 $\pm$ 5.26	81.11 $\pm$ 10.74	75.37 $\pm$ 5.45	54.26 $\pm$ 3.90	80.93 $\pm$ 10.72	52.22 $\pm$ 4.39	78.52 $\pm$ 10.32	68.89 $\pm$ 15.97	76.11 $\pm$ 6.55
ProximalPhalanxOutlineAgeGroup	73.37 $\pm$ 8.19	81.76 $\pm$ 3.12	79.90 $\pm$ 3.95	65.56 $\pm$ 9.78	75.41 $\pm$ 5.61	79.02 $\pm$ 7.19	79.02 $\pm$ 8					

Table 5: Per-dataset 5-shot classification results on 128 shared UCR datasets (continued).

Dataset	ResNet	TapNet	COSCO-ResNet	DLinear	PatchTST	TimesNet	Autoformer	Crossformer	FEDformer	Informer	GPT4TS	Ours
SemgHandSubjectCh2	37.11 $\pm$ 4.58	44.09 $\pm$ 1.20	35.60 $\pm$ 3.13	50.76 $\pm$ 1.90	49.02 $\pm$ 0.83	46.67 $\pm$ 2.12	27.78 $\pm$ 0.59	51.19 $\pm$ 2.74	30.62 $\pm$ 1.93	41.48 $\pm$ 6.03	36.62 $\pm$ 4.30	54.31 $\pm$ 3.37
ShakeGestureWiimoteZ	80.40 $\pm$ 4.34	91.60 $\pm$ 2.61	89.20 $\pm$ 1.10	56.40 $\pm$ 1.67	72.80 $\pm$ 5.22	62.00 $\pm$ 0.00	35.33 $\pm$ 1.15	60.67 $\pm$ 3.06	44.00 $\pm$ 2.45	55.33 $\pm$ 2.31	72.80 $\pm$ 5.22	92.00 $\pm$ 0.00
ShapeletSim	82.78 $\pm$ 10.96	99.67 $\pm$ 0.75	92.56 $\pm$ 6.55	49.44 $\pm$ 2.69	88.22 $\pm$ 10.06	55.93 $\pm$ 2.31	49.81 $\pm$ 2.80	49.63 $\pm$ 4.21	50.67 $\pm$ 1.82	49.44 $\pm$ 3.33	49.67 $\pm$ 3.98	92.00 $\pm$ 3.88
ShapesAll	57.57 $\pm$ 3.68	48.33 $\pm$ 5.58	57.57 $\pm$ 3.68	58.13 $\pm$ 1.68	51.50 $\pm$ 3.69	64.67 $\pm$ 1.64	9.22 $\pm$ 0.79	65.83 $\pm$ 3.88	13.83 $\pm$ 3.47	59.22 $\pm$ 2.28	56.47 $\pm$ 1.46	76.20 $\pm$ 1.83
SmallKitchenAppliances	59.47 $\pm$ 8.51	57.39 $\pm$ 6.38	62.35 $\pm$ 6.85	39.04 $\pm$ 4.11	57.55 $\pm$ 2.52	57.51 $\pm$ 6.62	38.67 $\pm$ 2.54	39.56 $\pm$ 5.26	46.67 $\pm$ 3.53	56.62 $\pm$ 3.96	44.00 $\pm$ 7.15	51.63 $\pm$ 12.25
SmoothSubspace	86.80 $\pm$ 2.13	82.00 $\pm$ 2.83	88.67 $\pm$ 2.36	33.87 $\pm$ 1.19	57.07 $\pm$ 4.58	65.78 $\pm$ 2.04	69.33 $\pm$ 3.71	61.11 $\pm$ 0.77	77.07 $\pm$ 5.51	84.00 $\pm$ 4.81	37.07 $\pm$ 6.74	88.00 $\pm$ 2.87
SonyAIBORobotSurface1	93.94 $\pm$ 2.22	95.71 $\pm$ 1.41	92.85 $\pm$ 2.46	61.83 $\pm$ 10.72	84.73 $\pm$ 2.02	71.21 $\pm$ 3.16	67.39 $\pm$ 1.20	71.60 $\pm$ 6.11	64.96 $\pm$ 2.40	64.89 $\pm$ 3.03	54.54 $\pm$ 12.34	84.86 $\pm$ 2.67
SonyAIBORobotSurface2	92.51 $\pm$ 3.32	91.14 $\pm$ 0.89	91.54 $\pm$ 4.19	78.15 $\pm$ 2.59	85.83 $\pm$ 4.10	79.96 $\pm$ 1.73	83.11 $\pm$ 2.73	81.78 $\pm$ 2.73	80.76 $\pm$ 4.57	83.21 $\pm$ 2.88	61.15 $\pm$ 14.84	77.21 $\pm$ 3.67
StarLightCurves	81.52 $\pm$ 8.85	60.67 $\pm$ 16.70	76.44 $\pm$ 1.22	74.70 $\pm$ 4.25	76.72 $\pm$ 3.78	75.63 $\pm$ 4.10	28.48 $\pm$ 9.45	75.33 $\pm$ 3.39	27.99 $\pm$ 0.00	75.69 $\pm$ 5.23	75.95 $\pm$ 2.54	81.86 $\pm$ 7.93
Strawberry	63.51 $\pm$ 2.99	64.22 $\pm$ 4.90	60.22 $\pm$ 9.83	58.49 $\pm$ 2.90	63.03 $\pm$ 7.09	61.89 $\pm$ 4.92	67.21 $\pm$ 4.90	59.82 $\pm$ 1.80	61.03 $\pm$ 3.64	65.77 $\pm$ 7.40	52.92 $\pm$ 6.34	58.05 $\pm$ 7.04
SwedishLeaf	79.81 $\pm$ 1.70	76.00 $\pm$ 4.97	79.81 $\pm$ 1.70	47.97 $\pm$ 1.68	65.66 $\pm$ 4.54	62.61 $\pm$ 4.53	49.23 $\pm$ 4.26	67.15 $\pm$ 4.00	56.93 $\pm$ 3.43	62.29 $\pm$ 1.68	15.90 $\pm$ 6.80	79.78 $\pm$ 2.56
Symbols	88.78 $\pm$ 7.99	88.74 $\pm$ 7.74	91.24 $\pm$ 0.96	83.44 $\pm$ 1.29	84.92 $\pm$ 3.31	84.29 $\pm$ 1.01	36.11 $\pm$ 0.23	86.40 $\pm$ 1.63	58.19 $\pm$ 7.40	83.75 $\pm$ 0.90	27.56 $\pm$ 4.43	88.04 $\pm$ 1.30
SyntheticControl	87.80 $\pm$ 2.38	96.33 $\pm$ 0.33	92.60 $\pm$ 1.01	48.53 $\pm$ 3.68	92.73 $\pm$ 2.94	73.22 $\pm$ 3.10	52.11 $\pm$ 3.20	66.22 $\pm$ 3.66	56.27 $\pm$ 3.45	72.78 $\pm$ 3.66	20.93 $\pm$ 4.87	95.07 $\pm$ 1.62
ToeSegmentation1	85.96 $\pm$ 7.05	77.37 $\pm$ 5.14	81.58 $\pm$ 5.14	54.74 $\pm$ 3.58	68.16 $\pm$ 3.79	55.56 $\pm$ 2.16	53.95 $\pm$ 2.74	51.61 $\pm$ 0.91	53.25 $\pm$ 3.38	54.82 $\pm$ 1.32	48.77 $\pm$ 4.31	70.53 $\pm$ 10.39
ToeSegmentation2	74.77 $\pm$ 12.53	<u>77.85 $\pm$ 7.33</u>	<u>74.77 $\pm$ 8.79</u>	50.77 $\pm$ 2.88	68.46 $\pm$ 6.25	58.97 $\pm$ 1.60	50.26 $\pm$ 0.44	59.49 $\pm$ 6.72	37.54 $\pm$ 3.14	64.10 $\pm$ 2.70	52.31 $\pm$ 9.12	78.00 $\pm$ 6.36
Trace	88.60 $\pm$ 7.37	<u>99.00 $\pm$ 1.00</u>	93.00 $\pm$ 8.00	53.00 $\pm$ 4.42	76.40 $\pm$ 5.77	51.67 $\pm$ 4.93	53.33 $\pm$ 2.08	49.67 $\pm$ 3.79	59.80 $\pm$ 2.59	55.67 $\pm$ 8.50	48.80 $\pm$ 10.71	100.00 $\pm$ 0.00
TwoLeadECG	97.98 $\pm$ 4.17	95.47 $\pm$ 5.89	75.84 $\pm$ 5.58	58.75 $\pm$ 2.38	82.55 $\pm$ 14.28	62.16 $\pm$ 1.52	60.81 $\pm$ 0.10	56.34 $\pm$ 2.59	61.88 $\pm$ 1.65	68.51 $\pm$ 9.61	52.10 $\pm$ 2.73	96.68 $\pm$ 5.58
TwoPatterns	64.62 $\pm$ 3.64	74.98 $\pm$ 5.04	74.94 $\pm$ 1.43	38.09 $\pm$ 3.07	51.91 $\pm$ 7.48	40.83 $\pm$ 3.89	26.00 $\pm$ 0.92	39.83 $\pm$ 3.80	26.50 $\pm$ 1.83	37.54 $\pm$ 1.63	27.50 $\pm$ 4.13	74.22 $\pm$ 2.81
UMD	87.08 $\pm$ 10.10	91.53 $\pm$ 5.28	96.67 $\pm$ 2.05	56.53 $\pm$ 3.69	74.44 $\pm$ 17.00	61.57 $\pm$ 1.45	62.96 $\pm$ 5.82	68.52 $\pm$ 10.79	71.81 $\pm$ 2.17	70.14 $\pm$ 10.69	48.47 $\pm$ 7.32	95.78 $\pm$ 2.33
UWaveGestureLibraryAll	42.53 $\pm$ 1.15	39.33 $\pm$ 5.11	44.53 $\pm$ 1.84	77.02 $\pm$ 5.21	57.17 $\pm$ 2.24	78.18 $\pm$ 3.39	26.42 $\pm$ 1.62	<u>77.47 $\pm$ 3.61</u>	35.67 $\pm$ 1.53	76.96 $\pm$ 4.32	65.94 $\pm$ 6.48	48.36 $\pm$ 0.30
UWaveGestureLibraryX	39.64 $\pm$ 3.12	46.31 $\pm$ 4.46	46.23 $\pm$ 4.40	56.88 $\pm$ 2.64	50.95 $\pm$ 2.22	58.42 $\pm$ 2.37	19.27 $\pm$ 3.18	58.58 $\pm$ 2.34	31.22 $\pm$ 3.55	57.86 $\pm$ 1.47	26.48 $\pm$ 5.59	47.36 $\pm$ 0.30
UWaveGestureLibraryY	37.00 $\pm$ 1.20	38.44 $\pm$ 2.57	40.23 $\pm$ 3.63	52.69 $\pm$ 2.24	48.41 $\pm$ 3.12	51.42 $\pm$ 3.10	21.22 $\pm$ 1.11	51.72 $\pm$ 2.98	30.92 $\pm$ 5.43	50.81 $\pm$ 4.53	19.79 $\pm$ 3.07	51.36 $\pm$ 0.31
UWaveGestureLibraryZ	38.74 $\pm$ 2.41	44.95 $\pm$ 4.51	40.85 $\pm$ 4.13	48.35 $\pm$ 3.41	47.76 $\pm$ 4.10	50.34 $\pm$ 2.37	20.23 $\pm$ 1.68	49.48 $\pm$ 1.66	31.23 $\pm$ 4.16	48.05 $\pm$ 3.36	25.20 $\pm$ 6.78	55.54 $\pm$ 2.61
Wafer	76.83 $\pm$ 9.15	69.99 $\pm$ 14.88	71.79 $\pm$ 15.46	55.60 $\pm$ 16.77	73.34 $\pm$ 19.66	80.42 $\pm$ 16.85	76.25 $\pm$ 9.34	83.86 $\pm$ 16.37	75.80 $\pm$ 12.54	83.26 $\pm$ 17.85	64.01 $\pm$ 22.29	71.65 $\pm$ 9.58
Wine	57.41 $\pm$ 13.03	48.15 $\pm$ 3.93	61.11 $\pm$ 5.40	55.93 $\pm$ 3.56	53.33 $\pm$ 5.62	47.53 $\pm$ 8.35	54.94 $\pm$ 8.55	50.00 $\pm$ 0.00	46.67 $\pm$ 6.47	37.65 $\pm$ 19.80	50.00 $\pm$ 0.00	51.48 $\pm$ 2.03
WordSynonyms	25.08 $\pm$ 1.54	21.22 $\pm$ 1.56	25.08 $\pm$ 1.54	29.56 $\pm$ 2.06	30.38 $\pm$ 2.74	45.87 $\pm$ 4.63	7.99 $\pm$ 1.24	44.67 $\pm$ 4.83	18.81 $\pm$ 2.07	41.33 $\pm$ 4.67	22.26 $\pm$ 2.64	47.05 $\pm$ 3.87
Worms	57.14 $\pm$ 9.76	55.58 $\pm$ 5.91	62.86 $\pm$ 4.55	24.68 $\pm$ 4.68	40.26 $\pm$ 5.11	22.94 $\pm$ 0.75	19.91 $\pm$ 3.27	25.97 $\pm$ 0.00	16.62 $\pm$ 2.32	22.08 $\pm$ 1.30	22.08 $\pm$ 5.11	44.42 $\pm$ 6.26
WormsTwoClass	68.05 $\pm$ 7.21	59.74 $\pm$ 6.69	62.08 $\pm$ 7.97	48.83 $\pm$ 3.13	51.17 $\pm$ 8.09	52.38 $\pm$ 2.70	42.86 $\pm$ 3.44	51.08 $\pm$ 5.25	48.83 $\pm$ 3.26	52.81 $\pm$ 3.27	48.83 $\pm$ 5.92	54.81 $\pm$ 7.59
Yoga	55.71 $\pm$ 3.37	53.57 $\pm$ 4.72	<u>55.19 $\pm$ 2.57</u>	50.13 $\pm$ 2.22	53.89 $\pm$ 3.78	49.79 $\pm$ 3.21	52.94 $\pm$ 1.57	47.50 $\pm$ 3.55	51.67 $\pm$ 1.99	49.68 $\pm$ 4.28	48.87 $\pm$ 2.05	51.31 $\pm$ 4.34
Avg. Acc.	61.27	59.47	<u>63.55</u>	52.30	56.94	57.86	43.20	57.20	47.30	58.35	42.94	64.14
Avg. Rank	4.77	5.34	<u>4.23</u>	7.73	6.60	5.69	9.55	5.94	8.70	5.79	9.48	4.19
#Best	21	13	<u>30</u>	6	4	8	4	7	2	8	1	36

Table 6: Per-dataset 10-shot classification results on 128 shared UCR datasets. Each value is reported as mean $\pm$ standard deviation over 5 runs.

Dataset	ResNet	TapNet	COSCO-ResNet	DLinear	PatchTST	TimesNet	Autoformer	Crossformer	FEDformer	Informer	GPT4TS	Ours
ACSF1	85.40 $\pm$ 2.19	76.80 $\pm$ 3.35	80.80 $\pm$ 0.84	38.60 $\pm$ 0.89	58.80 $\pm$ 2.59	64.67 $\pm$ 0.58	42.67 $\pm$ 1.53	67.00 $\pm$ 2.00	53.60 $\pm$ 2.51	67.00 $\pm$ 2.00	36.80 $\pm$ 3.27	81.33 $\pm$ 1.53
Adiac	62.46 $\pm$ 4.53	56.98 $\pm$ 3.84	62.46 $\pm$ 4.53	45.32 $\pm$ 1.06	47.72 $\pm$ 5.48	56.01 $\pm$ 2.77	48.68 $\pm$ 0.78	47.91 $\pm$ 6.68	71.71 $\pm$ 1.94	48.00 $\pm$ 3.58	12.84 $\pm$ 1.42	76.42 $\pm$ 1.68
AllGestureWiimoteX	49.37 $\pm$ 3.15	43.11 $\pm$ 2.57	39.26 $\pm$ 2.50	23.91 $\pm$ 1.60	43.54 $\pm$ 2.85	37.14 $\pm$ 0.52	15.00 $\pm$ 0.87	35.19 $\pm$ 1.33	25.80 $\pm$ 2.24	31.00 $\pm$ 1.57	43.54 $\pm$ 2.85	52.31 $\pm$ 2.26
AllGestureWiimoteY	54.89 $\pm$ 2.09	50.74 $\pm$ 4.62	40.17 $\pm$ 2.24	27.26 $\pm$ 1.11	48.03 $\pm$ 1.58	42.57 $\pm$ 3.19	16.95 $\pm$ 2.22	42.57 $\pm$ 3.81	30.37 $\pm$ 4.65	41.24 $\pm$ 2.84	48.03 $\pm$ 1.58	56.34 $\pm$ 3.54
AllGestureWiimoteZ	49.34 $\pm$ 1.38	46.03 $\pm$ 2.76	39.80 $\pm$ 2.97	22.43 $\pm$ 1.80	34.54 $\pm$ 4.20	31.29 $\pm$ 1.13	16.67 $\pm$ 1.15	29.67 $\pm$ 3.32	21.71 $\pm$ 1.69	32.19 $\pm$ 0.59	34.54 $\pm$ 4.20	44.43 $\pm$ 2.91
ArrowHead	72.23 $\pm$ 5.22	63.89 $\pm$ 7.06	65.49 $\pm$ 9.09	64.34 $\pm$ 0.65	62.86 $\pm$ 7.57	60.38 $\pm$ 1.19	48.19 $\pm$ 2.58	59.62 $\pm$ 2.88	57.83 $\pm$ 5.80	63.43 $\pm$ 3.48	45.83 $\pm$ 13.23	81.49 $\pm$ 3.22
BME	64.27 $\pm$ 9.29	69.33 $\pm$ 1.56	78.67 $\pm$ 4.64	64.53 $\pm$ 0.30	97.60 $\pm$ 3.29	71.11 $\pm$ 2.34	78.89 $\pm$ 1.02	88.44 $\pm$ 1.02	91.33 $\pm$ 2.31	86.67 $\pm$ 0.00	46.40 $\pm$ 7.46	99.20 $\pm$ 0.30
Beef	51.33 $\pm$ 6.91	44.00 $\pm$ 6.83	52.00 $\pm$ 2.98	61.33 $\pm$ 4.47	46.00 $\pm$ 6.41	70.00 $\pm$ 3.33	51.11 $\pm$ 5.09	54.44 $\pm$ 3.85	64.00 $\pm$ 7.23	80.00 $\pm$ 0.00	37.33 $\pm$ 4.35	68.00 $\pm$ 1.83
BeetleFly	71.00 $\pm$ 8.94	74.00 $\pm$ 6.52	75.00 $\pm$ 6.12	86.00 $\pm$ 4.18	86.00 $\pm$ 2.24	81.67 $\pm$ 2.89	48.33 $\pm$ 2.89	83.33 $\pm$ 2.89	49.00 $\pm$ 11.94	75.00 $\pm$ 5.00	70.00 $\pm$ 12.25	96.67 $\pm$ 2.89
BirdChicken	84.00 $\pm$ 12.45	92.00 $\pm$ 5.70	94.00 $\pm$ 4.18	68.00 $\pm$ 2.74	81.00 $\pm$ 9.62	71.67 $\pm$ 7.64	41.67 $\pm$ 7.64	68.33 $\pm$ 16.07	56.00 $\pm$ 5.48	56.67 $\pm$ 7.64	56.00 $\pm$ 4.18	89.00 $\pm$ 5.48
CBF	98.96 $\pm$ 0.23	98.27 $\pm$ 0.96	99.24 $\pm$ 0.32	67.49 $\pm$ 2.09	95.98 $\pm$ 4.64	90.07 $\pm$ 1.09	39.37 $\pm$ 1.51	91.44 $\pm$ 1.93	51.24 $\pm$ 7.49	90.11 $\pm$ 0.88	49.31 $\pm$ 9.05	97.71 $\pm$ 0.69
Car	57.67 $\pm$ 10.84	58.67 $\pm$ 3.21	65.33 $\pm$ 2.17	73.00 $\pm$ 2.98	62.67 $\pm$ 5.22	70.00 $\pm$ 2.89	27.22 $\pm$ 5.85	65.56 $\pm$ 0.96	37.33 $\pm$ 3.84	72.22 $\pm$ 1.92	50.33 $\pm$ 8.28	76.33 $\pm$ 5.45
Chinatown	98.19 $\pm$ 0.13	98.13 $\pm$ 0.16	98.54 $\pm$ 0.21	54.58 $\pm$ 24.80	97.73 $\pm$ 0.75	94.75 $\pm$ 2.10	95.63 $\pm$ 1.01	97.28 $\pm$ 0.61	96.62 $\pm$ 0.60	96.60 $\pm$ 1.10	63.56 $\pm$ 20.21	94.56 $\pm$ 3.09
ChlorineConcentration	41.18 $\pm$ 3.66	34.41 $\pm$ 8.63	37.86 $\pm$ 5.20	34.42 $\pm$ 4.40	35.51 $\pm$ 6.32	35.06 $\pm$ 1.39	38.85 $\pm$ 1.62	32.99 $\pm$ 4.01	39.05 $\pm$ 4.08	39.50 $\pm$ 4.07	33.01 $\pm$ 11.68	34.77 $\pm$ 6.93
CinCECGTorso	54.03 $\pm$ 3.03	65.94 $\pm$ 5.62	64.64 $\pm$ 5.11	45.36 $\pm$ 1.09	80.65 $\pm$ 7.24	81.59 $\pm$ 1.76	35.82 $\pm$ 2.41	84.42 $\pm$ 2.94	63.93 $\pm$ 1.27	85.19 $\pm$ 1.24	52.77 $\pm$ 4.47	94.71 $\pm$ 4.65
Coffee	97.14 $\pm$ 6.39	97.14 $\pm$ 1.60	100.00 $\pm$ 0.00	96.43 $\pm$ 4.37	97.86 $\pm$ 1.96	91.67 $\pm$ 2.06	86.90 $\pm$ 16.50	92.86 $\pm$ 0.00	98.57 $\pm$ 3.19	90.48 $\pm$ 2.06	56.43 $\pm$ 7.74	95.71 $\pm$ 2.99
Computers	66.48 $\pm$ 3.03	63.20 $\pm$ 6.81	68.08 $\pm$ 4.62	48.88 $\pm$ 2.52	56.40 $\pm$ 10.98	52.13 $\pm$ 9.60	52.13 $\pm$ 6.02	50.93 $\pm$ 12.73	49.68 $\pm$ 5.04	53.87 $\pm$ 12.94	51.52 $\pm$ 3.69	65.60 $\pm$ 6.66
CricketX	60.72 $\pm$ 2.35	55.18 $\pm$ 4.36	51.28 $\pm$ 3.40	30.15 $\pm$ 2.84	42.92 $\pm$ 1.99	46.50 $\pm$ 1.21	14.27 $\pm$ 1.71	45.38 $\pm$ 2.45	20.87 $\pm$ 2.94	45.38 $\pm$ 1.94	19.33 $\pm$ 2.95	66.92 $\pm$ 2.71
CricketY	56.92 $\pm$ 2.81	49.44 $\pm$ 1.94	47.69 $\pm$ 2.43	32.82 $\pm$ 4.21	42.15 $\pm$ 5.17	44.62 $\pm$ 0.44	9.32 $\pm$ 1.04	44.02 $\pm$ 2.09	17.90 $\pm$ 2.44	41.11 $\pm$ 0.53	23.95 $\pm$ 3.97	57.95 $\pm$ 1.33
CricketZ	63.18 $\pm$ 1.66	57.38 $\pm$ 2.58	48.82 $\pm$ 4.98	30.56 $\pm$ 3.52	43.18 $\pm$ 5.27	46.32 $\pm$ 1.71	12.91 $\pm$ 2.15	47.78 $\pm$ 1.41	18.26 $\pm$ 2.08	45.30 $\pm$ 1.50	21.95 $\pm$ 3.02	65.30 $\pm$ 1.16
Crop	57.92 $\pm$ 1.22	54.52 $\pm$ 1.67	57.92 $\pm$ 1.22	42.46 $\pm$ 2.10	44.96 $\pm$ 1.35	54.14 $\pm$ 2.07	52.84 $\pm$ 0.15	54.82 $\pm$ 1.79	54.74 $\pm$ 0.79	54.60 $\pm$ 1.45	25.02 $\pm$ 2.10	57.97 $\pm$ 1.25
DiatomSizeReduction	87.32 $\pm$ 3.50	71.05 $\pm$ 13.58	96.80 $\pm$ 0.91	44.77 $\pm$ 1.16	62.68 $\pm$ 4.64	87.04 $\pm$ 1.80	66.88 $\pm$ 2.86	51.96 $\pm$ 5.03	48.89 $\pm$ 18.63	87.47 $\pm$ 0.19	30.13 $\pm$ 0.15	92.61 $\pm$ 2.00
DistalPhalanxOutlineAgeGroup	68.20 $\pm$ 2.98	68.78 $\pm$ 4.24	70.50 $\pm$ 1.61	69.50 $\pm$ 1.66	69.50 $\pm$ 2.81	66.67 $\pm$ 1.10	65.71 $\pm$ 3.62	70.50 $\pm$ 1.25	68.78 $\pm$ 2.72	66.91 $\pm$ 1.25	48.06 $\pm$ 11.76	70.65 $\pm$ 2.18
DistalPhalanxOutlineCorrect	64.78 $\pm$ 12.49	65.07 $\pm$ 11.29	63.62 $\pm$ 12.87	50.00 $\pm$ 13.55	60.14 $\pm$ 9.92	58.94 $\pm$ 4.04	67.15 $\pm$ 2.41	55.43 $\pm$ 14.84	62.39 $\pm$ 9.46	61.71 $\pm$ 6.72	47.61 $\pm$ 8.80	60.51 $\pm$ 11.85
DistalPhalanxTW	55.83 $\pm$ 3.65	59.14 $\pm$ 2.12	60.58 $\pm$ 3.58	47.34 $\pm$ 6.42	57.55 $\pm$ 6.08	53.96 $\pm$ 3.14	53.00 $\pm$ 2.91	54.92 $\pm$ 0.83	52.52 $\pm$ 4.35	54.92 $\pm$ 2.91	32.37 $\pm$ 14.50	54.10 $\pm$ 3.11
DodgerLoopDay	49.25 $\pm$ 3.71	47.25 $\pm$ 4.28	39.75 $\pm$ 3.11	41.50 $\pm$ 2.24	47.00 $\pm$ 4.11	49.58 $\pm$ 5.64	28.75 $\pm$ 2.50	45.42 $\pm$ 1.91	29.00 $\pm$ 2.40	48.75 $\pm$ 1.25	47.00 $\pm$ 4.11	48.75 $\pm$ 1.77
DodgerLoopGame	68.70 $\pm$ 6.09	83.33 $\pm$ 5.28	75.07 $\pm$ 2.64	79.28 $\pm$ 0.97	88.84 $\pm$ 1.67	76.81 $\pm$ 1.26	48.79 $\pm$ 3.42	81.40 $\pm$ 1.51	53.48 $\pm$ 2.83	78.99 $\pm$ 1.45	88.84 $\pm$ 1.67	83.62 $\pm$ 0.65
DodgerLoopWeekend	94.06 $\pm$ 1.39	94.20 $\pm$ 2.11	96.81 $\pm$ 0.83	97.83 $\pm$ 0.00	96.81 $\pm$ 0.65	96.86 $\pm$ 0.42	72.71 $\pm$ 1.82	97.58 $\pm$ 0.42	76.38 $\pm$ 1.82	97.10 $\pm$ 0.00	96.81 $\pm$ 0.65	97.83 $\pm$ 0.00
ECG200	80.00 $\pm$ 4.00	83.00 $\pm$ 2.00	80.40 $\pm$ 4.28	77.60 $\pm$ 4.34	79.80 $\pm$ 6.53	79.33 $\pm$ 3.21	78.00 $\pm$ 3.61	81.00 $\pm$ 5.00	82.00 $\pm$ 2.92	82.00 $\pm$ 3.61	63.00 $\pm$ 15.26	77.40 $\pm$ 4.88
ECG5000	83.56 $\pm$ 5.09	78.23 $\pm$ 2.20	80.72 $\pm$ 4.37	88.37 $\pm$ 1.22	76.31 $\pm$ 5.83	79.59 $\pm$ 2.75	73.64 $\pm$ 2.21	84.75 $\pm$ 1.16	79.28 $\pm$ 5.11	82.19 $\pm$ 1.79	24.56 $\pm$ 15.15	73.78 $\pm$ 6.18
ECGFiveDays	95.40 $\pm$ 1.88	88.99 $\pm$ 4.44	97.56 $\pm$ 1.20	74.87 $\pm$ 4.61	94.61 $\pm$ 2.00	83.82 $\pm$ 7.05	96.44 $\pm$ 1.42	91.64 $\pm$ 1.90	97.51 $\pm$ 1.12	86.18 $\pm$ 8.29	57.47 $\pm$ 4.38	75.28 $\pm$ 1.71
EOGHorizontalSignal	30.61 $\pm$ 3.99	43.15 $\pm$ 5.84	30.94 $\pm$ 3.48	29.89 $\pm$ 1.60	38.78 $\pm$ 6.14	39.59 $\pm$ 1.67	8.01 $\pm$ 1.27	41.62 $\pm$ 1.42	10.61 $\pm$ 3.44	40.06 $\pm$ 3.72	39.56 $\pm$ 4.17	49.17 $\pm$ 1.62
EOGVerticalSignal	21.71 $\pm$ 2.53	28.23 $\pm$ 2.47	19.83 $\pm$ 3.08	31.55 $\pm$ 2.19	40.06 $\pm$ 1.98	36.00 $\pm$ 1.12	8.47 $\pm$ 0.84	37.75 $\pm$ 1.67	11.99 $\pm$ 1.33	37.02 $\pm$ 1.99	30.55 $\pm$ 3.17	42.21 $\pm$ 2.26
Earthquakes	53.81 $\pm$ 8.62	53.96 $\pm$ 9.50	51.37 $\pm$ 3.47	52.52 $\pm$ 6.49	54.82 $\pm$ 2.85	60.91 $\pm$ 4.63	49.16 $\pm$ 8.34	59.71 $\pm$ 6.86	54.68 $\pm$ 5.26	61.87 $\pm$ 3.60	47.91 $\pm$ 6.66	54.68 $\pm$ 7.63
ElectricDevices	40.12 $\pm$ 4.42	38.65 $\pm$ 3.96	36.00 $\pm$ 4.64	28.04 $\pm$ 1.63	39.08 $\pm$ 8.26	48.59 $\pm$ 6.21	30.07 $\pm$ 3.26	33.74 $\pm$ 3.43	37.44 $\pm$ 1.49	48.14 $\pm$ 2.51	16.08 $\pm$ 5.57	49.42 $\pm$ 5.02
EthanolLevel	26.56 $\pm$ 1.96	25.76 $\pm$ 1.05	26.16 $\pm$ 0.71	29.28 $\pm$ 1.78	25.92 $\pm$ 1.70	28.07 $\pm$ 2.55	25.20 $\pm$ 3.34	26.80 $\pm$ 0.69	25.60 $\pm$ 1.13	29.87 $\pm$ 2.47	25.56 $\pm$ 1.05	28.24 $\pm$ 0.50
FaceAll	77.73 $\pm$ 3.48	80.30 $\pm$ 1.67	77.73 $\pm$ 3.48	67.09 $\pm$ 2.40	54.49 $\pm$ 5.41	67.46 $\pm$ 1.82	59.68 $\pm$ 1.83	67.32 $\pm$ 2.82	60.69 $\pm$ 2.63	64.06 $\pm$ 2.32	32.89 $\pm$ 2.71	63.01 $\pm$ 1.34
FaceFour	87.95 $\pm$ 3.07	59.32 $\pm$ 7.51	92.95 $\pm$ 2.03	74.77 $\pm$ 0.95	66.36 $\pm$ 10.77	85.98 $\pm$ 1.31	65.91 $\pm$ 2.27	88.26 $\pm$ 0.66	69.55 $\pm$ 1.69	83.71 $\pm$ 1.31	34.55 $\pm$ 3.82	79.09 $\pm$ 1.90
FacesUCR	87.80 $\pm$ 1.60	84.26 $\pm$ 2.06	82.41 $\pm$ 2.48	63.80 $\pm$ 1.79	54.40 $\pm$ 3.05	80.54 $\pm$ 1.15	70.11 $\pm$ 1.05	83.69 $\pm$ 1.13	72.08 $\pm$ 1.16	79.51 $\pm$ 1.53	34.67 $\pm$ 3.28	79.08 $\pm$ 1.41
FiftyWords	45.36 $\pm$ 2.39	36.70 $\pm$ 1.89	45.36 $\pm$ 2.39	53.67 $\pm$ 1.47	50.46 $\pm$ 2.83	64.32 $\pm$ 1.87	16.85 $\pm$ 0.67	67.99 $\pm$ 1.84	37.05 $\pm$ 3.62	57.36 $\pm$ 1.54	56.40 $\pm$ 1.98	71.34 $\pm$ 2.10
Fish	83.31 $\pm$ 3.78	56.00 $\pm$ 4.28	71.54 $\pm$ 6.28	65.60 $\pm$ 3.49	62.74 $\pm$ 2.15	68.95 $\pm$ 4.29	24.38 $\pm$ 3.80	71.05 $\pm$ 1.44	57.14 $\pm$ 3.45	75.05 $\pm$ 2.31	38.17 $\pm$ 5.05	78.29 $\pm$ 3.92
FordA	78.26 $\pm$ 5.14	75.61 $\pm$ 0.71	78.70 $\pm$ 3.26	49.09 $\pm$ 0.93	67.88 $\pm$ 3.90	51.99 $\pm$ 2.52	52.22 $\pm$ 0.95	48.81 $\pm$ 1.31	53.05 $\pm$ 1.09	48.21 $\pm$ 1.67	50.06 $\pm$ 2.65	57.15 $\pm$ 1.85
FordB	63.83 $\pm$ 5.74	62.17 $\pm$ 3.33	61.70 $\pm$ 3.19	48.54 $\pm$ 0.72	59.06 $\pm$ 1.85	46.75 $\pm$ 0.61	49.79 $\pm$ 1.45	47.24 $\pm$ 1.24	5			

Table 6: Per-dataset 10-shot classification results on 128 shared UCR datasets (continued).

Dataset	ResNet	TapNet	COSCO-ResNet	DLinear	PatchTST	TimesNet	Autoformer	Crossformer	FEDformer	Informer	GPT4TS	Ours
GesturePebbleZ1	76.86 $\pm$ 5.40	75.47 $\pm$ 8.13	77.67 $\pm$ 2.20	66.63 $\pm$ 2.78	68.84 $\pm$ 4.61	75.00 $\pm$ 1.16	22.29 $\pm$ 3.87	77.33 $\pm$ 2.10	38.95 $\pm$ 10.62	81.40 $\pm$ 2.53	68.84 $\pm$ 4.61	75.12 $\pm$ 5.19
GesturePebbleZ2	73.16 $\pm$ 4.51	63.42 $\pm$ 5.15	73.16 $\pm$ 2.82	60.38 $\pm$ 3.46	67.59 $\pm$ 4.18	69.62 $\pm$ 2.90	19.20 $\pm$ 0.73	74.26 $\pm$ 2.56	28.86 $\pm$ 9.85	73.00 $\pm$ 1.59	67.59 $\pm$ 4.18	75.57 $\pm$ 4.64
GunPoint	85.73 $\pm$ 9.32	82.13 $\pm$ 8.02	91.73 $\pm$ 11.16	68.27 $\pm$ 5.09	77.60 $\pm$ 4.39	71.78 $\pm$ 3.79	64.00 $\pm$ 6.57	72.00 $\pm$ 1.15	77.73 $\pm$ 11.90	76.67 $\pm$ 6.67	62.00 $\pm$ 16.53	97.47 $\pm$ 2.23
GunPointAgeSpan	89.56 $\pm$ 7.42	72.47 $\pm$ 9.28	74.87 $\pm$ 11.59	83.54 $\pm$ 2.13	82.22 $\pm$ 4.04	85.44 $\pm$ 1.67	52.22 $\pm$ 3.12	85.13 $\pm$ 2.39	71.08 $\pm$ 9.43	83.54 $\pm$ 3.02	53.61 $\pm$ 10.43	92.72 $\pm$ 5.80
GunPointMaleVersusFemale	92.78 $\pm$ 8.49	93.48 $\pm$ 5.65	92.22 $\pm$ 9.65	67.09 $\pm$ 4.97	95.57 $\pm$ 2.50	91.14 $\pm$ 4.91	60.97 $\pm$ 6.06	93.57 $\pm$ 3.96	74.05 $\pm$ 7.11	94.41 $\pm$ 2.22	67.22 $\pm$ 11.33	98.54 $\pm$ 0.94
GunPointOldVersusYoung	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	76.19 $\pm$ 1.96	79.17 $\pm$ 3.15	78.20 $\pm$ 2.30	57.46 $\pm$ 1.38	77.25 $\pm$ 5.77	61.90 $\pm$ 5.09	79.26 $\pm$ 2.47	85.78 $\pm$ 19.21	86.79 $\pm$ 4.71
Ham	60.76 $\pm$ 5.19	66.48 $\pm$ 2.64	65.52 $\pm$ 4.83	71.24 $\pm$ 5.65	62.86 $\pm$ 4.86	66.03 $\pm$ 7.40	63.49 $\pm$ 10.09	68.89 $\pm$ 6.69	61.71 $\pm$ 8.23	68.89 $\pm$ 7.02	61.52 $\pm$ 3.79	62.86 $\pm$ 3.37
HandOutlines	50.76 $\pm$ 12.61	50.92 $\pm$ 12.38	57.46 $\pm$ 2.17	81.57 $\pm$ 4.57	82.65 $\pm$ 3.66	81.62 $\pm$ 2.31	38.65 $\pm$ 4.09	78.47 $\pm$ 5.74	35.95 $\pm$ 0.00	81.62 $\pm$ 1.95	76.97 $\pm$ 8.74	71.51 $\pm$ 5.35
Haptics	29.68 $\pm$ 4.36	29.16 $\pm$ 4.62	33.31 $\pm$ 5.65	37.73 $\pm$ 3.74	31.95 $\pm$ 2.95	37.66 $\pm$ 2.89	23.81 $\pm$ 5.22	37.66 $\pm$ 2.77	25.45 $\pm$ 4.31	38.20 $\pm$ 2.76	35.32 $\pm$ 3.26	39.22 $\pm$ 4.29
Herring	55.00 $\pm$ 9.20	55.62 $\pm$ 5.91	55.00 $\pm$ 7.28	50.31 $\pm$ 6.57	59.69 $\pm$ 3.39	52.60 $\pm$ 3.93	47.92 $\pm$ 2.39	53.65 $\pm$ 8.02	49.06 $\pm$ 4.50	50.52 $\pm$ 1.80	57.19 $\pm$ 6.68	55.31 $\pm$ 5.01
HouseTwenty	90.92 $\pm$ 1.10	88.91 $\pm$ 1.82	89.58 $\pm$ 3.18	65.55 $\pm$ 5.48	81.51 $\pm$ 3.71	81.23 $\pm$ 2.43	60.50 $\pm$ 3.36	74.79 $\pm$ 1.46	64.20 $\pm$ 2.95	81.79 $\pm$ 4.63	70.76 $\pm$ 6.04	89.24 $\pm$ 2.81
InlineSkate	30.04 $\pm$ 2.77	24.04 $\pm$ 1.78	21.27 $\pm$ 3.03	25.16 $\pm$ 1.55	21.67 $\pm$ 3.27	28.42 $\pm$ 1.51	16.91 $\pm$ 0.91	28.73 $\pm$ 0.83	18.22 $\pm$ 1.24	29.09 $\pm$ 2.20	22.62 $\pm$ 1.07	33.49 $\pm$ 2.77
InsectEPGRegularTrain	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	54.62 $\pm$ 4.82	79.12 $\pm$ 3.30	61.31 $\pm$ 3.90	42.70 $\pm$ 1.23	60.37 $\pm$ 1.29	55.18 $\pm$ 4.83	64.39 $\pm$ 5.02	96.63 $\pm$ 7.54	86.59 $\pm$ 4.06
InsectEPGSmallTrain	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	60.00 $\pm$ 1.05	81.69 $\pm$ 6.46	69.08 $\pm$ 1.20	55.82 $\pm$ 1.06	69.88 $\pm$ 0.80	58.71 $\pm$ 4.87	66.40 $\pm$ 1.81	83.13 $\pm$ 0.00	85.06 $\pm$ 2.08
InsectWingbeatSound	34.13 $\pm$ 0.95	34.52 $\pm$ 3.87	30.58 $\pm$ 3.83	60.48 $\pm$ 0.59	47.36 $\pm$ 1.34	60.99 $\pm$ 1.05	39.46 $\pm$ 3.03	61.67 $\pm$ 1.18	49.66 $\pm$ 3.26	61.20 $\pm$ 0.34	46.64 $\pm$ 2.91	51.36 $\pm$ 2.05
ItalyPowerDemand	92.21 $\pm$ 1.02	92.56 $\pm$ 1.30	92.75 $\pm$ 1.07	53.43 $\pm$ 4.80	93.97 $\pm$ 0.64	87.66 $\pm$ 8.42	94.69 $\pm$ 1.03	95.59 $\pm$ 0.11	95.82 $\pm$ 0.32	94.33 $\pm$ 0.49	49.23 $\pm$ 14.84	92.19 $\pm$ 2.62
LargeKitchenAppliances	64.05 $\pm$ 4.75	66.13 $\pm$ 5.93	66.08 $\pm$ 5.44	40.85 $\pm$ 3.41	67.95 $\pm$ 4.05	46.22 $\pm$ 6.49	39.82 $\pm$ 1.74	43.11 $\pm$ 5.30	40.53 $\pm$ 2.82	45.33 $\pm$ 5.07	41.71 $\pm$ 0.52	55.09 $\pm$ 5.30
Lightning2	70.49 $\pm$ 3.84	64.92 $\pm$ 7.48	65.57 $\pm$ 4.34	58.03 $\pm$ 2.74	69.18 $\pm$ 5.84	71.04 $\pm$ 1.89	51.37 $\pm$ 4.13	63.93 $\pm$ 3.28	58.36 $\pm$ 5.26	68.85 $\pm$ 4.34	60.00 $\pm$ 3.77	77.05 $\pm$ 4.18
Lightning7	64.38 $\pm$ 5.97	66.03 $\pm$ 3.41	60.00 $\pm$ 4.37	60.27 $\pm$ 3.36	61.10 $\pm$ 9.76	74.43 $\pm$ 1.58	20.09 $\pm$ 4.81	65.75 $\pm$ 1.37	36.71 $\pm$ 3.41	75.34 $\pm$ 2.37	26.30 $\pm$ 5.76	66.85 $\pm$ 7.34
Mallat	68.22 $\pm$ 8.96	69.46 $\pm$ 5.32	95.78 $\pm$ 0.57	90.38 $\pm$ 0.87	87.49 $\pm$ 9.31	92.79 $\pm$ 0.83	66.92 $\pm$ 5.03	85.20 $\pm$ 1.21	79.12 $\pm$ 6.08	89.69 $\pm$ 0.98	25.09 $\pm$ 0.73	89.72 $\pm$ 1.50
Meat	53.00 $\pm$ 18.31	59.33 $\pm$ 6.08	85.00 $\pm$ 4.86	87.00 $\pm$ 7.94	60.00 $\pm$ 5.27	61.11 $\pm$ 4.19	68.89 $\pm$ 7.52	55.56 $\pm$ 19.25	55.33 $\pm$ 20.66	86.11 $\pm$ 7.88	38.67 $\pm$ 15.92	64.00 $\pm$ 6.08
MedicalImages	56.61 $\pm$ 3.74	54.08 $\pm$ 3.55	52.39 $\pm$ 5.17	34.84 $\pm$ 5.66	48.24 $\pm$ 3.52	46.27 $\pm$ 5.02	40.00 $\pm$ 3.41	45.09 $\pm$ 2.04	47.45 $\pm$ 1.06	47.72 $\pm$ 6.48	18.58 $\pm$ 8.91	54.68 $\pm$ 2.10
MiddlebournePedestrian	84.60 $\pm$ 1.98	81.55 $\pm$ 1.62	80.47 $\pm$ 2.59	30.74 $\pm$ 5.50	68.14 $\pm$ 1.82	73.08 $\pm$ 1.13	75.36 $\pm$ 1.75	78.01 $\pm$ 1.38	77.48 $\pm$ 0.93	76.77 $\pm$ 0.49	68.14 $\pm$ 1.82	70.88 $\pm$ 1.49
MiddlePhalanxOutlineAgeGroup	44.29 $\pm$ 12.74	54.68 $\pm$ 6.95	55.19 $\pm$ 4.97	54.16 $\pm$ 10.18	53.51 $\pm$ 5.82	58.66 $\pm$ 1.35	50.43 $\pm$ 7.47	54.11 $\pm$ 4.79	50.13 $\pm$ 8.45	56.49 $\pm$ 1.12	41.82 $\pm$ 18.66	51.04 $\pm$ 7.11
MiddlePhalanxOutlineCorrect	60.00 $\pm$ 5.84	65.02 $\pm$ 2.98	60.62 $\pm$ 1.86	54.23 $\pm$ 4.23	56.36 $\pm$ 2.69	50.86 $\pm$ 7.18	64.72 $\pm$ 6.49	54.98 $\pm$ 7.77	58.97 $\pm$ 7.04	52.23 $\pm$ 9.34	52.44 $\pm$ 10.59	59.18 $\pm$ 5.65
MiddlePhalanxTW	49.74 $\pm$ 5.84	48.05 $\pm$ 4.11	49.48 $\pm$ 2.12	45.71 $\pm$ 2.70	46.23 $\pm$ 6.05	46.10 $\pm$ 6.40	37.23 $\pm$ 5.86	42.64 $\pm$ 7.61	35.97 $\pm$ 2.62	41.34 $\pm$ 8.07	23.64 $\pm$ 8.52	44.42 $\pm$ 6.27
MixedShapesRegularTrain	67.65 $\pm$ 7.57	70.16 $\pm$ 5.08	72.53 $\pm$ 6.92	70.49 $\pm$ 2.59	73.35 $\pm$ 4.70	73.87 $\pm$ 1.26	24.40 $\pm$ 1.33	74.08 $\pm$ 2.13	28.76 $\pm$ 6.79	73.65 $\pm$ 2.23	63.69 $\pm$ 2.98	79.60 $\pm$ 1.74
MixedShapesSmallTrain	70.61 $\pm$ 10.30	69.46 $\pm$ 11.49	75.93 $\pm$ 3.55	73.56 $\pm$ 2.63	73.16 $\pm$ 8.70	78.08 $\pm$ 2.18	23.04 $\pm$ 1.80	77.03 $\pm$ 1.02	27.06 $\pm$ 6.78	77.29 $\pm$ 1.92	65.95 $\pm$ 4.04	81.61 $\pm$ 2.47
MoteStrain	89.38 $\pm$ 0.88	89.14 $\pm$ 3.04	90.18 $\pm$ 0.68	86.26 $\pm$ 0.20	86.58 $\pm$ 1.30	87.19 $\pm$ 1.69	77.40 $\pm$ 1.04	87.43 $\pm$ 0.48	85.32 $\pm$ 0.75	90.65 $\pm$ 0.48	67.41 $\pm$ 11.72	89.23 $\pm$ 1.53
NonInvasiveFetalECGThorax1	55.91 $\pm$ 3.81	50.28 $\pm$ 5.45	55.91 $\pm$ 3.81	81.90 $\pm$ 0.59	63.56 $\pm$ 4.40	77.13 $\pm$ 1.08	36.83 $\pm$ 0.46	78.18 $\pm$ 0.43	46.96 $\pm$ 3.44	75.71 $\pm$ 1.08	58.08 $\pm$ 1.54	76.84 $\pm$ 1.40
NonInvasiveFetalECGThorax2	62.50 $\pm$ 1.19	67.13 $\pm$ 2.71	62.50 $\pm$ 1.19	86.79 $\pm$ 1.25	75.21 $\pm$ 2.50	83.55 $\pm$ 0.48	57.79 $\pm$ 2.45	83.27 $\pm$ 1.00	69.23 $\pm$ 2.65	80.68 $\pm$ 0.66	70.22 $\pm$ 2.79	82.53 $\pm$ 1.33
OSULeaf	72.64 $\pm$ 5.62	69.26 $\pm$ 4.17	69.01 $\pm$ 3.75	34.88 $\pm$ 3.54	39.34 $\pm$ 3.85	46.42 $\pm$ 2.52	19.83 $\pm$ 4.60	40.50 $\pm$ 2.19	29.83 $\pm$ 2.82	37.19 $\pm$ 2.07	28.10 $\pm$ 5.12	59.42 $\pm$ 3.58
OliveOil	56.00 $\pm$ 14.79	40.00 $\pm$ 0.00	66.67 $\pm$ 9.72	40.00 $\pm$ 0.00	40.00 $\pm$ 0.00	40.00 $\pm$ 0.00	45.56 $\pm$ 9.62	40.00 $\pm$ 0.00	40.00 $\pm$ 0.00	40.00 $\pm$ 0.00	40.00 $\pm$ 0.00	40.00 $\pm$ 0.00
PLAID	28.04 $\pm$ 4.01	25.14 $\pm$ 3.42	22.46 $\pm$ 6.07	34.45 $\pm$ 1.13	54.53 $\pm$ 5.93	50.16 $\pm$ 2.34	32.59 $\pm$ 0.99	44.82 $\pm$ 3.36	37.77 $\pm$ 2.12	46.80 $\pm$ 0.84	54.53 $\pm$ 5.93	59.89 $\pm$ 3.28
PhalangesOutlinesCorrect	56.88 $\pm$ 6.98	56.74 $\pm$ 8.68	57.48 $\pm$ 7.09	54.27 $\pm$ 11.23	49.91 $\pm$ 6.62	58.78 $\pm$ 4.01	55.79 $\pm$ 3.74	55.36 $\pm$ 17.14	52.42 $\pm$ 4.71	54.23 $\pm$ 12.22	53.99 $\pm$ 12.03	55.73 $\pm$ 8.07
Phoneme	28.10 $\pm$ 1.26	25.96 $\pm$ 1.60	28.10 $\pm$ 1.26	8.58 $\pm$ 0.50	11.88 $\pm$ 0.54	13.82 $\pm$ 0.86	9.55 $\pm$ 1.16	11.71 $\pm$ 0.45	10.91 $\pm$ 1.85	10.88 $\pm$ 0.47	10.94 $\pm$ 0.56	21.95 $\pm$ 1.27
PickupGestureWiimoteZ	50.80 $\pm$ 15.01	68.40 $\pm$ 2.61	73.60 $\pm$ 2.19	51.60 $\pm$ 1.67	54.40 $\pm$ 6.84	56.67 $\pm$ 3.06	26.67 $\pm$ 1.15	54.67 $\pm$ 1.15	42.00 $\pm$ 5.10	60.67 $\pm$ 1.15	54.40 $\pm$ 6.84	70.40 $\pm$ 2.61
PigAirwayPressure	26.35 $\pm$ 2.05	12.88 $\pm$ 0.53	50.58 $\pm$ 0.92	4.81 $\pm$ 0.00	4.13 $\pm$ 0.43	4.81 $\pm$ 0.48	2.08 $\pm$ 1.00	6.25 $\pm$ 1.27	4.62 $\pm$ 0.87	6.73 $\pm$ 0.48	5.00 $\pm$ 0.65	9.62 $\pm$ 0.48
PigArtPressure	54.71 $\pm$ 1.57	25.19 $\pm$ 5.85	69.81 $\pm$ 3.29	8.27 $\pm$ 0.40	6.06 $\pm$ 2.62	8.97 $\pm$ 0.28	6.41 $\pm$ 1.00	9.78 $\pm$ 0.73	6.35 $\pm$ 0.92	8.65 $\pm$ 1.27	18.08 $\pm$ 2.06	31.73 $\pm$ 1.92
PigCVP	28.85 $\pm$ 2.68	19.62 $\pm$ 1.84	61.35 $\pm$ 2.42	7.12 $\pm$ 0.40	3.27 $\pm$ 1.61	7.37 $\pm$ 0.73	7.05 $\pm$ 1.21	8.33 $\pm$ 1.69	4.13 $\pm$ 0.80	5.93 $\pm$ 1.11	11.63 $\pm$ 1.24	19.52 $\pm$ 1.34
Plane	100.00 $\pm$ 0.00	99.43 $\pm$ 1.28	100.00 $\pm$ 0.00	96.57 $\pm$ 1.28	96.95 $\pm$ 1.24	98.10 $\pm$ 0.00	98.73 $\pm$ 0.55	97.14 $\pm$ 0.95	98.48 $\pm$ 0.52	97.14 $\pm$ 0.95	49.71 $\pm$ 5.36	99.24 $\pm$ 1.24
PowerCons	84.00 $\pm$ 3.74	85.67 $\pm$ 2.68	88.11 $\pm$ 1.91	73.22 $\pm$ 7.34	83.67 $\pm$ 3.78	85.93 $\pm$ 2.85	53.33 $\pm$ 0.56	86.30 $\pm$ 2.25	59.67 $\pm$ 5.39	84.63 $\pm$ 0.85	74.33 $\pm$ 14.06	82.33 $\pm$ 5.46
ProximalPhalanxOutlineAgeGroup	69.07 $\pm$ 5.10	80.49 $\pm$ 4.77	80.98 $\pm$ 2.76	80.98 $\pm$ 2.95	75.90 $\pm$ 8.78	81.30 $\pm$ 5.55	81.14 $\pm$ 3.66	81.63 $\pm$ 4.89	76.88 $\pm$ 9.31	77.56 $\pm</$		

Table 6: Per-dataset 10-shot classification results on 128 shared UCR datasets (continued).

Dataset	ResNet	TapNet	COSCO-ResNet	DLinear	PatchTST	TimesNet	Autoformer	Crossformer	FEDformer	Informer	GPT4TS	Ours
SemgHandSubjectCh2	43.56 $\pm$ 2.78	45.20 $\pm$ 5.06	40.22 $\pm$ 5.31	62.80 $\pm$ 4.54	54.13 $\pm$ 4.47	60.37 $\pm$ 0.71	34.22 $\pm$ 3.27	68.07 $\pm$ 2.65	39.96 $\pm$ 2.48	60.96 $\pm$ 1.10	38.18 $\pm$ 2.42	66.71 $\pm$ 4.45
ShakeGestureWiimoteZ	82.00 $\pm$ 6.16	91.20 $\pm$ 2.28	88.80 $\pm$ 1.10	55.60 $\pm$ 2.97	68.40 $\pm$ 7.67	60.00 $\pm$ 4.00	33.33 $\pm$ 3.06	62.67 $\pm$ 3.06	45.20 $\pm$ 7.29	56.67 $\pm$ 1.15	68.40 $\pm$ 7.67	91.60 $\pm$ 2.97
ShapeletSim	86.33 $\pm$ 6.80	100.00 $\pm$ 0.00	100.00 $\pm$ 0.00	48.78 $\pm$ 0.82	95.22 $\pm$ 4.26	59.07 $\pm$ 5.56	48.70 $\pm$ 1.40	50.19 $\pm$ 2.80	51.00 $\pm$ 1.98	49.81 $\pm$ 1.95	52.33 $\pm$ 4.64	96.67 $\pm$ 1.96
ShapesAll	68.60 $\pm$ 2.31	66.63 $\pm$ 1.82	68.60 $\pm$ 2.31	62.47 $\pm$ 0.34	65.47 $\pm$ 2.49	72.11 $\pm$ 0.69	12.89 $\pm$ 4.16	73.28 $\pm$ 0.38	31.00 $\pm$ 5.80	65.56 $\pm$ 1.08	70.00 $\pm$ 1.20	83.13 $\pm$ 0.32
SmallKitchenAppliances	67.20 $\pm$ 8.07	61.87 $\pm$ 4.21	64.69 $\pm$ 7.08	36.59 $\pm$ 1.57	60.00 $\pm$ 3.85	55.11 $\pm$ 4.59	41.51 $\pm$ 2.40	38.76 $\pm$ 2.56	47.25 $\pm$ 3.08	51.02 $\pm$ 1.54	41.33 $\pm$ 5.03	57.60 $\pm$ 5.56
SmoothSubspace	92.00 $\pm$ 1.56	87.07 $\pm$ 3.67	92.00 $\pm$ 3.02	38.13 $\pm$ 6.59	67.73 $\pm$ 10.31	79.56 $\pm$ 2.78	80.67 $\pm$ 0.67	60.00 $\pm$ 11.02	86.13 $\pm$ 3.38	90.67 $\pm$ 4.00	43.60 $\pm$ 9.96	89.47 $\pm$ 2.60
SonyAIBORobotSurface1	95.11 $\pm$ 2.42	96.01 $\pm$ 0.87	92.45 $\pm$ 1.40	42.96 $\pm$ 0.07	87.95 $\pm$ 1.92	64.28 $\pm$ 1.83	67.05 $\pm$ 1.01	76.43 $\pm$ 0.69	64.86 $\pm$ 0.43	67.83 $\pm$ 1.06	45.09 $\pm$ 4.84	86.09 $\pm$ 3.97
SonyAIBORobotSurface2	96.73 $\pm$ 3.11	92.82 $\pm$ 3.91	94.67 $\pm$ 2.40	77.50 $\pm$ 0.71	90.95 $\pm$ 2.30	81.25 $\pm$ 2.70	83.07 $\pm$ 2.21	86.08 $\pm$ 2.22	82.71 $\pm$ 1.50	85.73 $\pm$ 2.18	61.15 $\pm$ 12.88	84.11 $\pm$ 2.29
StarLightCurves	71.47 $\pm$ 14.56	82.56 $\pm$ 3.87	75.10 $\pm$ 5.06	74.16 $\pm$ 3.22	77.51 $\pm$ 4.09	75.29 $\pm$ 4.53	29.60 $\pm$ 9.11	76.31 $\pm$ 3.24	30.20 $\pm$ 4.95	74.55 $\pm$ 5.89	70.71 $\pm$ 14.11	85.26 $\pm$ 3.54
Strawberry	79.73 $\pm$ 8.80	76.70 $\pm$ 3.26	76.70 $\pm$ 4.55	60.81 $\pm$ 1.94	79.89 $\pm$ 6.30	61.98 $\pm$ 1.58	80.63 $\pm$ 1.13	59.10 $\pm$ 1.09	77.51 $\pm$ 4.36	68.11 $\pm$ 2.15	50.54 $\pm$ 10.66	75.84 $\pm$ 0.99
SwedishLeaf	88.03 $\pm$ 1.39	83.68 $\pm$ 1.26	88.03 $\pm$ 1.39	66.11 $\pm$ 1.36	73.47 $\pm$ 2.54	75.95 $\pm$ 1.36	60.69 $\pm$ 4.66	81.39 $\pm$ 2.49	68.80 $\pm$ 1.87	74.72 $\pm$ 1.82	28.96 $\pm$ 3.20	85.89 $\pm$ 1.27
Symbols	93.83 $\pm$ 2.55	89.89 $\pm$ 7.08	92.52 $\pm$ 1.13	75.94 $\pm$ 0.93	85.87 $\pm$ 1.87	83.32 $\pm$ 0.52	34.77 $\pm$ 0.30	85.96 $\pm$ 1.03	61.21 $\pm$ 7.54	82.51 $\pm$ 0.70	21.11 $\pm$ 2.93	89.33 $\pm$ 0.82
SyntheticControl	95.60 $\pm$ 1.14	97.87 $\pm$ 0.61	97.60 $\pm$ 0.43	59.07 $\pm$ 3.98	94.20 $\pm$ 1.64	90.78 $\pm$ 1.64	59.44 $\pm$ 1.95	79.44 $\pm$ 4.86	68.40 $\pm$ 3.43	90.11 $\pm$ 1.35	22.60 $\pm$ 7.62	97.33 $\pm$ 0.85
ToeSegmentation1	93.25 $\pm$ 1.60	89.56 $\pm$ 3.33	91.58 $\pm$ 1.68	55.53 $\pm$ 3.14	68.95 $\pm$ 9.85	56.73 $\pm$ 5.97	50.29 $\pm$ 6.71	55.85 $\pm$ 3.55	49.39 $\pm$ 2.18	55.70 $\pm$ 4.98	50.53 $\pm$ 1.40	80.53 $\pm$ 2.75
ToeSegmentation2	81.38 $\pm$ 10.25	87.08 $\pm$ 4.53	85.85 $\pm$ 2.64	50.15 $\pm$ 3.62	73.38 $\pm$ 4.70	68.21 $\pm$ 10.44	56.67 $\pm$ 7.86	58.46 $\pm$ 6.30	46.77 $\pm$ 3.41	61.54 $\pm$ 3.35	43.54 $\pm$ 14.75	80.31 $\pm$ 4.70
Trace	92.20 $\pm$ 4.60	100.00 $\pm$ 0.00	95.20 $\pm$ 5.07	55.80 $\pm$ 5.72	86.20 $\pm$ 10.35	72.67 $\pm$ 1.53	55.67 $\pm$ 4.51	61.33 $\pm$ 4.62	74.80 $\pm$ 3.27	78.00 $\pm$ 4.36	46.80 $\pm$ 8.17	100.00 $\pm$ 0.00
TwoLeadECG	99.86 $\pm$ 0.08	98.79 $\pm$ 1.25	97.56 $\pm$ 2.37	58.05 $\pm$ 1.68	91.89 $\pm$ 5.00	70.85 $\pm$ 3.05	75.62 $\pm$ 1.63	65.26 $\pm$ 1.91	78.86 $\pm$ 1.56	78.99 $\pm$ 2.23	54.01 $\pm$ 3.73	99.68 $\pm$ 0.24
TwoPatterns	70.89 $\pm$ 4.77	77.56 $\pm$ 2.96	78.86 $\pm$ 3.59	42.28 $\pm$ 1.08	74.73 $\pm$ 6.48	42.55 $\pm$ 1.37	26.22 $\pm$ 0.85	42.35 $\pm$ 1.82	29.82 $\pm$ 3.35	37.95 $\pm$ 1.72	25.60 $\pm$ 4.32	70.06 $\pm$ 0.70
UMD	92.78 $\pm$ 3.35	98.33 $\pm$ 1.05	98.75 $\pm$ 0.58	64.17 $\pm$ 3.05	91.53 $\pm$ 4.77	76.62 $\pm$ 2.44	75.93 $\pm$ 7.23	89.58 $\pm$ 4.22	93.06 $\pm$ 1.47	87.27 $\pm$ 3.21	47.50 $\pm$ 8.96	98.67 $\pm$ 7.42
UWaveGestureLibraryAll	48.45 $\pm$ 3.31	48.15 $\pm$ 2.07	49.06 $\pm$ 3.81	80.57 $\pm$ 3.71	68.35 $\pm$ 4.39	84.19 $\pm$ 2.90	27.54 $\pm$ 1.68	84.63 $\pm$ 3.19	42.77 $\pm$ 5.45	83.32 $\pm$ 3.39	81.20 $\pm$ 2.71	52.41 $\pm$ 1.70
UWaveGestureLibraryX	51.98 $\pm$ 1.26	57.08 $\pm$ 2.26	52.99 $\pm$ 2.93	60.99 $\pm$ 2.04	57.69 $\pm$ 1.76	62.37 $\pm$ 1.85	17.30 $\pm$ 0.19	62.30 $\pm$ 0.55	36.29 $\pm$ 8.88	61.26 $\pm$ 1.95	56.81 $\pm$ 2.90	53.50 $\pm$ 1.91
UWaveGestureLibraryY	45.58 $\pm$ 1.39	47.42 $\pm$ 0.67	46.02 $\pm$ 2.85	55.44 $\pm$ 1.29	53.52 $\pm$ 3.23	56.83 $\pm$ 0.99	23.04 $\pm$ 3.42	56.65 $\pm$ 1.12	32.16 $\pm$ 4.98	55.22 $\pm$ 1.56	46.61 $\pm$ 1.40	52.03 $\pm$ 0.97
UWaveGestureLibraryZ	48.34 $\pm$ 2.78	51.60 $\pm$ 2.75	44.60 $\pm$ 1.67	53.18 $\pm$ 1.58	53.45 $\pm$ 2.14	54.99 $\pm$ 0.25	20.01 $\pm$ 2.19	54.36 $\pm$ 2.47	34.40 $\pm$ 4.42	51.61 $\pm$ 2.72	46.80 $\pm$ 1.81	60.65 $\pm$ 2.84
Wafer	84.60 $\pm$ 6.19	78.03 $\pm$ 11.28	81.53 $\pm$ 4.78	69.44 $\pm$ 4.07	84.77 $\pm$ 11.10	82.09 $\pm$ 7.52	76.30 $\pm$ 12.19	83.57 $\pm$ 7.70	81.81 $\pm$ 10.33	81.67 $\pm$ 9.12	78.96 $\pm$ 10.53	82.53 $\pm$ 8.58
Wine	68.15 $\pm$ 6.33	52.59 $\pm$ 5.80	64.07 $\pm$ 8.03	50.74 $\pm$ 1.66	50.00 $\pm$ 0.00	58.64 $\pm$ 5.35	50.62 $\pm$ 1.07	50.00 $\pm$ 3.70	50.00 $\pm$ 0.00	62.96 $\pm$ 7.41	47.78 $\pm$ 4.97	49.26 $\pm$ 2.11
WordSynonyms	35.14 $\pm$ 2.03	30.72 $\pm$ 3.50	35.14 $\pm$ 2.03	35.86 $\pm$ 2.07	39.44 $\pm$ 4.12	51.78 $\pm$ 3.11	15.15 $\pm$ 0.48	51.10 $\pm$ 4.21	25.64 $\pm$ 4.61	49.01 $\pm$ 4.47	33.92 $\pm$ 1.82	58.90 $\pm$ 2.04
Worms	50.39 $\pm$ 8.29	51.95 $\pm$ 5.35	45.71 $\pm$ 7.71	23.38 $\pm$ 5.11	39.74 $\pm$ 4.27	23.38 $\pm$ 6.49	26.84 $\pm$ 3.97	27.27 $\pm$ 9.09	25.45 $\pm$ 3.74	25.97 $\pm$ 9.09	20.78 $\pm$ 5.35	48.57 $\pm$ 4.91
WormsTwoClass	64.94 $\pm$ 5.51	63.12 $\pm$ 4.37	61.30 $\pm$ 7.20	49.09 $\pm$ 4.63	47.27 $\pm$ 1.97	50.65 $\pm$ 6.49	48.05 $\pm$ 4.50	48.05 $\pm$ 4.68	48.05 $\pm$ 3.56	51.95 $\pm$ 4.50	46.49 $\pm$ 5.15	56.36 $\pm$ 3.85
Yoga	59.91 $\pm$ 2.90	59.97 $\pm$ 4.98	59.88 $\pm$ 3.11	55.72 $\pm$ 1.71	57.07 $\pm$ 1.49	58.79 $\pm$ 3.68	53.03 $\pm$ 3.90	59.02 $\pm$ 1.75	51.43 $\pm$ 2.65	59.87 $\pm$ 3.99	51.89 $\pm$ 2.29	57.73 $\pm$ 2.05
Avg. Acc.	66.24	64.93	<u>67.18</u>	55.43	62.72	62.79	46.04	61.94	51.50	63.13	46.88	69.16
Avg. Rank	4.83	5.03	<u>4.55</u>	8.00	6.23	5.75	9.87	5.73	8.87	5.64	9.58	3.91
#Best	25	15	<u>28</u>	6	5	7	3	5	1	8	1	40

Table 7: Key few-shot adaptation settings for DuoTSP.

Component	Setting
Base LLM	meta-llama/Llama-3.2-1B
Vision backbone	facebook/dinov2-base
Pseudo-image construction	tivit_sqrt_overlap
Patch length / stride	16 / 8
Hidden size	128
Warm-up / joint epochs	5 / 55
Batch size / eval batch size	8 / 8
Gradient accumulation	4
LR (encoder / projector / LoRA)	$2 \times 10^{-4} / 1 \times 10^{-4} / 1 \times 10^{-4}$
Tokenizer training mode	class_rows
Decoding	constrained label-token decoding
Freeze vision backbone	true
Data augmentation	none

Table 8: Ablation results for Effect of Pretraining on UCR few-shot classification (%). Positive delta means improvement over the reference. Preview uses the 84 datasets currently available. Blank cells indicate missing shot coverage, and averages/deltas are computed from the available cells only.

Variant	1-shot	2-shot	5-shot	10-shot	Avg	Delta vs Ref	W/T/L
DuoTSP	47.75	53.96	63.46	<u>69.26</u>	<u>58.61</u>	-0.48	73/4/91
Without Pretrain	<u>46.14</u>			71.82	58.98	—	—

B Additional Experimental Details

We summarize the key implementation choices of DuoTSP for the few-shot benchmark in Table 7. These settings are fixed across the main benchmark reported in Section 4.

C Additional Plots and Ablation Previews

Figure 2 visualizes the shot-scaling trend over the 128 shared UCR datasets. DuoTSP remains the strongest method on the averaged benchmark curve across the entire few-shot range, with the largest absolute advantage appearing at 10-shot. We also include the current ablation-preview tables built from the partial reruns available at the time of writing. Blank cells indicate shot settings that have not finished yet, and the reported averages and deltas are computed from the available cells only. Since some ablation variants are still being completed, these tables should be interpreted as interim previews and can be regenerated once the remaining runs finish.

Table 9: Ablation results for Effect of Dual-view Prompting on UCR few-shot classification (%). Positive delta means improvement over the reference. Preview uses the 107 datasets currently available. Blank cells indicate missing shot coverage, and averages/deltas are computed from the available cells only.

Variant	1-shot	2-shot	5-shot	10-shot	Avg	Delta vs Ref	W/T/L
Dual-view	47.33	54.25	63.26	68.39	58.31	—	—
TS-only	42.63			<u>63.67</u>	53.15	-4.19	76/4/124
Vision-only	<u>44.95</u>			62.87	<u>53.91</u>	-3.02	67/2/133

Table 10: Ablation results for Effect of Constrained Decoding on UCR few-shot classification (%). Positive delta means improvement over the reference. Preview uses the 36 datasets currently available. Blank cells indicate missing shot coverage, and averages/deltas are computed from the available cells only.

Variant	1-shot	2-shot	5-shot	10-shot	Avg	Delta vs Ref	W/T/L
Constrained	50.18	56.16	65.23	70.57	60.53	–	–
Unconstrained	<u>46.91</u>		<u>61.27</u>	<u>67.16</u>	<u>58.45</u>	-3.55	35/1/72




Figure 2: Shot-scaling trend on the 128 shared UCR datasets. Each point reports the mean accuracy over five runs. DuoTSP remains the strongest method across all four shot settings.

NeurIPS Paper Checklist

The checklist is designed to encourage best practices for responsible machine learning research, addressing issues of reproducibility, transparency, research ethics, and societal impact. Do not remove the checklist: **The papers not including the checklist will be desk rejected.** The checklist should follow the references and follow the (optional) supplemental material. The checklist does NOT count towards the page limit.

Please read the checklist guidelines carefully for information on how to answer these questions. For each question in the checklist:

- You should answer [Yes], [No], or [N/A].
- [N/A] means either that the question is Not Applicable for that particular paper or the relevant information is Not Available.
- Please provide a short (1–2 sentence) justification right after your answer (even for [N/A]).

The checklist answers are an integral part of your paper submission. They are visible to the reviewers, area chairs, senior area chairs, and ethics reviewers. You will also be asked to include it (after eventual revisions) with the final version of your paper, and its final version will be published with the paper.

The reviewers of your paper will be asked to use the checklist as one of the factors in their evaluation. While [Yes] is generally preferable to [No], it is perfectly acceptable to answer [No] provided a proper justification is given (e.g., error bars are not reported because it would be too computationally expensive” or “we were unable to find the license for the dataset we used”). In general, answering

[No] or [N/A] is not grounds for rejection. While the questions are phrased in a binary way, we acknowledge that the true answer is often more nuanced, so please just use your best judgment and write a justification to elaborate. All supporting evidence can appear either in the main paper or the supplemental material, provided in appendix. If you answer [Yes] to a question, in the justification please point to the section(s) where related material for the question can be found.

IMPORTANT, please:

- Delete this instruction block, but keep the section heading “NeurIPS Paper Checklist”,
- Keep the checklist subsection headings, questions/answers and guidelines below.
- Do not modify the questions and only use the provided macros for your answers.

1. Claims

Question: Do the main claims made in the abstract and introduction accurately reflect the paper’s contributions and scope?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer [N/A] means that the abstract and introduction do not include the claims made in the paper.
- The abstract and/or introduction should clearly state the claims made, including the contributions made in the paper and important assumptions and limitations. A [No] or [N/A] answer to this question will not be perceived well by the reviewers.
- The claims made should match theoretical and experimental results, and reflect how much the results can be expected to generalize to other settings.
- It is fine to include aspirational goals as motivation as long as it is clear that these goals are not attained by the paper.

2. Limitations

Question: Does the paper discuss the limitations of the work performed by the authors?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer [N/A] means that the paper has no limitation while the answer [No] means that the paper has limitations, but those are not discussed in the paper.
- The authors are encouraged to create a separate “Limitations” section in their paper.
- The paper should point out any strong assumptions and how robust the results are to violations of these assumptions (e.g., independence assumptions, noiseless settings, model well-specification, asymptotic approximations only holding locally). The authors should reflect on how these assumptions might be violated in practice and what the implications would be.
- The authors should reflect on the scope of the claims made, e.g., if the approach was only tested on a few datasets or with a few runs. In general, empirical results often depend on implicit assumptions, which should be articulated.
- The authors should reflect on the factors that influence the performance of the approach. For example, a facial recognition algorithm may perform poorly when image resolution is low or images are taken in low lighting. Or a speech-to-text system might not be used reliably to provide closed captions for online lectures because it fails to handle technical jargon.
- The authors should discuss the computational efficiency of the proposed algorithms and how they scale with dataset size.
- If applicable, the authors should discuss possible limitations of their approach to address problems of privacy and fairness.

- While the authors might fear that complete honesty about limitations might be used by reviewers as grounds for rejection, a worse outcome might be that reviewers discover limitations that aren't acknowledged in the paper. The authors should use their best judgment and recognize that individual actions in favor of transparency play an important role in developing norms that preserve the integrity of the community. Reviewers will be specifically instructed to not penalize honesty concerning limitations.

3. Theory assumptions and proofs

Question: For each theoretical result, does the paper provide the full set of assumptions and a complete (and correct) proof?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer **[N/A]** means that the paper does not include theoretical results.
- All the theorems, formulas, and proofs in the paper should be numbered and cross-referenced.
- All assumptions should be clearly stated or referenced in the statement of any theorems.
- The proofs can either appear in the main paper or the supplemental material, but if they appear in the supplemental material, the authors are encouraged to provide a short proof sketch to provide intuition.
- Inversely, any informal proof provided in the core of the paper should be complemented by formal proofs provided in appendix or supplemental material.
- Theorems and Lemmas that the proof relies upon should be properly referenced.

4. Experimental result reproducibility

Question: Does the paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and/or conclusions of the paper (regardless of whether the code and data are provided or not)?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer **[N/A]** means that the paper does not include experiments.
- If the paper includes experiments, a **[No]** answer to this question will not be perceived well by the reviewers: Making the paper reproducible is important, regardless of whether the code and data are provided or not.
- If the contribution is a dataset and/or model, the authors should describe the steps taken to make their results reproducible or verifiable.
- Depending on the contribution, reproducibility can be accomplished in various ways. For example, if the contribution is a novel architecture, describing the architecture fully might suffice, or if the contribution is a specific model and empirical evaluation, it may be necessary to either make it possible for others to replicate the model with the same dataset, or provide access to the model. In general, releasing code and data is often one good way to accomplish this, but reproducibility can also be provided via detailed instructions for how to replicate the results, access to a hosted model (e.g., in the case of a large language model), releasing of a model checkpoint, or other means that are appropriate to the research performed.
- While NeurIPS does not require releasing code, the conference does require all submissions to provide some reasonable avenue for reproducibility, which may depend on the nature of the contribution. For example
 - (a) If the contribution is primarily a new algorithm, the paper should make it clear how to reproduce that algorithm.
 - (b) If the contribution is primarily a new model architecture, the paper should describe the architecture clearly and fully.

- (c) If the contribution is a new model (e.g., a large language model), then there should either be a way to access this model for reproducing the results or a way to reproduce the model (e.g., with an open-source dataset or instructions for how to construct the dataset).
- (d) We recognize that reproducibility may be tricky in some cases, in which case authors are welcome to describe the particular way they provide for reproducibility. In the case of closed-source models, it may be that access to the model is limited in some way (e.g., to registered users), but it should be possible for other researchers to have some path to reproducing or verifying the results.

5. Open access to data and code

Question: Does the paper provide open access to the data and code, with sufficient instructions to faithfully reproduce the main experimental results, as described in supplemental material?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer **[N/A]** means that paper does not include experiments requiring code.
- Please see the NeurIPS code and data submission guidelines (<https://neurips.cc/public/guides/CodeSubmissionPolicy>) for more details.
- While we encourage the release of code and data, we understand that this might not be possible, so **[No]** is an acceptable answer. Papers cannot be rejected simply for not including code, unless this is central to the contribution (e.g., for a new open-source benchmark).
- The instructions should contain the exact command and environment needed to run to reproduce the results. See the NeurIPS code and data submission guidelines (<https://neurips.cc/public/guides/CodeSubmissionPolicy>) for more details.
- The authors should provide instructions on data access and preparation, including how to access the raw data, preprocessed data, intermediate data, and generated data, etc.
- The authors should provide scripts to reproduce all experimental results for the new proposed method and baselines. If only a subset of experiments are reproducible, they should state which ones are omitted from the script and why.
- At submission time, to preserve anonymity, the authors should release anonymized versions (if applicable).
- Providing as much information as possible in supplemental material (appended to the paper) is recommended, but including URLs to data and code is permitted.

6. Experimental setting/details

Question: Does the paper specify all the training and test details (e.g., data splits, hyperparameters, how they were chosen, type of optimizer) necessary to understand the results?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer **[N/A]** means that the paper does not include experiments.
- The experimental setting should be presented in the core of the paper to a level of detail that is necessary to appreciate the results and make sense of them.
- The full details can be provided either with the code, in appendix, or as supplemental material.

7. Experiment statistical significance

Question: Does the paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer [N/A] means that the paper does not include experiments.
- The authors should answer [Yes] if the results are accompanied by error bars, confidence intervals, or statistical significance tests, at least for the experiments that support the main claims of the paper.
- The factors of variability that the error bars are capturing should be clearly stated (for example, train/test split, initialization, random drawing of some parameter, or overall run with given experimental conditions).
- The method for calculating the error bars should be explained (closed form formula, call to a library function, bootstrap, etc.)
- The assumptions made should be given (e.g., Normally distributed errors).
- It should be clear whether the error bar is the standard deviation or the standard error of the mean.
- It is OK to report 1-sigma error bars, but one should state it. The authors should preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis of Normality of errors is not verified.
- For asymmetric distributions, the authors should be careful not to show in tables or figures symmetric error bars that would yield results that are out of range (e.g., negative error rates).
- If error bars are reported in tables or plots, the authors should explain in the text how they were calculated and reference the corresponding figures or tables in the text.

8. Experiments compute resources

Question: For each experiment, does the paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer [N/A] means that the paper does not include experiments.
- The paper should indicate the type of compute workers CPU or GPU, internal cluster, or cloud provider, including relevant memory and storage.
- The paper should provide the amount of compute required for each of the individual experimental runs as well as estimate the total compute.
- The paper should disclose whether the full research project required more compute than the experiments reported in the paper (e.g., preliminary or failed experiments that didn't make it into the paper).

9. Code of ethics

Question: Does the research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics <https://neurips.cc/public/EthicsGuidelines>?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer [N/A] means that the authors have not reviewed the NeurIPS Code of Ethics.
- If the authors answer [No], they should explain the special circumstances that require a deviation from the Code of Ethics.
- The authors should make sure to preserve anonymity (e.g., if there is a special consideration due to laws or regulations in their jurisdiction).

10. Broader impacts

Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work performed?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer [N/A] means that there is no societal impact of the work performed.
- If the authors answer [N/A] or [No], they should explain why their work has no societal impact or why the paper does not address societal impact.
- Examples of negative societal impacts include potential malicious or unintended uses (e.g., disinformation, generating fake profiles, surveillance), fairness considerations (e.g., deployment of technologies that could make decisions that unfairly impact specific groups), privacy considerations, and security considerations.
- The conference expects that many papers will be foundational research and not tied to particular applications, let alone deployments. However, if there is a direct path to any negative applications, the authors should point it out. For example, it is legitimate to point out that an improvement in the quality of generative models could be used to generate Deepfakes for disinformation. On the other hand, it is not needed to point out that a generic algorithm for optimizing neural networks could enable people to train models that generate Deepfakes faster.
- The authors should consider possible harms that could arise when the technology is being used as intended and functioning correctly, harms that could arise when the technology is being used as intended but gives incorrect results, and harms following from (intentional or unintentional) misuse of the technology.
- If there are negative societal impacts, the authors could also discuss possible mitigation strategies (e.g., gated release of models, providing defenses in addition to attacks, mechanisms for monitoring misuse, mechanisms to monitor how a system learns from feedback over time, improving the efficiency and accessibility of ML).

11. Safeguards

Question: Does the paper describe safeguards that have been put in place for responsible release of data or models that have a high risk for misuse (e.g., pre-trained language models, image generators, or scraped datasets)?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer [N/A] means that the paper poses no such risks.
- Released models that have a high risk for misuse or dual-use should be released with necessary safeguards to allow for controlled use of the model, for example by requiring that users adhere to usage guidelines or restrictions to access the model or implementing safety filters.
- Datasets that have been scraped from the Internet could pose safety risks. The authors should describe how they avoided releasing unsafe images.
- We recognize that providing effective safeguards is challenging, and many papers do not require this, but we encourage authors to take this into account and make a best faith effort.

12. Licenses for existing assets

Question: Are the creators or original owners of assets (e.g., code, data, models), used in the paper, properly credited and are the license and terms of use explicitly mentioned and properly respected?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer [N/A] means that the paper does not use existing assets.
- The authors should cite the original paper that produced the code package or dataset.
- The authors should state which version of the asset is used and, if possible, include a URL.

- The name of the license (e.g., CC-BY 4.0) should be included for each asset.
- For scraped data from a particular source (e.g., website), the copyright and terms of service of that source should be provided.
- If assets are released, the license, copyright information, and terms of use in the package should be provided. For popular datasets, paperswithcode.com/datasets has curated licenses for some datasets. Their licensing guide can help determine the license of a dataset.
- For existing datasets that are re-packaged, both the original license and the license of the derived asset (if it has changed) should be provided.
- If this information is not available online, the authors are encouraged to reach out to the asset's creators.

13. New assets

Question: Are new assets introduced in the paper well documented and is the documentation provided alongside the assets?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer **[N/A]** means that the paper does not release new assets.
- Researchers should communicate the details of the dataset/code/model as part of their submissions via structured templates. This includes details about training, license, limitations, etc.
- The paper should discuss whether and how consent was obtained from people whose asset is used.
- At submission time, remember to anonymize your assets (if applicable). You can either create an anonymized URL or include an anonymized zip file.

14. Crowdsourcing and research with human subjects

Question: For crowdsourcing experiments and research with human subjects, does the paper include the full text of instructions given to participants and screenshots, if applicable, as well as details about compensation (if any)?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer **[N/A]** means that the paper does not involve crowdsourcing nor research with human subjects.
- Including this information in the supplemental material is fine, but if the main contribution of the paper involves human subjects, then as much detail as possible should be included in the main paper.
- According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or other labor should be paid at least the minimum wage in the country of the data collector.

15. Institutional review board (IRB) approvals or equivalent for research with human subjects

Question: Does the paper describe potential risks incurred by study participants, whether such risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals (or an equivalent approval/review based on the requirements of your country or institution) were obtained?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer **[N/A]** means that the paper does not involve crowdsourcing nor research with human subjects.

- 748
- Depending on the country in which research is conducted, IRB approval (or equivalent) may be required for any human subjects research. If you obtained IRB approval, you should clearly state this in the paper.
 - 749
 - 750
 - 751
 - 752
 - 753
 - 754
 - 755
 - We recognize that the procedures for this may vary significantly between institutions and locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines for their institution.
 - For initial submissions, do not include any information that would break anonymity (if applicable), such as the institution conducting the review.

756 **16. Declaration of LLM usage**

757 Question: Does the paper describe the usage of LLMs if it is an important, original, or
758 non-standard component of the core methods in this research? Note that if the LLM is used
759 only for writing, editing, or formatting purposes and does *not* impact the core methodology,
760 scientific rigor, or originality of the research, declaration is not required.

761 Answer: **[TODO]**

762 Justification: **[TODO]**

763 Guidelines:

- 764 • The answer [N/A] means that the core method development in this research does not
765 involve LLMs as any important, original, or non-standard components.
- 766 • Please refer to our LLM policy in the NeurIPS handbook for what should or should not
767 be described.