

# TimeMorph: Dual-view LLM-based Few-Shot Time Series Classification

Shizhuo Deng, *Member, IEEE*, Yonghui Qin, Dongyue Chen, Ye Yuan, Xinde Li, *Senior Member, IEEE*, and Tong Jia, *Member, IEEE*

**Abstract**—Few-shot time-series classification (TSC) is challenging due to scarce labeled sequences, where each class provides only a few examples. Reliable prediction requires capturing both temporal dynamics and waveform morphology, reflecting how humans interpret sequential signals by tracking numeric trends and recognizing overall shape patterns. Recent pretrained large language models exhibit strong potential for few-shot learning due to their pretrained knowledge and reasoning capabilities. However, directly applying them remains nontrivial: continuous time-series features are not naturally aligned with language embeddings, and predictions must be restricted to a fixed set of target classes. Therefore, we propose TimeMorph, a dual-view framework that extracts temporal dynamics via a temporal branch and waveform morphology via a visual pseudo-image branch. To bridge time-series features and language embeddings, we employ a stage-wise transfer strategy to project the fused tokens into a pretrained causal LLM. During inference, TimeMorph replaces open-ended text generation with closed-set class-token scoring over the valid label set, and further incorporates semantic label priors when meaningful class names are available. Extensive few-shot experiments on the UCR archive and additional external datasets show that TimeMorph consistently outperforms strong task-specific, Transformer-based, and LLM/foundation-model baselines. Further analyses validate the effectiveness of dual-view modeling, transfer pretraining, and the class-token interface.

**Index Terms**—Few-shot learning, time-series classification, large language models, multimodal learning, closed-set classification.

## 1 INTRODUCTION

Time series classification (TSC) is challenging when labeled sequences are scarce in healthcare monitoring, industrial diagnosis, and related domains [1]. Reliable TSC requires capturing both temporal dynamics and waveform morphology. This reflects how humans interpret sequential data: they track numerical evolution over time while recognizing characteristic shape patterns [2], [3]. Some classes are mainly distinguished by temporal dynamics, such as local trends and long-range evolution, whereas others are more naturally characterized by local subsequence shapes, raw waveform patterns, or recurring morphological structures [4], [5]. Inspired by this dual-view observation of human, it believes that effective few-shot TSC models would benefit from extracting and combining these temporal and morphological

features. However, existing approaches often focus primarily on numerical trends while overlooking the intuitive visual structure of time-series waveforms [6]–[8].

Traditional TSC methods, including convolutional networks [9], Transformers [10], and prototype-based models [7], can achieve strong performance when sufficient labeled data are available. In few-shot settings, however, they often overfit to the limited support set and generalize poorly [11]. Pretrained large language models (LLMs) offer a promising direction for data-scarce classification. Recent studies adapt LLMs to time-series forecasting, classification, and anomaly detection through prompting, sequence reprogramming, or cross-modal alignment, showing encouraging generalization potential [12]–[15]. Meanwhile, the in-context learning and prompt-based adaptation abilities of LLMs have demonstrated strong task adaptability in few-shot and zero-shot settings [16], [17]. Nevertheless, directly applying LLMs to TSC remains non-trivial, since time series are continuous, domain-specific, and not naturally expressed in language. [18].

To make pretrained LLMs effective for few-shot TSC with dual-view time-series representations, three key challenges must be addressed: (i) the model should preserve both temporal dynamics and morphology-oriented cues. (ii) the fused continuous time-series features must be aligned with the input space of a pretrained LLM. (iii) predictions should be restricted to valid candidate classes rather than produced by unconstrained text generation. The latter may generate invalid labels and introduce undesirable biases from tokenization or label length. This issue is closely related to the broader problem of enforcing valid outputs in language-model decoding, which has motivated constrained decoding methods for sequence generation and structured prediction

*This work was supported in part by the National Key R&D Program of China under Grant 2024YFB4710900, in part by the Guangdong Basic and Applied Basic Research Foundation under Grant 2024A1515010244, in part by the National Natural Science Foundation of China under Grants U25A20477, 62225203, and 62532001, in part by the 111 Project under Grant B16009, and in part by the Fundamental and Interdisciplinary Disciplines Breakthrough Plan of the Ministry of Education of China under Grant JYB2025XDXM108. (Corresponding authors: Dongyue Chen and Xinde Li.)*

*Shizhuo Deng and Dongyue Chen are with the College of Information Science and Engineering, Key Laboratory of Data Analytics and Optimization for Smart Industry, Northeastern University, Shenyang 110819, China, and also with the Foshan Graduate School of Innovation, Northeastern University, Foshan 528311, China (e-mail: dengshizhuo@mail.neu.edu.cn; chendongyue@ise.neu.edu.cn).*

*Yonghui Qin and Tong Jia are with the College of Information Science and Engineering, Northeastern University, Shenyang 110819, China (e-mail: 2400885@stu.neu.edu.cn; jiatong@ise.neu.edu.cn).*

*Xinde Li is with the Faculty of Robot Science and Engineering, Northeastern University, Shenyang 110819, China (e-mail: lixinde@mail.neu.edu.cn).*

*Ye Yuan is with [Department/School], [University/Institution], [City] [Postal Code], China (e-mail: [email]).*




Fig. 1. Motivation of TimeMorph. Effective few-shot TSC requires both temporal dynamics and waveform morphology, while adapting LLMs to this setting introduces representation, alignment, and closed-set prediction challenges.

[19], [20].

We propose **TimeMorph**, a dual-view generative classification framework for few-shot TSC. For each input sequence, TimeMorph constructs two complementary views: a temporal branch that models ordered local relations and long-range dynamics, and a morphological branch that converts the waveform into a morphological map, enabling a frozen visual encoder to extract shape-level structures. Through a stage-wise cross-modal alignment strategy, the resulting temporal and morphological tokens are projected into the embedding space of a frozen causal language model, mitigating the mismatch between time-series representations and language embeddings. For downstream prediction, TimeMorph replaces unconstrained text generation with supervised closed-set class-token scoring over valid target labels. When semantically meaningful class names are available, label verbalizers can further initialize the class tokens, injecting useful semantic priors while avoiding the instability of multi-token generation.

Our main contributions are summarized as follows:

- We propose a **dual-view time-series modeling paradigm** for few-shot TSC that jointly models temporal dynamics and waveform morphology through complementary views.
- We introduce a **closed-set class-token scoring** interface for LLM-based TSC. It replaces autoregressive label generation with supervised scoring over valid classes, ensuring legal predictions, stabilizes optimization, and effectively leverages semantic label priors.
- We design a **stage-wise cross-modal pretraining strategy** that aligns continuous time-series tokens with the embedding space of a pretrained causal LLM, enabling the model to leverage foundation-model priors without numeric-to-text tokenization.

## 2 RELATED WORK

**Few-shot time-series classification.** Few-shot time-series classification (TSC) aims to recognize target classes from only

a few labeled sequences. Existing methods typically improve data efficiency by introducing inductive biases from meta-learning, metric learning, or prototype-based decision rules. Narwariya et al. [21] meta-train residual networks across heterogeneous UCR tasks so that the model can rapidly adapt to new few-shot TSC problems. TapNet [22] learns a task-adaptive projection space and compares query samples with class reference vectors, while Prototypical Networks [23] provide a general metric-learning formulation in which classification is performed by measuring distances to class prototypes. Shapelet-based few-shot models, such as Dual Prototypical Shapelet Networks (DPSN) [8], further introduce interpretable local subsequences as discriminative evidence. More recently, COSCO [24] improves few-shot multivariate TSC by coupling prototypical learning with sharpness-aware optimization. These methods provide strong task-specific or metric-learning priors, but they are mainly discriminative models over numerical sequences. They usually do not exploit pretrained language or multimodal foundation-model priors, nor do they explicitly combine chronological dynamics with morphology-oriented waveform evidence.

**LLMs for time-series modeling.** Recent studies have explored adapting pretrained large language models (LLMs) to time-series data through numerical serialization, prompting, reprogramming, and embedding-space alignment. LLM-Time [12] serializes numerical values as text and casts forecasting as next-token prediction. GPT4TS/One-Fits-All [13] adapts frozen pretrained language or vision Transformers to multiple time-series tasks, suggesting that pretrained sequence models can provide transferable representations. TEST [15] aligns time-series embeddings with the LLM embedding space using instance-wise, feature-wise, and text-prototype-aligned objectives, whereas Time-LLM [14] reprograms time-series patches into a frozen LLM through text prototypes and prompt-as-prefix conditioning. LLM4TS [25] further studies staged alignment and downstream fine-tuning for data-efficient forecasting. OpenTSLM [26] integrates time series as a native modality for multimodal reasoning through soft-prompt and cross-attention interfaces.

For few-shot classification, LLMFew [11] uses a patch-wise temporal convolutional encoder and LoRA-tuned LLM decoder for few-shot multivariate TSC.

Despite these advances, directly applying LLMs to time-series classification remains non-trivial. Recent analyses show that LLM backbones do not automatically improve time-series models when the modality interface is weak or when the task head is mismatched [27], [28]. This motivates models that carefully design both the time-series-to-LLM interface and the prediction mechanism. TimeMorph differs from prior LLM-based time-series methods by aligning dual-view temporal and morphological tokens to a causal LLM and by replacing open-ended label generation with closed-set class-token scoring over valid target labels.

**Time-series foundation models.** In parallel with adapting textual LLMs to time series, recent work has developed time-series foundation models pretrained directly on large collections of numerical sequences. Forecasting-oriented models such as Chronos [29], TimesFM [30], and Moirai [31] demonstrate that large-scale pretraining can provide strong cross-domain priors for zero-shot or few-shot forecasting. Chronos tokenizes scaled time-series values into a fixed vocabulary and trains language-model architectures with a next-token objective, while TimesFM and Moirai design large Transformer-based architectures for universal forecasting. Beyond forecasting, MOMENT [32] constructs a large Time-series Pile and studies limited-supervision transfer across forecasting, classification, anomaly detection, and imputation. UniTS [33] further unifies predictive and generative time-series tasks through task tokenization and a shared Transformer backbone. These studies show that foundation-model pretraining is promising for time-series analysis under limited supervision. However, most time-series foundation models either focus primarily on forecasting or rely on task-specific adaptation heads for classification. They also do not explicitly address the combination of morphology-oriented waveform evidence, LLM embedding-space alignment, and closed-set label-token scoring. TimeMorph is complementary to this line of work: rather than building a standalone time-series foundation backbone, it adapts a pretrained causal LLM to few-shot TSC through a dual-view time-series interface and a constrained class-token prediction space.

**Temporal and morphology-aware representations.** Time-series labels can depend on both temporal dynamics and waveform morphology. Sequence-domain methods model this evidence through discriminative subsequences, convolutional kernels, or local patches. Shapelet methods extract class-discriminative local patterns [4], [8]; convolutional architectures and random convolutional kernels capture multi-scale local structures efficiently [6], [9]; and patch-based Transformers preserve local-to-global temporal dependencies by treating subsequences as tokens [34]. A complementary direction maps one-dimensional signals to two-dimensional structures, such as Gramian angular fields and Markov transition fields, enabling image models to capture global shape and transition patterns [35]. Recent visualization-oriented studies further support the value of exposing time-series structure through visual forms. VL-Time [36] shows that visualization-modeled time-series inputs can make multimodal LLMs more effective time-series reasoners, and TiViT [37] demonstrates that hidden representations

of frozen pretrained vision Transformers can be useful for time-series classification. TimeMorph follows this broader insight but differs in two aspects. First, the morphology branch does not simply render a line plot or a generic image encoding; it constructs a sliding-window morphology map that emphasizes local waveform shapes and cross-window structural transitions. Second, the visual morphology tokens are fused with chronological temporal tokens before being aligned to a causal LLM, allowing the final classifier to exploit both ordered temporal dynamics and shape-level morphological evidence.

**Generative classification and label-space constraints.** Text-to-text models cast classification as conditional generation, where labels are produced as target tokens [38]. This interface is flexible, but it can be poorly matched to closed-set classification under scarce supervision. Free-form decoding may generate invalid labels, and likelihood-based label selection can be sensitive to answer priors, surface-form competition, tokenization, and verbalizer choices [39], [40]. Constrained decoding restricts the output space to valid lexical or structural forms [41], [42], while prompt-based classification uses label words or verbalizers to connect semantic classes with vocabulary tokens [43], [44]. TimeMorph takes a more direct closed-set route. It introduces dataset-specific single-token class identifiers and scores only valid classes, avoiding autoregressive label generation and reducing tokenization-induced label bias. When class names are informative, label verbalizers initialize and regularize the corresponding class-token rows, injecting semantic priors without relying on unstable multi-token free-form outputs.

### 3 METHOD

We propose **TimeMorph**, a dual-view LLM-based framework for few-shot time-series classification (TSC). TimeMorph adapts a pretrained causal language model to continuous time-series inputs without serializing raw observations into text. Given an input sequence, it extracts complementary temporal-dynamic and waveform-morphology patterns, projects the resulting time-series tokens into the LLM embedding space, and performs prediction by closed-set scoring over dataset-specific class tokens.

#### 3.1 Problem Setup

##### 3.1.1 Univariate Time-Series Classification

Let  $D$  be a target classification dataset with label set  $\mathcal{Y}_D = \{0, \dots, C-1\}$ . Each example consists of a univariate time series  $x \in \mathbb{R}^T$  and a class label  $y \in \mathcal{Y}_D$ . Given a query sequence  $x$ , the goal of TSC is to infer its label from the temporal signal. We consider closed-set classification over the full label space: all  $C$  classes are available during few-shot fine-tuning and evaluation, and predictions are restricted to the valid label set  $\mathcal{Y}_D$ .

##### 3.1.2 Few-Shot Learning Setup

In the  $K$ -shot setting, the support set  $\mathcal{S}_D^K$  contains at most  $K$  labeled examples per class:

$$\mathcal{S}_D^K = \{(x_i, y_i)\}_{i=1}^{n_D}, \quad |\{i : y_i = c\}| \leq K, \quad c \in \mathcal{Y}_D. \quad (1)$$

The model is fine-tuned on  $\mathcal{S}_D^K$  and evaluated on query examples from the official test split.




Fig. 2. Overview of TimeMorph. (a) TimeMorph encodes a raw univariate time series with temporal and morphology branches, fuses the resulting tokens, and projects them into the embedding space of a pretrained causal LLM for closed-set prediction. (b) Staged pretraining learns robust dual-view representations and aligns time-series tokens with LLM embeddings under language supervision. (c) During few-shot fine-tuning, dataset-specific class tokens are added and predictions are made by scoring only valid class tokens.

### 3.2 Framework

The framework consists of three components: a dual-view encoder, an embedding-space projection interface, and a closed-set class-token scoring rule. The dual-view encoder  $G_\theta$  extracts complementary representations using a temporal-view encoder and a morphology-view encoder. The projection interface  $P_\psi$  maps the fused time-series tokens to the hidden dimension of a pretrained causal LLM. The class-token scoring rule converts the LLM output logits into predictions over the valid labels of the target dataset. All components are optimized through the pretraining and fine-tuning schedule described in Section 3.2.4.

#### 3.2.1 Dual-View Time-Series Encoding

Class-discriminative information in time series can arise from heterogeneous cues. Some classes are primarily distinguished by temporal dynamics, such as local trends, phase shifts, amplitude variations, or long-range evolution. Others are more naturally characterized by waveform morphology, including peaks, valleys, cycles, motifs, and discriminative subsequences. TimeMorph therefore encodes each input sequence with two complementary views, processed by a temporal branch and a morphology branch, respectively. Figure 3 illustrates this design by comparing the raw input, ordered temporal patches, and the corresponding morphology-map view.

**Temporal branch:** The temporal view preserves the chronological structure of the original sequence. Let  $x^{\text{pad}}$  denote the sequence after right-side replicate padding. Given

patch length  $\ell$  and stride  $s$ , we extract overlapping temporal patches as

$$R_i = x_{(i-1)s+1:(i-1)s+\ell}^{\text{pad}}, \quad i = 1, \dots, N_t, \quad (2)$$

$$N_t = \left\lfloor \frac{T + p_t - \ell}{s} \right\rfloor + 1,$$

where  $p_t$  is the padding length required to form complete patches. Each patch is linearly projected by  $W_t$  and augmented with a learnable positional embedding  $\pi_i$  that encodes the index of the  $i$ -th temporal patch. The resulting sequence is processed by a temporal Transformer:


$$Z^t(x) = G_t([W_t R_1 + \pi_1; \dots; W_t R_{N_t} + \pi_{N_t}]). \quad (3)$$

The output  $Z^t(x)$  is a sequence of temporal tokens encoding ordered patch-level dynamics of the waveform.

**Morphology branch:** The morphology view exposes waveform morphology by converting the same one-dimensional sequence into a two-dimensional sliding-window morphology map. We first normalize  $x$  with robust per-sequence statistics:

$$\bar{x}_t = \frac{x_t - \text{median}(x)}{\text{IQR}(x) + \epsilon}. \quad (4)$$

The normalized sequence is then unfolded into overlapping local windows. Let  $q = \max(1, \lfloor \sqrt{T} \rfloor)$  be the window length and  $\delta = \max(1, \lfloor \rho q \rfloor)$  be the stride. We construct the morphology map by normalizing the unfolded matrix,



Real UCR TRAIN medoids; each row contrasts two representative class examples under temporal and morphology views.

Fig. 3. Qualitative motivation for the dual-view encoder. For representative UCR tasks, we visualize real training examples nearest to their class centroids, together with their raw sequences, ordered temporal patches, and morphology-map representations. The temporal view preserves ordered patch-level evolution, whereas the morphology view exposes local subsequence shapes and cross-window structural transitions through a two-dimensional waveform map.

resizing it to the input resolution of the vision backbone, and replicating it across RGB channels:

$$I(x) = \text{RGB}(\text{Resize}(\Gamma_{\text{img}}(\text{Unfold}_{q,\delta}(\bar{x}))), \quad (5)$$

where  $\Gamma_{\text{img}}(\cdot)$  denotes per-map normalization and contrast adjustment. Each row of  $I(x)$  corresponds to a local waveform window, so the map preserves local subsequence shapes while making cross-window structural transitions visible to a vision encoder. This construction exposes repeated local shapes and cross-window transitions rather than treating the time series as an arbitrary natural image. The two axes of the map have explicit time-series meanings: the within-row direction preserves the shape of each local window, whereas the across-row direction follows the progression of overlapping windows and therefore records how local shapes evolve along the sequence. The median/IQR normalization in Eq. (4) reduces the effect of isolated spikes and scale outliers, which is important when only a few labeled examples are available for target adaptation. The choice  $q = \lfloor \sqrt{T} \rfloor$  provides a length-adaptive window size that remains small enough for short sequences while still capturing local morphology in longer sequences. Thus, the morphology map is used as a structured waveform view with local-shape and transition semantics, rather than as an unconstrained image rendering of the signal. A frozen vision backbone  $G_m$  extracts morphology tokens:

$$Z^m(x) = G_m(I(x)). \quad (6)$$

We discard the vision class token and use only the patch tokens. The vision backbone remains frozen; trainable parameters are introduced in the temporal branch, projection modules, class-token rows, and LLM adapters.

**Dual-view fusion:** The temporal and morphology tokens are projected to a common dimension and concatenated:

$$\begin{aligned} \tilde{Z}^t(x) &= Q_t(Z^t(x)), & \tilde{Z}^m(x) &= Q_m(Z^m(x)), \\ Z_x &= [\tilde{Z}^t(x); \tilde{Z}^m(x)]. \end{aligned} \quad (7)$$

The fused sequence  $Z_x \in \mathbb{R}^{N_x \times d_e}$  serves as the dual-view time-series token sequence passed to the LLM interface.

### 3.2.2 Time-Series Token Projection

The dual-view encoder outputs continuous time-series tokens, whereas a causal LLM consumes embeddings associated with discrete text tokens. TimeMorph bridges this modality gap through an input-side projection interface, which maps the fused time-series tokens  $Z_x$  into the LLM embedding space without serializing numerical observations as text.

Let  $P_\psi$  be a trainable projection module from encoder dimension  $d_e$  to the LLM hidden dimension,  $\tau(\cdot)$  be the tokenizer, and  $E_{\text{lm}}$  be the LLM input embedding matrix. For a prompt  $p = (p^{\text{pre}}, p^{\text{post}})$ , the conditioned input embeddings are

$$H(x, p) = [E_{\text{lm}}(\tau(p^{\text{pre}})); P_\psi(Z_x); E_{\text{lm}}(\tau(p^{\text{post}}))] . \quad (8)$$



The projected time-series tokens are therefore inserted into the same embedding sequence as text tokens and can condition the causal LLM through its standard forward pass. When auxiliary textual descriptions are available, they are appended to the prompt and encoded by the same tokenizer. The objectives used to learn this interface are introduced together with the staged training schedule in Section 3.2.4.

### 3.2.3 Closed-Set Class-Token Scoring

Few-shot TSC requires prediction over a fixed set of valid labels rather than open-ended text generation. For each target dataset  $D$ , TimeMorph assigns a compact set of single-token class identifiers:

$$\mathcal{C}_D = \{\langle \text{cls}_0 \rangle, \dots, \langle \text{cls}_{C-1} \rangle\}, \quad \mathcal{V}_D = \{v_0, \dots, v_{C-1}\}, \quad (9)$$

where  $v_c$  is the vocabulary index of class token  $\langle \text{cls}_c \rangle$ . We implement these identifiers as newly added special tokens, so each class corresponds to exactly one vocabulary index. Let  $p_D$  denote the classification prompt for dataset  $D$ . After the LLM conditions on  $H(x, p_D)$ , let  $h_\Theta(x, p_D)$  be the final hidden state at the last prompt position. With output embedding matrix  $W_{\text{out}}$ , the score for class  $c$  is the next-token logit assigned to its class token:

$$s_c(x) = [W_{\text{out}} h_\Theta(x, p_D)]_{v_c}. \quad (10)$$

Prediction is restricted to the valid class-token set:

$$\hat{y} = \arg \max_{c \in \{0, \dots, C-1\}} s_c(x). \quad (11)$$

The supervised objective is the cross entropy over only the valid class tokens:

$$\mathcal{L}_{\text{ct}} = -\log \frac{\exp s_y(x)}{\sum_{c=0}^{C-1} \exp s_c(x)}. \quad (12)$$

This design keeps the autoregressive vocabulary head but converts downstream classification into a single-forward-pass closed-set comparison over  $C$  legal labels. Among vocabulary parameters, only the input embeddings and output rows of the newly introduced class tokens are trainable; all other vocabulary rows remain fixed. Compared with generating textual labels, this interface avoids multi-token likelihood comparison, label-length effects, and invalid free-form outputs. It also differs from replacing the LLM with an independent linear classifier: the class identifiers remain part of the LLM vocabulary/output-head space, so anonymous class tokens and semantic-prior class tokens can be handled by the same scoring rule. The resulting objective directly calibrates the valid class-token rows under support-set supervision while retaining the pretrained language backbone as the conditional feature processor.

**Label-semantic priors:** For anonymous-label benchmarks, the class tokens are learned as dataset-specific identifiers. When class names are semantically meaningful, TimeMorph uses label verbalizers to initialize and regularize the same class-token rows. For class  $c$ , let  $\mathcal{R}_c$  denote a set of template-consistent verbalizers derived from its canonical label name. We form a semantic prototype by averaging the LLM input embeddings of all verbalizer tokens:

$$p_c = \frac{1}{|\mathcal{R}_c|} \sum_{r \in \mathcal{R}_c} \frac{1}{|\tau(r)|} \sum_{u \in \tau(r)} E_{\text{lm}}(u). \quad (13)$$

The prototype is rescaled to match the average norm of vocabulary rows and is used to initialize the input and output rows of the corresponding class token. During fine-tuning, we regularize these rows toward a detached prototype  $\tilde{p}_c$ :

$$\mathcal{L}_{\text{sem}} = \frac{1}{C} \sum_{c=0}^{C-1} [1 - \cos(e_{v_c}, \tilde{p}_c) + 1 - \cos(w_{v_c}, \tilde{p}_c)], \quad (14)$$

where  $e_{v_c}$  and  $w_{v_c}$  are the input and output rows of class token  $v_c$ . The supervised target loss is

$$\mathcal{L}_{\text{adapt}} = \mathcal{L}_{\text{ct}} + \lambda_{\text{sem}} \mathcal{L}_{\text{sem}}. \quad (15)$$

For datasets without meaningful label names, we set  $\lambda_{\text{sem}} = 0$ .

### 3.2.4 Staged Pretraining and Few-Shot Fine-Tuning

TimeMorph first learns reusable dual-view time-series representations, then aligns projected time-series tokens with a frozen causal LLM, and finally adapts to each target few-shot label space. Stage I performs representation pretraining on unlabeled raw series. Stage II performs language-alignment pretraining with time-series–language supervision. The final Stage-II checkpoint initializes all target-dataset fine-tuning runs reported in this paper. This staged route keeps the few-shot support set focused on closed-set calibration rather than representation learning and modality alignment.

**Stage I: Representation Pretraining:** Stage I pretrains the dual-view encoder without class labels. It uses unlabeled raw sequences from TSQA-train [45], M4-train [46], and the official TRAIN splits of a fixed 98-dataset UCR pretraining pool [47]. Only raw sequences from these TRAIN splits are used, with no access to UCR TEST sequences or class labels during pretraining. All input series are normalized by the data loader before augmentation.

The objective combines masked temporal patch reconstruction with an invariance–variance–covariance regularizer over augmented temporal, morphology, and fused representations:

$$\mathcal{L}_{\text{rep}} = \lambda_{\text{rec}} \mathcal{L}_{\text{rec}} + \sum_{b \in \{t, m, f\}} \lambda_b \mathcal{L}_{\text{ivc}}^b, \quad (16)$$

where  $t$ ,  $m$ , and  $f$  denote the temporal, morphological, and fused branches, respectively. For each augmented view, a single contiguous segment with ratio 0.4 is set to 0.0 before temporal encoding, and  $\mathcal{L}_{\text{rec}}$  reconstructs the normalized temporal patches extracted from the same view before this reconstruction mask is applied. Augmentations consist of Gaussian jitter with standard deviation 0.03, sequence-wise scaling sampled from [0.8, 1.2], and contiguous time masking with ratio 0.1.

The IVC regularizer uses mean-pooled temporal, morphology, and fused tokens after branch-specific SSL heads. Given two augmented projections  $z_a, z_b \in \mathbb{R}^{B \times d}$  for a

branch, let  $s_j(z) = \sqrt{\text{Var}(z_{:j}) + \epsilon}$ ,  $\tilde{z} = z - \frac{1}{B}\mathbf{1}\mathbf{1}^\top z$ , and  $C(z) = \tilde{z}^\top \tilde{z} / (B - 1)$ . We use

$$\begin{aligned}\mathcal{L}_{\text{ivc}} &= \alpha R + \beta V + \gamma O, \\ R &= \frac{1}{Bd} \|z_a - z_b\|_F^2, \\ V &= \sum_{u \in \{a,b\}} \frac{1}{d} \sum_{j=1}^d \max(0, 1 - s_j(z_u)), \\ O &= \sum_{u \in \{a,b\}} \frac{1}{d} \sum_{i \neq j} C(z_u)_{ij}^2,\end{aligned}\quad (17)$$

with  $(\alpha, \beta, \gamma) = (25, 25, 1)$  and  $\epsilon = 10^{-4}$ . The Stage-I loss weights are  $\lambda_{\text{rec}} = 1.0$ ,  $\lambda_t = 0.25$ ,  $\lambda_m = 0.25$ , and  $\lambda_f = 0.5$ . Branch dropout with probability 0.1 regularizes the fused representation against single-view dependence.

**Stage II: Language-Alignment Pretraining:** Stage II attaches the projector  $P_\psi$  and the pretrained causal LLM to the Stage-I dual-view encoder. Let  $\mathcal{D}_{\text{lang}}$  denote the language-alignment corpus, which contains TSQA question-answering examples from ChatTime [45], M4 captioning examples [46], and synthetic attribute supervision derived from TSQA and M4 raw series. Training samples are mixed with TSQA/M4/synthetic-attribute weights 1 : 1 : 2. The synthetic labels are computed from normalized TSQA/M4 raw series using rule-based temporal attributes, including trend, periodicity, volatility, spikes, and abrupt level changes, and are verbalized as captions or yes/no attribute prompts. The projected tokens  $P_\psi(Z_x)$  are inserted into the prompt embedding sequence as in Eq. (8). The alignment objective is the answer-token language-modeling loss:

$$\mathcal{L}_{\text{align}} = \mathbb{E}_{(x,p,a) \sim \mathcal{D}_{\text{lang}}} [-\log p_\Theta(a \mid H(x, p))], \quad (18)$$

where the loss is applied only to answer tokens. This stage optimizes a time-series-to-language interface under the frozen LLM next-token objective. Training runs for 20 epochs: the first two epochs update only the projector with the dual-view encoder fixed, and the remaining epochs jointly optimize the encoder and projector. The encoder and projector learning rates are  $5 \times 10^{-5}$  and  $1 \times 10^{-4}$ , respectively. The LLM backbone remains frozen throughout Stage II. The final Stage-II checkpoint supports target-dataset fine-tuning on UCR, MIT-BIH, and CinC2017. Because the loss is applied only to answer tokens, the language objective supervises the textual response conditioned on projected time-series tokens, rather than converting the raw numerical sequence into text. Freezing the LLM backbone concentrates the optimization on the time-series encoder, projector, and modality interface, preserving the pretrained language model while learning how continuous time-series evidence should condition it.

**Language-Alignment Data Forms:** Stage II uses heterogeneous time-series–language supervision, but all examples are normalized into the same tuple form  $(x, p, a)$ , where  $x$  denotes a raw time series,  $p$  denotes a natural-language or template-based prompt, and  $a$  denotes the supervised textual target. Table 1 lists the resulting data forms for TSQA question answering, M4-derived captions, and synthetic attribute supervision. The raw series  $x$  is always encoded by the dual-view time-series encoder and projected into the LLM embedding space; it is not serialized into numerical text.

Thus, the three data sources share the same answer-token language-modeling objective in Eq. (18), while covering complementary forms of temporal semantics.

**Target-Dataset Fine-Tuning:** For each target dataset  $D$ , TimeMorph fine-tunes a small trainable subset of the model on the sampled support set. The warm-up phase updates the dual-view encoder, the projection module, and the dataset-specific class-token rows using Eq. (15). This phase calibrates the projected time-series tokens and the closed-set decision space before updating any LLM adapters. For datasets with meaningful class names, label verbalizers initialize the class-token rows and Eq. (14) regularizes them during fine-tuning.

The joint phase additionally updates low-rank adapters on the LLM side, while the pretrained LLM weights remain frozen. At inference time, TimeMorph performs a single forward pass for each query sequence and ranks the valid class tokens using Eq. (10). The stage-wise optimization schedule is summarized in Table 2.

## 4 EXPERIMENTS

### 4.1 Experimental Setup

#### 4.1.1 Datasets and Few-Shot Protocol

We evaluate TimeMorph on the 128 univariate datasets in the UCR Archive 2018 under a full-label-space few-shot protocol. For each dataset  $D$  and support size  $K \in 1, 2, 5, 10$ , all target classes are retained. We sample up to  $K$  labeled examples per class from the official TRAIN split as the support set and evaluate on all examples in the official TEST split. UCR results are averaged over five independent support-sampling runs and then macro-averaged over datasets. This protocol differs from episodic  $N$ -way evaluation: the classifier must discriminate among the native label set of each dataset after seeing only  $K$  labeled examples per class.

We further evaluate transfer to two external semantic-label datasets, MIT-BIH and CinC2017, using  $K \in 10, 20, 30$  and ten independent runs. These datasets contain clinically meaningful class names; therefore, the semantic-prior class-token variant is used by default and ablated separately in Section 4.3.3.

#### 4.1.2 Baselines

We compare TimeMorph with three groups of baselines. The first group contains CNN or metric-learning methods for few-shot TSC, including RESNET [48], TAPNET [22], and COSCO-RESNET [24]. The second group contains Transformer-style or decomposition-based time-series models, including PATCHTST [34], DLINEAR [49], TIMESNET [50], AUTOFORMER [51], CROSSFORMER [52], FEDFORMER [53], and INFORMER [54]. The third group contains the LLM-style GPT4TS baseline [13].

We report classification accuracy in percentage form. For each method, dataset, and shot setting, accuracy is first averaged over independent runs. Benchmark-level accuracy is the macro-average over datasets. For UCR, Avg denotes the arithmetic mean of the four shot-specific benchmark accuracies, and AvgRank denotes the average of dataset-level ranks across the four shot settings; lower AvgRank indicates better benchmark-wide robustness. Standard deviations and complete per-dataset tables are reported in Appendix B.4.

TABLE 1

Unified data forms used in Stage-II language-alignment pretraining. Each instance is represented as  $(x, p, a)$ , where  $x$  is a raw time series,  $p$  is a natural-language or template-based prompt, and  $a$  is the supervised textual target. Raw series are encoded by the time-series encoder and are not serialized as text.

| Source                          | Series input $x$           | Prompt $p$                                                                                                                                       | Target $a$                                                                                                                                |
|---------------------------------|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| TSQA                            | Raw TSQA training series   | Question-answering prompt, e.g., asking the model to select the temporal trend, identify an anomaly, or answer a time-series reasoning question. | Short answer or option text, e.g., <i>constant trend</i> , <i>upward trend</i> , or the corresponding QA answer.                          |
| M4-derived captions             | Raw M4 training series     | Captioning prompt, e.g., "Describe the dominant temporal pattern of this series."                                                                | Caption text describing temporal patterns, including trend, seasonality, volatility, spikes, or level shifts.                             |
| Synthetic attribute supervision | TSQA/M4-derived raw series | Attribute prompt, e.g., "Which temporal attributes are present in this series?"                                                                  | Structured textual attributes, e.g., <i>trend: upward</i> ; <i>periodicity: weak</i> ; <i>local pattern: spike</i> ; <i>noise: high</i> . |

TABLE 2  
Stage-wise training summary for TimeMorph.

| Stage          | Data                                           | Objective                                                        | Trainable modules                                                                                 | Frozen modules          | Epoch / LR                                                                                                       |
|----------------|------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------|
| Stage I        | TSQA raw, M4 raw, and UCR TRAIN raw series     | Masked patch reconstruction + IVC regularization                 | Temporal branch, branch projectors, SSL/reconstruction heads                                      | DINOv2; LLM not used    | 8 epochs; LR $2 \times 10^{-4}$ temporal, $1 \times 10^{-4}$ heads                                               |
| Stage II       | TSQA QA, M4 captions, and synthetic attributes | Answer-token modeling loss                                       | language-Projector for the first 2 epochs; LLM backbone and DINOv2 encoder + projector afterwards | LLM backbone and DINOv2 | 20 epochs; LR $5 \times 10^{-5}$ encoder, $1 \times 10^{-4}$ projector                                           |
| Target warm-up | Target support set                             | Class-token cross-entropy + optional semantic row regularization | Encoder, projector, class-token rows                                                              | Base LLM; LoRA inactive | 5 epochs; LR $2 \times 10^{-4}$ encoder, $1 \times 10^{-4}$ projector, $2 \times 10^{-4}$ class-token rows       |
| Target joint   | Target support set                             | Class-token cross-entropy + optional semantic row regularization | Encoder, projector, class-token rows, LoRA adapters                                               | Base LLM weights        | 55 epochs; LR $2 \times 10^{-4}$ encoder, $1 \times 10^{-4}$ projector/LoRA, $2 \times 10^{-4}$ class-token rows |

#### 4.1.3 Implementation Details

TimeMorph uses Llama-3.2-1B as the causal language backbone and dinov2-base as the frozen morphology encoder. The temporal branch uses patch length 16, stride 8, and hidden size 128. For each target dataset, we perform 5 warm-up fine-tuning epochs followed by 55 joint fine-tuning epochs. Language-side fine-tuning uses LoRA with rank 16 and alpha 32. Table 3 summarizes the model and downstream implementation settings; the stage-wise optimization schedule is given in Table 2.

The operator  $\Gamma_{\text{img}}$  in Eq. 5 applies per-sample min-max normalization over the morphology grid and a fixed contrast adjustment  $u \mapsto u^{0.8}$ . We use DINOv2 patch tokens from the configured intermediate layer and exclude the class token.

#### 4.1.4 Protocol Fairness and Leakage Control

All methods use the same sampled support sets within each run and are evaluated on the same query examples. For UCR, support examples are sampled only from the official TRAIN split, while evaluation always uses the full official TEST split. Stage I is trained on raw TSQA-train series, raw M4-train series, and unlabeled official TRAIN-split sequences from a fixed 98-dataset UCR pretraining pool. Stage II uses TSQA question-answering examples, M4 captioning examples, and synthetic attribute supervision derived from TSQA and M4 raw series. Official TEST examples and UCR class labels are excluded from pretraining; target supervision enters only through the sampled support set during few-shot fine-tuning. All target evaluations start from the final Stage-II checkpoint. For MIT-BIH and CinC2017, label-name priors initialize and

regularize class-token rows during fine-tuning. The baseline families share the same support/query protocol, but their checkpoint-selection rules and epoch schedules are not forced to be identical because they follow their standard training recipes. We therefore summarize the fairness boundary here and provide the full recipe table in Appendix B.4.

## 4.2 Overall Few-Shot Performance

### 4.2.1 Results on UCR

Table 4 reports the main results on 128 UCR datasets. TimeMorph obtains the highest mean accuracy under all four support sizes, reaching 48.31, 55.55, 64.14, and 69.16 in the 1-, 2-, 5-, and 10-shot settings, respectively. The strongest non-TimeMorph baseline is COSCO-RESNET, which reaches an overall Avg of 58.39 compared with 59.29 for TimeMorph. Thus, the average-accuracy margin over the strongest specialized CNN/prototype baseline is modest but consistent across support sizes. The ranking metric shows the same trend: TimeMorph obtains the best AvgRank of 4.24, compared with 4.70 for COSCO-RESNET. The gains are larger against generic sequence and LLM-style baselines. TimeMorph improves Avg by 4.53 points over INFORMER and by 18.36 points over GPT4TS. These results suggest that the proposed dual-view and class-token interface is most beneficial relative to generic sequence modeling and direct LLM-style adaptation, while remaining competitive with specialized few-shot classifiers.

### 4.2.2 Results on External Semantic-Label Datasets

Table 5 reports results on MIT-BIH and CinC2017 under 10-, 20-, and 30-shot settings. TimeMorph obtains the best result



TABLE 3  
Key training settings for TimeMorph.

| Component                             | Setting                                                                                             |
|---------------------------------------|-----------------------------------------------------------------------------------------------------|
| Base LLM                              | meta-llama/Llama-3.2-1B                                                                             |
| Vision backbone                       | facebook/dinov2-base                                                                                |
| Classification prompt suffix / answer | Class: / one class token, e.g., $\langle \text{cls}_y \rangle$ followed by EOS                      |
| Morphology-map construction           | Overlapping-window grid transform with per-sequence median/IQR normalization                        |
| Temporal patch length / stride        | 16 / 8                                                                                              |
| Temporal hidden size / heads          | 128 / 8                                                                                             |
| Branch projectors                     | LayerNorm-Linear-GELU-Dropout MLPs when dimensions differ                                           |
| Language projector                    | MLP projector into the LLM hidden dimension followed by output LayerNorm                            |
| Target initialization checkpoint      | Final Stage-II language-alignment checkpoint                                                        |
| Warm-up / joint fine-tuning epochs    | 5 / 55                                                                                              |
| Training / evaluation batch size      | 8 / 8                                                                                               |
| Gradient accumulation                 | 4                                                                                                   |
| LR (encoder / projector / LoRA)       | $2 \times 10^{-4}$ / $1 \times 10^{-4}$ / $1 \times 10^{-4}$                                        |
| Language-side fine-tuning             | LoRA on $q/k/v/o\_proj$ , $gate\_proj$ , $up\_proj$ , and $down\_proj$ ( $r = 16$ , $\alpha = 32$ ) |
| Class-token parameterization          | Trainable class-token input/output rows                                                             |
| Anonymous class-token initialization  | pretrained vocabulary-row mean plus small random perturbation                                       |
| Prediction rule                       | anonymous class-token scoring; semantic-prior class-token scoring when label text is meaningful     |
| Vision backbone                       | frozen                                                                                              |
| Downstream data augmentation          | none                                                                                                |

TABLE 4

Few-shot classification accuracy (%) on 128 UCR datasets, grouped by model family. Baseline method references are shown in the Model column. We report the mean over five runs. Avg and AvgRank average the four shot-specific mean accuracies and average ranks, respectively. Best is bold and second-best is underlined.

| Family         | Model             | 1-shot       | 2-shot       | 5-shot       | 10-shot      | Avg          | AvgRank     |
|----------------|-------------------|--------------|--------------|--------------|--------------|--------------|-------------|
| CNN            | ResNet [48]       | 47.79        | 53.98        | 61.27        | 66.24        | 57.32        | 4.89        |
|                | TapNet [7]        | 45.40        | 50.79        | 59.47        | 64.93        | 55.15        | 5.45        |
|                | COSCO-ResNet [24] | <u>47.88</u> | <u>54.95</u> | <u>63.55</u> | <u>67.18</u> | <u>58.39</u> | <u>4.70</u> |
| Transformer/TS | DLinear [49]      | 44.21        | 48.01        | 52.30        | 55.43        | 49.99        | 7.24        |
|                | PatchTST [34]     | 42.39        | 48.43        | 56.94        | 62.72        | 52.62        | 6.54        |
|                | TimesNet [50]     | 45.16        | 49.95        | 57.86        | 62.79        | 53.94        | 5.90        |
|                | Autoformer [51]   | 36.78        | 39.45        | 43.20        | 46.04        | 41.37        | 9.47        |
|                | Crossformer [52]  | 44.31        | 49.45        | 57.20        | 61.94        | 53.23        | 6.04        |
|                | FEDformer [53]    | 37.71        | 41.71        | 47.30        | 51.50        | 44.56        | 8.68        |
|                | Informer [54]     | 46.42        | 51.14        | 58.35        | 63.13        | 54.76        | 5.59        |
| LLM/foundation | GPT4TS [13]       | 35.61        | 38.30        | 42.94        | 46.88        | 40.93        | 9.26        |
| Ours           | TimeMorph         | <b>48.31</b> | <b>55.55</b> | <b>64.14</b> | <b>69.16</b> | <b>59.29</b> | <b>4.24</b> |

in five of the six dataset-shot settings and has the highest average over shots. Unlike UCR, these datasets provide meaningful label names, allowing TimeMorph to initialize and regularize class-token rows with label verbalizers. The external results therefore test whether the same closed-set class-token mechanism can also exploit label semantics when they are informative.

### 4.3 Component and Interface Analysis

#### 4.3.1 Effect of Staged Pretraining and LLM Interface

Table 6 reports the main component ablations on all 128 UCR datasets. The “+/-” columns indicate whether staged pretraining, the LLM pathway, and the morphology view are retained. Pretraining denotes the full Stage-I/Stage-II transfer route, the LLM column denotes the language-side interface with class-token scoring, and the morphology column denotes the visual waveform branch.

Full TimeMorph achieves the best average accuracy, 59.29%. Removing staged pretraining reduces the average to 56.94%, a 2.35-point drop, indicating that the full Stage-I/Stage-II transfer route provides a useful initialization for target fine-tuning. Further removing the LLM pathway lowers the average to 53.94%, and additionally removing the morphology branch gives the weakest result, 49.94%. The full cumulative removal path is 9.35 points below TimeMorph, showing that the final system benefits from retaining pre-trained transfer, the language-side interface, and waveform morphology evidence. Because the rows remove components cumulatively, the intermediate differences indicate the effect of each ablation path rather than isolated single-factor effects.

#### 4.3.2 Effect of Morphology-Map Construction

We next examine whether the morphology branch depends on the proposed sliding-window morphology map or on the

TABLE 5

Few-shot classification accuracy (%) on two external semantic-label datasets. Each cell reports mean  $\pm$  standard deviation over 10 runs under the same few-shot protocol. Best is bold and second-best is underlined within each dataset-shot column.

| Model        | MIT-BIH                            |                                     |                                     | CinC2017                           |                                    |                                    |
|--------------|------------------------------------|-------------------------------------|-------------------------------------|------------------------------------|------------------------------------|------------------------------------|
|              | 10-shot                            | 20-shot                             | 30-shot                             | 10-shot                            | 20-shot                            | 30-shot                            |
| TimeMorph    | 57.05 $\pm$ 10.96                  | <b>66.62 <math>\pm</math> 6.54</b>  | <b>68.87 <math>\pm</math> 11.23</b> | <b>34.72 <math>\pm</math> 3.15</b> | <b>35.24 <math>\pm</math> 1.24</b> | <b>38.86 <math>\pm</math> 7.00</b> |
| ResNet       | 37.97 $\pm$ 14.13                  | 55.66 $\pm$ 8.58                    | 57.07 $\pm$ 9.05                    | 30.95 $\pm$ 12.41                  | 33.73 $\pm$ 7.43                   | 36.20 $\pm$ 4.84                   |
| TapNet       | 31.94 $\pm$ 7.18                   | 40.15 $\pm$ 10.28                   | 44.11 $\pm$ 11.14                   | 30.05 $\pm$ 6.73                   | 32.80 $\pm$ 8.81                   | 31.01 $\pm$ 11.54                  |
| COSCO-ResNet | 32.33 $\pm$ 14.25                  | 35.08 $\pm$ 13.75                   | 41.17 $\pm$ 8.94                    | 31.41 $\pm$ 4.48                   | 31.04 $\pm$ 6.97                   | 31.98 $\pm$ 8.37                   |
| PatchTST     | 38.94 $\pm$ 14.35                  | 55.36 $\pm$ 8.84                    | 57.08 $\pm$ 9.40                    | 26.07 $\pm$ 6.24                   | 30.35 $\pm$ 7.51                   | 31.21 $\pm$ 3.36                   |
| OneFitsAll   | 32.92 $\pm$ 16.63                  | 42.48 $\pm$ 10.82                   | 54.87 $\pm$ 10.04                   | 30.80 $\pm$ 6.07                   | 27.56 $\pm$ 4.33                   | 29.23 $\pm$ 3.03                   |
| TimesNet     | 51.01 $\pm$ 5.84                   | 54.21 $\pm$ 7.81                    | 56.15 $\pm$ 8.77                    | 27.25 $\pm$ 2.81                   | 28.41 $\pm$ 4.24                   | 29.43 $\pm$ 2.44                   |
| DLinear      | 55.57 $\pm$ 9.85                   | 57.45 $\pm$ 7.95                    | 58.84 $\pm$ 8.69                    | 24.92 $\pm$ 1.16                   | 25.17 $\pm$ 1.22                   | 24.53 $\pm$ 1.70                   |
| Autoformer   | 38.05 $\pm$ 5.65                   | 42.49 $\pm$ 8.58                    | 44.39 $\pm$ 7.25                    | 28.37 $\pm$ 5.44                   | 27.67 $\pm$ 2.76                   | 26.30 $\pm$ 4.36                   |
| Crossformer  | 53.48 $\pm$ 9.36                   | <u>58.55 <math>\pm</math> 10.43</u> | 58.24 $\pm$ 9.71                    | 24.02 $\pm$ 6.10                   | 25.50 $\pm$ 2.86                   | 27.35 $\pm$ 2.35                   |
| FEDformer    | <b>58.88 <math>\pm</math> 5.77</b> | 56.80 $\pm$ 9.98                    | 55.12 $\pm$ 10.09                   | 20.35 $\pm$ 8.32                   | 26.90 $\pm$ 3.54                   | 27.91 $\pm$ 4.87                   |
| Informer     | 53.19 $\pm$ 6.03                   | 54.20 $\pm$ 7.61                    | 52.35 $\pm$ 10.80                   | 26.93 $\pm$ 9.30                   | 28.14 $\pm$ 4.01                   | 30.12 $\pm$ 5.95                   |

TABLE 6

Cumulative component ablations on the 128 UCR datasets. “+” means the component is retained, and “−” means it is removed along the cumulative path. Each value is mean accuracy (%) over the datasets.  $\Delta$  denotes the average accuracy decrease relative to TimeMorph.

| Setting                             | Pretrain | LLM | Morph. | 1-shot       | 2-shot       | 5-shot       | 10-shot      | Avg          | $\Delta$ |
|-------------------------------------|----------|-----|--------|--------------|--------------|--------------|--------------|--------------|----------|
| TimeMorph                           | +        | +   | +      | <b>48.31</b> | <b>55.55</b> | <b>64.14</b> | <b>69.16</b> | <b>59.29</b> | −        |
| TimeMorph-nopretrain                | −        | +   | +      | 46.70        | 51.81        | 62.65        | 66.60        | 56.94        | 2.35     |
| TimeMorph-nopretrain-nollm          | −        | −   | +      | 44.90        | 49.77        | 58.36        | 62.73        | 53.94        | 5.35     |
| TimeMorph-nopretrain-nollm-novision | −        | −   | −      | 40.26        | 45.54        | 54.17        | 59.79        | 49.94        | 9.35     |

TABLE 7

Ablation of 1D-to-2D morphology construction on UCR using the full TimeMorph model under the 5-shot protocol with three independent runs. Acc. reports mean accuracy (%), Std. reports the corresponding standard deviation, AvgRank is the average dataset-level rank, Best counts the number of datasets on which each construction performs best, and W/T/L is measured against the reference morphology-map construction.

| Method           | Construction                   | Acc.         | Std.  | AvgRank     | Best      | W/T/L vs. Ref. |
|------------------|--------------------------------|--------------|-------|-------------|-----------|----------------|
| Morphology map   | Sliding-window morphology map  | <b>65.18</b> | 3.02  | <b>2.21</b> | <b>53</b> | −              |
| Recurrence plot  | Pairwise recurrence map        | 62.88        | 18.93 | 2.68        | 35        | 43/6/79        |
| GAF              | Gramian angular field          | <u>63.01</u> | 19.71 | 2.74        | 28        | 46/9/73        |
| STFT spectrogram | Short-time Fourier spectrogram | 58.05        | 2.85  | 3.59        | 15        | 29/5/94        |
| Line plot        | Rendered waveform line plot    | 57.20        | 3.65  | 3.79        | 14        | 26/2/100       |

broader act of converting a sequence into a two-dimensional view. Table 7 reports an additional full-model ablation on UCR under the 5-shot protocol with three independent runs. The comparison preserves the complete LLM-based TimeMorph pipeline, so it evaluates morphology construction inside the final model.

The sliding-window morphology map obtains the highest accuracy, best average rank, and largest number of best-performing datasets among the compared 1D-to-2D constructions. Recurrence plots and Gramian angular fields remain competitive but trail the proposed construction, while the rendered line plot and STFT spectrogram are weaker in this setting. These results indicate that the morphology branch benefits from a structured local-window representation of waveform shape, not simply from visual rendering of the raw signal.

#### 4.3.3 Effect of Semantic Label Priors

For external datasets with meaningful label names, Table 8 compares anonymous class-token rows with semantic-prior rows. Both variants start from the same final Stage-II checkpoint; the semantic-prior variant differs only in label-verbalizer initialization and semantic regularization of the class-token rows. Semantic priors improve five of the six dataset-shot settings and increase the overall average from 47.84 to 50.23. The gains are dataset- and shot-dependent, with a decrease on CinC2017 20-shot, but the averaged result supports the semantic-prior class-token space as a useful extension of supervised closed-set decoding.

Overall, the ablations support the central design: staged transfer improves initialization, the LLM pathway strengthens support-set fine-tuning, the morphology view supplies complementary waveform evidence, and semantic-prior row initialization further improves transfer on datasets with meaningful label names.




Fig. 4. Attention-rollout analysis of the morphology branch. Each row shows a normalized raw waveform, the corresponding morphology map, and the attention-rollout overlay from the frozen DINOv2 encoder. Highlighted regions indicate morphology-map areas receiving higher aggregated attention.

TABLE 8

Semantic-prior class-token ablation on two external semantic-label datasets (accuracy, %). Each cell reports mean  $\pm$  standard deviation over 10 runs under the same few-shot protocol. The better variant within each dataset-shot column is bold.  $\Delta$  denotes Semantic prior minus Anonymous labels.

| Dataset  | Variant        | 10-shot                             | 20-shot                            | 30-shot                             |
|----------|----------------|-------------------------------------|------------------------------------|-------------------------------------|
| MIT-BIH  | Anonymous      | 55.03 $\pm$ 9.40                    | 63.95 $\pm$ 13.80                  | 64.15 $\pm$ 5.32                    |
|          | Semantic prior | <b>57.05 <math>\pm</math> 10.96</b> | <b>66.62 <math>\pm</math> 6.54</b> | <b>68.87 <math>\pm</math> 11.23</b> |
|          | $\Delta$       | +2.02                               | +2.67                              | +4.72                               |
| CinC2017 | Anonymous      | 32.80 $\pm$ 9.08                    | <b>36.98 <math>\pm</math> 4.27</b> | 34.13 $\pm$ 9.73                    |
|          | Semantic prior | <b>34.72 <math>\pm</math> 3.15</b>  | 35.24 $\pm$ 1.24                   | <b>38.86 <math>\pm</math> 7.00</b>  |
|          | $\Delta$       | +1.92                               | -1.74                              | +4.73                               |

#### 4.4 Qualitative and Representation Analysis

The preceding results quantify the contribution of each component. We further examine post-hoc qualitative and representation-level evidence after few-shot fine-tuning on held-out query examples. These analyses complement the quantitative ablations and are not used for training, hyperparameter selection, or model selection.

##### 4.4.1 Morphology-Branch Attention

Figure 4 visualizes attention rollout [55] on the frozen DINOv2 morphology encoder. For each query sample, the raw waveform is shown together with the morphology map constructed from overlapping local windows and the corresponding attention overlay. High-response regions usually appear near high-contrast structures in the morphology map, which are associated with salient local peaks, valleys, or cross-window shape transitions in the original signal. This pattern indicates that the frozen visual encoder attends to structured waveform morphology exposed by the map representation. Since attention rollout aggregates internal transformer attention, we interpret it as qualitative evidence of encoder focus rather than causal importance of individual timestamps or image pixels.

##### 4.4.2 Representation Structure and Branch Complementarity

Figure 5 compares the temporal pooled representation, morphology pooled representation, and final LLM decision state using t-SNE [56]. As a low-dimensional projection, t-SNE is used qualitatively to compare how different representations organize the same query samples. The temporal and morphology views form visibly different neighborhood




Fig. 5. Representation analysis. The top row gives t-SNE visualizations [56] of temporal, morphology, and fused LLM decision representations. Points are colored by ground-truth class, and misclassified samples are marked separately. The stacked bars compare correctness overlap among temporal-only, morphology-only, and fused dual-view inference on the same fine-tuned checkpoint.

structures, indicating that they emphasize different aspects of the signal, namely chronological dynamics and local waveform shape. After fusion and language-side processing, the final decision states show clearer class organization in the representative visualization. The branch-correctness bars provide a complementary sample-level view: temporal-only and morphology-only inference do not fail on exactly the same query examples, and fused dual-view inference recovers part of the errors made by either single branch. Together with the quantitative ablation in Table 6, where removing the morphology pathway lowers the average UCR accuracy, these analyses support the interpretation that the two views provide complementary evidence for few-shot classification.

Figure 6 further reports mutual  $k$ -nearest-neighbor alignment among temporal, morphology, and fused decision representations. For two representation spaces, the score is the fraction of shared  $k$  nearest neighbors for the same query sample, averaged over query samples and representative datasets. The lower temporal–morphology alignment indicates different local neighborhood structures, while the higher branch–fused alignment shows that the final decision state retains information from both views. This diagnostic measures representation overlap, not classification accuracy.

Additional t-SNE plots are provided in Appendix C.1.

## 4.5 Dataset-Level Analysis

### 4.5.1 Win–Tie–Loss Analysis

We next examine whether the aggregate gains are distributed across datasets. Figure 7 shows win–tie–loss statistics against representative baselines. TimeMorph wins on substantially more datasets than it loses against PATCHTST, TIMESNET, and GPT4TS. The comparison with specialized CNN and metric-learning methods is closer, but TimeMorph still achieves the strongest overall average and rank.




Fig. 6. Mutual  $k$ -nearest-neighbor alignment among temporal, morphology, and fused decision representations. Lower temporal–morphology alignment indicates complementary neighborhood structures, while the fused decision state remains aligned with both branches.

### 4.5.2 Per-Dataset Accuracy Distribution

Figure 8 reports the per-dataset accuracy distributions of representative baselines and TimeMorph. TimeMorph has the highest mean accuracy in all four shot settings, with a distribution that is especially separated from the Transformer-style and LLM-style baselines. The comparison with specialized CNN and metric-learning baselines is closer, matching the aggregate results in Table 4: TimeMorph provides broad gains over generic sequence models and remains competitive with specialized few-shot classifiers.

## 4.6 Efficiency and Practicality

Table 9 reports efficiency on one UCR task and two external semantic-label tasks under the 10-shot protocol. Although TimeMorph uses a large frozen LLM backbone, fine-tuning




Fig. 7. Win–tie–loss heatmap against representative UCR baselines. Each cell reports wins/ties/losses over 128 datasets, with color indicating the normalized win margin  $(W - L)/N$ .

updates only about 12.2M parameters through LoRA and task-specific class-token components. The LLM interface increases memory and latency relative to compact CNN baselines, but it remains parameter-efficient and gives the best accuracy on all three representative tasks. Additional UCR efficiency statistics, including throughput and memory usage, are reported in Appendix B.3.

## 5 CONCLUSION

This paper presented **TimeMorph**, a dual-view LLM-based framework for few-shot time-series classification. The central goal of TimeMorph is to adapt pretrained language models to scarce-label time-series problems while addressing three practical challenges: preserving complementary temporal and morphological evidence, bridging continuous time-series

representations with the LLM embedding space, and ensuring valid closed-set predictions. To this end, TimeMorph combines a temporal branch for chronological dynamics with a morphology branch that exposes waveform structures through visual pseudo-images, aligns the fused time-series tokens to a frozen causal LLM through staged cross-modal transfer, and performs classification through supervised class-token scoring over the valid label set. When semantically meaningful class names are available, TimeMorph further incorporates label-verbalizer priors to regularize the class-token space without relying on unstable multi-token label generation.

Extensive experiments on the UCR few-shot benchmark and external semantic-label datasets demonstrate that TimeMorph achieves the strongest average performance and ranking among the compared methods. The gains




Fig. 8. Per-dataset accuracy distribution on the 128 UCR datasets. Each box summarizes one method’s accuracy across datasets for a fixed shot setting; diamonds mark mean accuracies.

TABLE 9

Efficiency and accuracy comparison on representative 10-shot tasks. Accuracy is averaged over five runs for GUNPOINT and ten runs for MIT-BIH and CinC2017. Peak memory and inference latency are measured on a single RTX 3090 under the same evaluation setting. Updated parameters count only parameters fine-tuned on the support set. <sup>†</sup>TimeMorph uses gradient checkpointing on CinC2017; PatchTST exceeds the 24GB memory budget under the same setting.

| Model        | Updated params | GUNPOINT     |         |        | MIT-BIH      |         |        | CinC2017     |                    |        |
|--------------|----------------|--------------|---------|--------|--------------|---------|--------|--------------|--------------------|--------|
|              |                | Acc.         | Peak GB | ms/ex. | Acc.         | Peak GB | ms/ex. | Acc.         | Peak GB            | ms/ex. |
| TimeMorph    | 12.2M          | <b>97.47</b> | 13.24   | 31.07  | <b>57.05</b> | 15.05   | 38.02  | <b>34.72</b> | 12.21 <sup>†</sup> | 54.44  |
| COSCO-ResNet | 661K           | 91.73        | 0.06    | 0.19   | 32.33        | 0.16    | 0.21   | 31.41        | 1.34               | 0.45   |
| ResNet       | 628K           | 85.73        | 0.06    | 0.14   | 37.97        | 0.16    | 0.20   | 30.95        | 1.29               | 0.43   |
| TapNet       | 911K           | 82.13        | 0.09    | 0.16   | 31.94        | 0.13    | 0.23   | 30.05        | 1.17               | 1.94   |
| PatchTST     | 597K           | 77.60        | 0.13    | 0.31   | 38.94        | 0.27    | 0.29   | 26.07        | 1.33               | 2.14   |
| GPT4TS       | 1.1M           | 62.00        | 0.38    | 0.58   | 32.92        | 0.45    | 0.59   | 30.80        | 1.19               | 0.59   |

are particularly clear over generic Transformer-style and LLM-style baselines, while comparisons with specialized CNN and metric-learning methods are closer, indicating that TimeMorph is not uniformly dominant on every dataset but provides a competitive and complementary LLM-based alternative for few-shot TSC. Ablation studies further show that staged transfer, the LLM pathway, morphology-aware evidence, and semantic class-token priors each contribute to the final model, supporting the importance of jointly designing the modality interface and the prediction space when adapting LLMs to time-series classification.

Despite these encouraging results, TimeMorph is not intended to be a lightweight replacement for compact time-series classifiers. Its advantage is most relevant in label-scarce settings where pretrained multimodal and language-model priors can be exploited, whereas its inference cost remains higher than that of conventional CNN or prototype-based models. Future work will investigate stricter disjoint pre-training protocols, more efficient distillation or compression strategies, and broader extensions to multivariate, streaming, and domain-specific time-series scenarios.



## APPENDIX A

### FULL UCR BENCHMARK RESULTS

This appendix reports the complete per-dataset few-shot benchmark results for all 128 UCR datasets. Each cell is shown as mean  $\pm$  standard deviation over five runs, and the summary rows at the end of each table report average accuracy, average rank, and the number of datasets attaining the best mean accuracy (counting ties).

TABLE 10: Per-dataset 1-shot classification results on 128 UCR datasets. Each value is reported as mean  $\pm$  standard deviation over 5 runs.

| Dataset                      | ResNet        | TapNet        | COSCO-ResNet  | DLinear       | PatchTST      | TimesNet      | Autoformer    | Crossformer   | FEDformer     | Informer      | GPT4TS        | TimeMorph     |
|------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| ACSF1                        | 53.80 ± 4.97  | 42.00 ± 4.95  | 48.40 ± 7.30  | 24.00 ± 4.24  | 35.60 ± 3.21  | 27.67 ± 7.02  | 24.33 ± 9.71  | 28.33 ± 2.52  | 27.80 ± 7.09  | 31.67 ± 9.81  | 18.60 ± 4.51  | 44.00 ± 5.20  |
| Adiac                        | 33.81 ± 1.23  | 12.84 ± 3.09  | 33.81 ± 1.23  | 8.85 ± 2.36   | 11.97 ± 1.69  | 21.40 ± 4.24  | 34.53 ± 1.77  | 8.10 ± 1.92   | 40.82 ± 3.61  | 24.21 ± 3.24  | 3.02 ± 1.05   | 45.17 ± 5.28  |
| AllGestureWiimoteX           | 25.71 ± 4.01  | 26.86 ± 2.52  | 24.43 ± 2.55  | 15.57 ± 2.95  | 21.86 ± 4.59  | 20.71 ± 2.87  | 11.33 ± 1.19  | 16.76 ± 2.52  | 13.43 ± 1.74  | 18.90 ± 1.08  | 21.86 ± 4.59  | 25.11 ± 4.65  |
| AllGestureWiimoteY           | 26.37 ± 2.89  | 26.17 ± 2.88  | 22.71 ± 4.62  | 17.49 ± 2.02  | 25.17 ± 5.50  | 21.81 ± 2.78  | 12.29 ± 1.27  | 20.29 ± 1.98  | 13.06 ± 1.34  | 21.33 ± 2.38  | 25.17 ± 5.50  | 25.54 ± 4.42  |
| AllGestureWiimoteZ           | 27.11 ± 1.95  | 22.66 ± 4.13  | 25.49 ± 2.57  | 18.26 ± 2.01  | 19.71 ± 2.87  | 19.24 ± 1.57  | 13.29 ± 0.43  | 18.76 ± 2.79  | 14.14 ± 1.72  | 19.71 ± 1.79  | 19.71 ± 2.87  | 22.26 ± 3.96  |
| ArrowHead                    | 47.66 ± 8.94  | 46.63 ± 9.45  | 48.00 ± 7.74  | 52.00 ± 6.38  | 49.71 ± 1.40  | 47.62 ± 9.46  | 38.29 ± 4.00  | 50.86 ± 1.71  | 35.89 ± 2.60  | 50.86 ± 6.05  | 41.49 ± 12.34 | 52.57 ± 3.43  |
| BME                          | 49.60 ± 2.85  | 50.80 ± 2.13  | 49.73 ± 3.42  | 56.67 ± 3.43  | 62.93 ± 5.35  | 55.33 ± 7.86  | 51.56 ± 3.15  | 61.33 ± 4.06  | 55.87 ± 7.71  | 58.89 ± 6.19  | 35.73 ± 3.22  | 66.40 ± 3.88  |
| Beef                         | 36.00 ± 6.41  | 31.33 ± 5.06  | 27.33 ± 7.96  | 38.67 ± 9.89  | 32.00 ± 7.67  | 40.00 ± 8.82  | 34.44 ± 6.94  | 41.11 ± 1.92  | 30.67 ± 6.83  | 40.00 ± 6.67  | 31.33 ± 9.31  | 34.00 ± 2.79  |
| BeetleFly                    | 55.00 ± 24.24 | 60.00 ± 25.00 | 61.00 ± 24.85 | 67.00 ± 4.47  | 61.00 ± 9.62  | 60.00 ± 13.23 | 55.00 ± 5.00  | 61.67 ± 11.55 | 48.00 ± 2.74  | 60.00 ± 13.23 | 70.00 ± 11.18 | 70.00 ± 11.73 |
| BirdChicken                  | 62.00 ± 8.37  | 71.00 ± 9.62  | 70.00 ± 17.68 | 56.00 ± 4.18  | 56.00 ± 4.18  | 51.67 ± 2.89  | 51.67 ± 12.58 | 53.33 ± 5.77  | 55.00 ± 5.00  | 51.67 ± 7.64  | 59.00 ± 9.62  | 68.00 ± 14.83 |
| CBF                          | 81.67 ± 6.47  | 87.62 ± 2.73  | 71.71 ± 7.91  | 54.02 ± 3.44  | 66.38 ± 7.40  | 55.85 ± 2.16  | 33.63 ± 1.20  | 58.00 ± 5.61  | 36.89 ± 2.37  | 54.78 ± 1.68  | 35.20 ± 3.75  | 72.48 ± 4.85  |
| Car                          | 37.00 ± 4.62  | 39.00 ± 4.80  | 41.67 ± 9.28  | 38.67 ± 11.63 | 27.33 ± 9.90  | 42.22 ± 5.09  | 24.44 ± 3.47  | 43.89 ± 5.85  | 27.00 ± 4.15  | 40.00 ± 7.26  | 30.00 ± 9.65  | 55.67 ± 8.94  |
| Chinatown                    | 66.53 ± 19.14 | 63.73 ± 26.98 | 62.51 ± 27.20 | 67.41 ± 23.86 | 67.35 ± 11.32 | 77.07 ± 16.93 | 81.83 ± 2.19  | 77.94 ± 9.20  | 77.61 ± 8.88  | 75.41 ± 7.92  | 56.68 ± 20.52 | 93.59 ± 3.92  |
| ChlorineConcentration        | 34.61 ± 2.26  | 35.41 ± 4.36  | 34.04 ± 2.01  | 33.26 ± 2.96  | 35.54 ± 3.20  | 33.64 ± 3.96  | 32.92 ± 4.26  | 33.42 ± 5.09  | 33.78 ± 2.74  | 34.11 ± 3.50  | 39.93 ± 15.64 | 32.61 ± 3.30  |
| CinCECGTorso                 | 37.20 ± 9.73  | 36.03 ± 6.56  | 36.51 ± 8.82  | 40.06 ± 3.86  | 35.72 ± 7.09  | 44.86 ± 6.03  | 35.36 ± 5.77  | 50.53 ± 4.66  | 34.97 ± 4.68  | 45.68 ± 5.50  | 42.49 ± 6.76  | 48.74 ± 6.47  |
| Coffee                       | 78.57 ± 9.78  | 92.86 ± 8.38  | 84.29 ± 13.02 | 72.86 ± 14.42 | 74.29 ± 18.80 | 63.10 ± 10.91 | 65.48 ± 7.43  | 71.43 ± 16.37 | 76.43 ± 4.07  | 64.29 ± 7.14  | 51.43 ± 4.07  | 75.71 ± 13.69 |
| Computers                    | 57.52 ± 7.64  | 60.40 ± 6.13  | 59.12 ± 4.47  | 47.12 ± 5.87  | 52.64 ± 10.26 | 50.93 ± 1.29  | 48.80 ± 0.69  | 51.87 ± 2.57  | 48.96 ± 2.79  | 52.27 ± 3.23  | 45.20 ± 5.79  | 56.40 ± 5.77  |
| CrocketX                     | 26.15 ± 3.29  | 26.10 ± 3.67  | 20.56 ± 4.67  | 17.28 ± 1.96  | 18.15 ± 4.50  | 20.34 ± 0.39  | 8.89 ± 0.82   | 17.52 ± 1.26  | 11.38 ± 2.35  | 20.68 ± 0.74  | 7.28 ± 1.05   | 26.26 ± 5.29  |
| CrocketY                     | 26.97 ± 3.03  | 24.46 ± 4.25  | 22.72 ± 1.74  | 18.56 ± 4.13  | 17.90 ± 3.61  | 22.82 ± 1.56  | 10.34 ± 1.89  | 20.94 ± 3.72  | 11.23 ± 0.80  | 21.20 ± 3.98  | 9.54 ± 2.33   | 23.33 ± 5.19  |
| CrocketZ                     | 32.51 ± 2.32  | 28.72 ± 2.15  | 26.56 ± 4.19  | 19.64 ± 2.73  | 22.26 ± 3.91  | 20.34 ± 4.11  | 11.03 ± 1.54  | 20.00 ± 2.31  | 12.26 ± 1.25  | 20.34 ± 2.57  | 7.64 ± 1.05   | 29.28 ± 4.82  |
| Crop                         | 25.10 ± 4.94  | 28.14 ± 2.90  | 25.10 ± 4.94  | 10.23 ± 2.66  | 17.27 ± 1.43  | 27.73 ± 2.89  | 24.10 ± 4.30  | 26.19 ± 2.96  | 27.27 ± 3.58  | 30.31 ± 5.00  | 3.80 ± 0.58   | 36.48 ± 4.38  |
| DiatomSizeReduction          | 79.67 ± 5.51  | 55.36 ± 19.14 | 84.12 ± 4.82  | 89.22 ± 8.91  | 49.61 ± 24.86 | 75.71 ± 7.74  | 55.01 ± 11.77 | 56.43 ± 20.40 | 50.07 ± 12.66 | 76.47 ± 11.70 | 41.44 ± 13.25 | 85.82 ± 8.55  |
| DistalPhalanxOutlineAgeGroup | 43.02 ± 17.16 | 43.02 ± 18.34 | 43.60 ± 14.92 | 42.73 ± 19.01 | 46.76 ± 16.49 | 45.80 ± 19.81 | 46.28 ± 21.27 | 56.59 ± 9.36  | 50.94 ± 19.66 | 46.28 ± 20.78 | 35.68 ± 14.61 | 42.01 ± 16.44 |
| DistalPhalanxOutlineCorrect  | 62.10 ± 1.32  | 57.32 ± 9.22  | 63.04 ± 2.44  | 57.54 ± 11.13 | 53.55 ± 11.63 | 53.99 ± 14.78 | 53.26 ± 12.27 | 53.62 ± 11.97 | 55.14 ± 10.52 | 53.26 ± 12.97 | 56.74 ± 7.30  | 60.58 ± 2.98  |
| DistalPhalanxTW              | 51.22 ± 5.15  | 44.03 ± 11.70 | 53.38 ± 4.02  | 43.74 ± 5.17  | 51.22 ± 6.58  | 45.32 ± 9.89  | 42.69 ± 4.40  | 38.13 ± 7.51  | 48.20 ± 5.84  | 47.48 ± 5.62  | 18.56 ± 14.51 | 54.53 ± 1.72  |
| DodgerLoopDay                | 32.50 ± 7.34  | 25.00 ± 4.05  | 29.75 ± 7.68  | 41.50 ± 2.05  | 26.00 ± 6.58  | 40.42 ± 4.73  | 20.42 ± 1.91  | 32.92 ± 3.15  | 21.50 ± 4.45  | 40.42 ± 7.94  | 26.00 ± 6.58  | 34.50 ± 3.38  |
| DodgerLoopGame               | 52.17 ± 6.30  | 55.07 ± 17.38 | 49.13 ± 8.90  | 60.87 ± 12.35 | 59.86 ± 22.05 | 51.45 ± 9.96  | 51.21 ± 5.14  | 56.52 ± 10.82 | 50.43 ± 2.44  | 51.45 ± 9.59  | 59.86 ± 22.05 | 56.96 ± 11.69 |
| DodgerLoopWeekend            | 84.49 ± 8.37  | 74.78 ± 12.27 | 83.19 ± 10.24 | 93.62 ± 3.81  | 96.23 ± 1.19  | 95.65 ± 1.26  | 63.77 ± 4.41  | 94.44 ± 0.42  | 68.41 ± 4.57  | 93.72 ± 5.86  | 96.23 ± 1.19  | 85.36 ± 4.30  |
| ECG200                       | 63.00 ± 12.61 | 72.00 ± 6.75  | 66.20 ± 8.32  | 71.80 ± 4.44  | 61.60 ± 12.82 | 61.33 ± 10.97 | 65.00 ± 11.79 | 63.00 ± 20.66 | 64.20 ± 14.29 | 68.67 ± 7.09  | 51.40 ± 12.93 | 60.60 ± 6.91  |
| ECG5000                      | 54.22 ± 21.00 | 50.05 ± 20.59 | 61.53 ± 13.66 | 62.80 ± 19.19 | 53.35 ± 20.14 | 69.07 ± 12.52 | 54.44 ± 9.79  | 57.20 ± 16.09 | 62.35 ± 12.99 | 68.84 ± 13.99 | 19.70 ± 25.30 | 67.18 ± 10.57 |
| ECGFiveDays                  | 58.65 ± 7.69  | 57.24 ± 6.51  | 54.80 ± 13.00 | 57.63 ± 2.63  | 62.21 ± 8.35  | 57.99 ± 4.84  | 54.86 ± 3.17  | 55.87 ± 1.56  | 54.08 ± 6.73  | 58.46 ± 5.08  | 51.54 ± 6.38  | 61.77 ± 6.61  |
| EOGHorizontalSignal          | 20.11 ± 2.01  | 22.38 ± 1.86  | 22.60 ± 2.77  | 22.43 ± 4.01  | 21.22 ± 3.15  | 20.63 ± 4.63  | 15.29 ± 2.63  | 23.57 ± 5.45  | 10.39 ± 2.26  | 22.01 ± 4.37  | 27.24 ± 2.99  | 29.06 ± 4.16  |
| EOGVerticalSignal            | 11.27 ± 3.67  | 14.09 ± 3.23  | 13.26 ± 3.09  | 24.20 ± 3.27  | 23.76 ± 3.73  | 23.39 ± 2.79  | 11.23 ± 0.70  | 24.86 ± 4.17  | 11.27 ± 3.83  | 23.11 ± 4.07  | 19.06 ± 6.08  | 27.35 ± 1.90  |
| Earthquakes                  | 50.07 ± 8.55  | 51.08 ± 6.33  | 50.94 ± 6.46  | 49.35 ± 5.05  | 45.61 ± 20.94 | 48.68 ± 19.16 | 49.40 ± 1.10  | 49.40 ± 14.03 | 47.05 ± 5.90  | 47.00 ± 24.65 | 46.04 ± 13.71 | 55.54 ± 11.57 |
| ElectricDevices              | 28.83 ± 9.01  | 32.82 ± 12.31 | 28.35 ± 12.24 | 17.59 ± 1.67  | 27.21 ± 7.38  | 21.93 ± 4.54  | 17.11 ± 1.87  | 15.12 ± 2.81  | 17.04 ± 2.05  | 15.61 ± 7.10  | 17.06 ± 3.10  | 33.14 ± 10.96 |
| EthanolLevel                 | 24.44 ± 1.30  | 25.40 ± 0.85  | 25.28 ± 1.57  | 24.92 ± 1.50  | 23.80 ± 1.65  | 26.13 ± 0.58  | 26.53 ± 1.55  | 26.67 ± 1.29  | 25.32 ± 1.50  | 25.80 ± 1.39  | 24.76 ± 1.40  | 26.68 ± 1.86  |
| FaceAll                      | 42.17 ± 4.79  | 32.36 ± 9.47  | 42.17 ± 4.79  | 28.66 ± 9.09  | 19.36 ± 3.07  | 29.11 ± 4.19  | 33.12 ± 5.46  | 25.94 ± 1.75  | 34.05 ± 3.40  | 32.92 ± 2.10  | 8.64 ± 3.46   | 32.84 ± 6.86  |
| FaceFour                     | 68.64 ± 10.56 | 47.50 ± 11.12 | 56.36 ± 4.30  | 64.32 ± 4.73  | 54.09 ± 8.34  | 70.08 ± 4.30  | 52.65 ± 3.99  | 67.05 ± 7.10  | 51.36 ± 4.28  | 73.11 ± 3.99  | 42.95 ± 6.60  | 54.77 ± 8.25  |
| FacesUCR                     | 54.83 ± 5.21  | 37.63 ± 5.89  | 43.65 ± 3.88  | 35.69 ± 7.47  | 20.81 ± 1.95  | 36.24 ± 3.26  | 41.98 ± 2.95  | 40.05 ± 2.80  | 41.87 ± 3.09  | 42.63 ± 2.58  | 16.92 ± 7.54  | 50.37 ± 4.98  |
| FiftyWords                   | 13.27 ± 1.89  | 12.79 ± 3.45  | 13.27 ± 1.89  | 32.70 ± 4.33  | 19.60 ± 4.90  | 35.90 ± 3.31  | 3.44 ± 1.59   | 38.97 ± 6.44  | 11.30 ± 2.86  | 36.70 ± 4.41  | 3.74 ± 2.40   | 36.48 ± 2.66  |
| Fish                         | 49.03 ± 5.96  | 21.26 ± 3.60  | 45.71 ± 1.71  | 36.00 ± 3.98  | 23.20 ± 3.80  | 32.57 ± 4.57  | 16.95 ± 2.93  | 30.29 ± 2.62  | 21.71 ± 2.77  | 31.81 ± 4.76  | 20.80 ± 5.10  | 34.74 ± 9.41  |
| FordA                        | 59.23 ± 9.68  | 57.68 ± 10.00 | 59.83 ± 8.76  | 50.73 ± 1.01  | 56.70 ± 8.04  | 50.30 ± 0.33  | 49.57 ± 1.42  | 49.72 ± 0.63  | 49.68 ± 1.11  | 49.92 ± 0.80  | 50.61 ± 1.68  | 50.71 ± 0.98  |
| FordB                        | 52.54 ± 4.34  | 52.64 ± 6.88  | 52.40 ± 4.53  | 50.12 ± 1.83  | 53.60 ± 4.09  | 49.96 ± 0.94  | 50.53 ± 0.72  | 50.21 ± 0.80  | 50.81 ± 0.65  | 49.88 ± 0.98  | 50.05 ± 1.16  | 49.75 ± 2.58  |
| FreezerRegularTrain          | 61.33 ± 21.55 | 58.22 ± 20.21 | 56.76 ± 19.80 | 61.31 ± 21.84 | 57.07 ± 18.69 | 59.91 ± 27.91 | 48.78 ± 1.68  | 53.81 ± 23.62 | 49.55 ± 0.87  | 60.27 ± 28.68 | 61.45 ± 8.09  | 61.90 ± 22.62 |
| FreezerSmallTrain            | 67.85 ± 12.31 | 66.48 ± 12.45 | 67.42 ± 12.36 | 67.47 ± 12.29 | 63.19 ± 10.91 | 73.32 ± 3.65  | 55.33 ± 0.97  | 66.60 ± 5.96  | 57.00 ± 2.79  | 73.03 ± 4.44  | 65.92 ± 7.33  | 66.53 ± 10.64 |
| Fungi                        | 93.23 ± 4.00  | 35.81 ± 9.47  | 64.62 ± 2.56  | 68.59 ± 5.78  | 67.20 ± 19.03 | 95.70 ± 0.93  | 73.66 ± 2.69  | 86.74 ± 1.89  | 75.16 ± 1.03  | 95.70 ± 0.93  | 14.09 ± 7.48  | 79.35 ± 5.30  |
| GestureMidAirD1              | 17.08 ± 4.26  | 19.38 ± 4.43  | 17.08 ± 4.26  | 34.31 ± 3.87  | 19.08 ± 6.45  | 31.54 ± 2.04  | 17.44 ± 0.89  | 34.62 ± 4.07  | 21.85 ± 4.63  | 34.87 ± 2.47  | 19.08 ± 6.45  | 32.00 ± 3.94  |
| GestureMidAirD2              | 13.23 ± 5.14  | 17.08 ± 3.90  | 13.23 ± 5.14  | 29.08 ± 4.19  | 20.46 ± 5.77  | 29.74 ± 3.20  | 11.79 ± 2.22  | 29.23 ± 5.38  | 17.38 ± 5.95  | 36.41 ± 4.89  | 20.46 ± 5.77  | 33.85 ± 3.03  |
| GestureMidAirD3              | 8.62 ± 1.84   | 9.08 ± 2.52   | 8.62 ± 1.84   | 20.00 ± 3.17  | 10.92 ± 1.26  | 24.87 ± 4.24  | 9.49 ± 1.60   | 23.08 ± 0.77  | 14.77 ± 4.47  | 22.56 ± 2.91  | 10.92 ± 1.26  | 18.46 ± 2.61  |
| GesturePebbleZ1              | 49.07 ± 5.03  | 38.37 ± 6.03  | 53.26 ± 6.97  | 46.16 ± 3.18  | 62.00 ± 6.95  | 40.50 ± 15.60 | 20.93 ± 3.54  | 42.48 ± 7.05  | 18.95 ± 2.08  | 43.99 ± 8.73  | 23.60 ± 6.95  | 35.81 ± 4.48  |
| GesturePebbleZ2              | 55.19 ± 11.38 | 42.91 ± 15.92 | 57.47 ± 8.89  | 45.35 ± 13.33 | 21.01 ± 3.48  | 47.68 ± 13.93 | 18.35 ± 4.94  | 43.88 ± 16.17 | 16.20 ± 5.17  | 55.06 ± 14.60 | 21.01 ± 3.48  | 33.29 ± 5.85  |
| GunPoint                     | 35.47 ± 4.79  | 38.13 ± 9.13  | 35.87 ± 5.32  | 53.20 ± 9.11  | 56.40 ± 7.58  | 64.00 ± 8.08  | 58.89 ± 10.59 | 63.33 ± 4.81  | 58.93 ± 8.45  | 62.89 ± 30.1  | 52.40 ± 11.44 | 58.00 ± 7.79  |
| GunPointAgeSpan              | 49.94 ± 8.02  | 48.67 ± 3.53  | 49.11 ± 3.99  | 60.82 ± 22.09 | 58.73 ± 19.72 | 59.70 ± 21.56 | 52.11 ± 7.60  | 59.07 ± 20.81 | 52.41 ± 6.32  | 61.92 ± 19.97 | 48.04 ± 6.01  | 60.51 ± 10.12 |
| GunPointMaleVersusFemale     | 63.99 ± 11.9  |               |               |               |               |               |               |               |               |               |               |               |

TABLE 10: Per-dataset 1-shot classification results on 128 UCR datasets (continued).

| Dataset                        | ResNet               | TapNet               | COSCO-ResNet         | DLinear              | PatchTST             | TimesNet             | Autoformer          | Crossformer          | FEDformer           | Informer             | GPT4TS               | TimeMorph            |
|--------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|---------------------|----------------------|---------------------|----------------------|----------------------|----------------------|
| Lightning2                     | 50.49 ± 6.80         | 55.08 ± 10.15        | 51.80 ± 4.27         | 56.72 ± 11.39        | 51.80 ± 12.52        | 58.47 ± 11.16        | 48.63 ± 3.41        | 57.38 ± 11.36        | 51.48 ± 5.26        | 59.02 ± 8.67         | 55.08 ± 13.25        | <b>59.67 ± 8.87</b>  |
| Lightning7                     | 44.93 ± 4.48         | 44.38 ± 4.60         | 40.82 ± 7.47         | 43.01 ± 4.18         | 42.19 ± 7.34         | 53.42 ± 10.70        | 15.07 ± 6.28        | 45.66 ± 6.76         | 18.63 ± 4.40        | <b>56.16 ± 8.33</b>  | 24.11 ± 7.72         | 41.64 ± 7.80         |
| Mallat                         | 64.03 ± 14.52        | 50.42 ± 9.84         | 64.49 ± 9.43         | 80.37 ± 4.76         | 56.96 ± 10.09        | <b>82.32 ± 3.73</b>  | 54.67 ± 2.15        | 75.96 ± 4.82         | 64.55 ± 4.53        | 75.72 ± 2.60         | 37.30 ± 5.46         | 68.24 ± 7.54         |
| Meat                           | 42.00 ± 9.96         | 44.00 ± 10.18        | 58.33 ± 10.99        | <b>77.67 ± 17.26</b> | 52.67 ± 11.94        | 46.11 ± 9.18         | 38.33 ± 8.66        | 33.33 ± 0.00         | 36.00 ± 2.53        | 66.11 ± 20.97        | 33.67 ± 0.75         | 55.67 ± 9.62         |
| MedicalImages                  | 27.92 ± 5.84         | 28.45 ± 4.75         | 24.95 ± 5.95         | 26.34 ± 8.67         | 24.16 ± 4.26         | 22.32 ± 5.35         | 26.84 ± 12.59       | 23.86 ± 6.12         | <b>28.53 ± 8.23</b> | 23.16 ± 6.10         | 4.21 ± 2.27          | 27.66 ± 4.41         |
| MelbournePedestrian            | <b>51.29 ± 5.58</b>  | 44.27 ± 4.81         | 47.47 ± 6.50         | 9.85 ± 0.23          | 31.99 ± 4.95         | 21.74 ± 7.37         | 46.44 ± 8.26        | 40.62 ± 4.65         | 43.40 ± 7.11        | 43.73 ± 5.33         | 31.99 ± 4.95         | 39.16 ± 5.22         |
| MiddlePhalanxOutlineAgeGroup   | 38.83 ± 7.74         | 37.53 ± 10.57        | 38.05 ± 7.83         | 34.03 ± 9.03         | 35.97 ± 8.21         | 37.45 ± 11.78        | 29.87 ± 4.55        | 38.53 ± 15.64        | 33.90 ± 7.76        | 32.90 ± 7.86         | <b>41.69 ± 18.94</b> | 39.48 ± 7.40         |
| MiddlePhalanxOutlineCorrect    | 53.68 ± 13.63        | 52.10 ± 14.21        | 54.43 ± 13.33        | 53.75 ± 17.89        | 56.49 ± 9.58         | <b>58.42 ± 17.26</b> | 55.56 ± 15.16       | 54.07 ± 23.81        | 54.50 ± 10.22       | 57.50 ± 21.09        | 52.85 ± 12.08        | 51.68 ± 5.00         |
| MiddlePhalanxTW                | 34.03 ± 16.27        | 44.68 ± 7.76         | 32.47 ± 17.97        | 30.52 ± 10.75        | 32.34 ± 10.78        | 29.00 ± 15.96        | 38.96 ± 3.37        | <b>46.10 ± 3.62</b>  | 35.45 ± 13.57       | 42.21 ± 5.07         | 15.19 ± 11.64        | 37.14 ± 16.84        |
| MixedShapesRegularTrain        | 45.36 ± 5.29         | 40.59 ± 8.80         | 43.58 ± 10.39        | <b>47.60 ± 10.74</b> | 39.59 ± 5.62         | 43.05 ± 15.67        | 17.31 ± 1.15        | 45.53 ± 11.76        | 25.71 ± 3.77        | 42.76 ± 16.81        | 45.03 ± 12.47        | <b>56.06 ± 5.34</b>  |
| MixedShapesSmallTrain          | 52.78 ± 8.02         | 39.55 ± 6.53         | 48.84 ± 9.40         | <b>53.90 ± 7.66</b>  | 45.57 ± 7.91         | 52.81 ± 6.78         | 17.32 ± 0.61        | 53.84 ± 4.25         | 24.17 ± 3.24        | 53.31 ± 5.69         | 48.73 ± 8.44         | <b>63.30 ± 3.34</b>  |
| MoteStrain                     | 62.99 ± 13.96        | 60.67 ± 12.58        | 64.35 ± 11.70        | 63.40 ± 15.50        | 63.27 ± 13.76        | <b>68.45 ± 11.94</b> | 56.26 ± 12.55       | 63.82 ± 16.98        | 61.65 ± 9.57        | <b>68.66 ± 11.89</b> | 57.99 ± 9.98         | 54.36 ± 12.77        |
| NonInvasiveFetalECGThorax1     | 19.05 ± 4.42         | 8.04 ± 2.52          | 20.69 ± 5.30         | 38.23 ± 1.81         | 12.07 ± 7.41         | 36.76 ± 3.30         | 12.57 ± 2.38        | 28.62 ± 3.97         | 14.44 ± 2.07        | <b>42.58 ± 4.62</b>  | 5.58 ± 2.48          | 39.16 ± 2.28         |
| NonInvasiveFetalECGThorax2     | 20.69 ± 5.30         | 9.71 ± 2.65          | 20.69 ± 5.30         | 47.48 ± 2.72         | 14.81 ± 5.33         | 46.67 ± 0.18         | 20.97 ± 3.22        | 34.59 ± 7.78         | 23.69 ± 1.73        | <b>49.89 ± 4.96</b>  | 8.30 ± 1.72          | 47.48 ± 2.06         |
| OSULeaf                        | <b>45.62 ± 7.45</b>  | 30.41 ± 8.35         | 38.35 ± 12.00        | 24.05 ± 2.14         | 22.15 ± 5.63         | 27.82 ± 3.13         | 17.77 ± 1.80        | 26.03 ± 1.89         | 20.00 ± 5.09        | 26.17 ± 1.56         | 17.60 ± 2.44         | 29.83 ± 5.82         |
| OliveOil                       | 28.00 ± 23.64        | 26.67 ± 11.06        | 47.33 ± 13.21        | <b>65.33 ± 15.20</b> | 36.00 ± 22.66        | 32.22 ± 16.44        | 44.44 ± 10.72       | 28.89 ± 11.71        | 32.00 ± 9.60        | 61.11 ± 15.40        | 27.33 ± 11.88        | 28.00 ± 14.26        |
| PLAID                          | 15.46 ± 6.16         | 13.97 ± 4.45         | 16.95 ± 4.17         | 17.77 ± 3.34         | 21.79 ± 0.97         | 21.54 ± 5.77         | 13.78 ± 3.08        | 19.93 ± 5.41         | 14.41 ± 2.63        | 20.30 ± 4.75         | 21.79 ± 0.97         | <b>32.10 ± 5.72</b>  |
| PhalangesOutlinesCorrect       | <b>54.90 ± 6.98</b>  | 51.28 ± 10.93        | 54.41 ± 7.38         | 53.40 ± 8.33         | 52.54 ± 10.38        | 48.87 ± 4.48         | 51.01 ± 10.34       | 53.38 ± 8.94         | 52.73 ± 9.70        | 52.49 ± 9.30         | <b>54.83 ± 6.32</b>  | 51.93 ± 9.54         |
| Phoneme                        | <b>10.43 ± 1.42</b>  | 8.46 ± 1.00          | 10.43 ± 1.42         | 4.21 ± 0.54          | 5.61 ± 2.38          | 6.14 ± 1.81          | 2.39 ± 1.01         | 5.87 ± 1.54          | 3.20 ± 2.06         | 4.98 ± 3.20          | 3.42 ± 0.41          | 6.87 ± 1.15          |
| PickupGestureWiimoteZ          | 35.60 ± 7.80         | 44.80 ± 4.82         | 42.00 ± 5.10         | 40.80 ± 5.40         | 36.00 ± 3.16         | 46.67 ± 9.87         | 17.33 ± 5.03        | 39.33 ± 6.43         | 20.40 ± 4.98        | <b>48.67 ± 8.33</b>  | 36.00 ± 3.16         | 47.20 ± 7.29         |
| PigAirwayPressure              | 23.94 ± 3.76         | 9.13 ± 2.66          | <b>38.65 ± 2.92</b>  | 3.65 ± 1.47          | 3.75 ± 1.33          | 5.29 ± 0.83          | 4.01 ± 0.73         | 4.01 ± 1.11          | 3.27 ± 0.92         | 4.81 ± 0.96          | 6.15 ± 1.64          | 5.48 ± 2.19          |
| PigArtPressure                 | 40.58 ± 5.14         | 10.10 ± 2.36         | <b>60.10 ± 2.28</b>  | 9.90 ± 2.42          | 2.21 ± 0.80          | 10.58 ± 2.10         | 8.01 ± 2.00         | 10.58 ± 1.73         | 4.81 ± 0.76         | 9.94 ± 2.27          | 15.58 ± 3.05         | 15.38 ± 4.07         |
| PigCVP                         | 22.50 ± 3.47         | 14.33 ± 2.79         | <b>50.29 ± 2.90</b>  | 5.00 ± 1.25          | 3.27 ± 0.71          | 5.93 ± 0.73          | 3.53 ± 1.39         | 6.89 ± 0.56          | 2.02 ± 0.22         | 4.33 ± 0.83          | 8.94 ± 1.94          | 11.44 ± 2.08         |
| Plane                          | <b>98.86 ± 2.56</b>  | 91.62 ± 6.26         | 95.43 ± 3.65         | 87.24 ± 8.67         | 85.14 ± 9.49         | 82.86 ± 4.15         | 78.73 ± 5.25        | 88.57 ± 9.09         | 86.48 ± 4.39        | 88.57 ± 6.67         | 26.10 ± 13.02        | 93.90 ± 6.92         |
| PowerCons                      | 76.89 ± 9.68         | <b>80.22 ± 9.41</b>  | 78.11 ± 13.88        | 60.22 ± 11.82        | 61.00 ± 7.74         | 62.96 ± 3.70         | 49.44 ± 7.47        | 58.33 ± 2.78         | 51.33 ± 4.56        | 62.78 ± 6.41         | 55.22 ± 21.33        | 60.89 ± 11.09        |
| ProximalPhalanxOutlineAgeGroup | 48.49 ± 34.51        | 48.20 ± 31.13        | 48.68 ± 30.82        | 39.61 ± 19.82        | 39.12 ± 18.60        | 43.74 ± 32.89        | 49.59 ± 25.02       | <b>60.81 ± 40.85</b> | 38.15 ± 22.87       | 46.50 ± 27.14        | 32.68 ± 16.57        | 48.98 ± 23.27        |
| ProximalPhalanxOutlineCorrect  | 54.43 ± 13.05        | 53.40 ± 15.85        | 51.20 ± 16.57        | 56.22 ± 5.47         | 53.26 ± 10.68        | 44.67 ± 13.09        | 46.96 ± 12.63       | <b>58.76 ± 6.63</b>  | 52.78 ± 12.27       | 43.99 ± 6.30         | 57.59 ± 13.02        | 52.23 ± 12.03        |
| ProximalPhalanxTW              | 54.63 ± 10.31        | 57.56 ± 9.33         | 58.15 ± 6.64         | 54.34 ± 11.16        | 49.76 ± 11.67        | <b>60.81 ± 11.71</b> | 55.93 ± 9.23        | 38.37 ± 0.75         | 55.80 ± 7.24        | 57.07 ± 10.70        | 17.37 ± 16.23        | 55.22 ± 11.63        |
| RefrigerationDevices           | 36.05 ± 6.49         | 35.68 ± 5.16         | 37.44 ± 5.37         | 34.99 ± 2.77         | 33.97 ± 4.76         | <b>41.16 ± 5.10</b>  | 34.58 ± 1.47        | 34.93 ± 0.92         | 34.72 ± 0.99        | 38.84 ± 5.04         | 32.75 ± 2.24         | 29.76 ± 6.02         |
| Rock                           | 29.20 ± 8.07         | 34.40 ± 7.92         | 28.40 ± 6.54         | 41.60 ± 16.52        | 26.40 ± 8.53         | 38.67 ± 25.32        | <b>57.33 ± 5.03</b> | 44.67 ± 18.90        | 36.80 ± 8.07        | 40.00 ± 24.25        | 36.40 ± 14.93        | 39.20 ± 13.75        |
| ScreenType                     | 33.92 ± 4.73         | 34.19 ± 7.39         | <b>34.29 ± 6.61</b>  | 33.87 ± 2.72         | 33.87 ± 4.61         | 32.44 ± 5.27         | 32.18 ± 3.99        | 28.00 ± 3.40         | 30.99 ± 3.01        | 33.60 ± 4.19         | 30.61 ± 2.66         | 32.53 ± 4.84         |
| SemgHandGenderCh2              | 50.87 ± 2.35         | 55.37 ± 5.38         | 53.17 ± 4.35         | 50.17 ± 11.45        | <b>61.00 ± 15.57</b> | 42.78 ± 13.47        | 52.78 ± 1.84        | 39.89 ± 8.47         | 44.67 ± 12.14       | 35.61 ± 1.06         | 55.73 ± 4.74         | 51.90 ± 14.92        |
| SemgHandMovementCh2            | 28.89 ± 4.22         | <b>29.87 ± 4.86</b>  | 29.60 ± 5.24         | 25.29 ± 1.13         | 24.89 ± 3.57         | 20.37 ± 0.13         | 21.70 ± 2.31        | 22.52 ± 2.76         | 18.71 ± 1.91        | 20.07 ± 3.46         | 27.02 ± 5.10         | 28.13 ± 4.95         |
| SemgHandSubjectCh2             | 28.89 ± 5.77         | 29.07 ± 4.60         | 28.00 ± 2.65         | 35.60 ± 4.19         | 29.91 ± 10.77        | 26.37 ± 1.89         | 23.11 ± 2.89        | 26.67 ± 4.87         | 21.56 ± 1.94        | 26.96 ± 3.68         | 27.91 ± 3.11         | <b>37.42 ± 8.82</b>  |
| ShakeGestureWiimoteZ           | <b>63.20 ± 7.69</b>  | 58.00 ± 11.83        | <b>67.60 ± 11.61</b> | 40.40 ± 11.26        | 43.20 ± 9.55         | 45.33 ± 3.06         | 16.00 ± 7.21        | 40.00 ± 3.46         | 24.40 ± 4.98        | 46.00 ± 6.00         | 43.20 ± 9.55         | 60.40 ± 7.92         |
| ShapeletSim                    | 66.33 ± 12.25        | <b>87.00 ± 16.91</b> | 73.89 ± 23.85        | 50.11 ± 2.27         | 75.22 ± 8.30         | 53.89 ± 1.67         | 52.96 ± 1.40        | 48.89 ± 5.64         | 50.44 ± 1.82        | 51.11 ± 0.96         | 47.78 ± 3.07         | 62.44 ± 7.44         |
| ShapesAll                      | 23.63 ± 4.60         | 15.60 ± 1.98         | 23.63 ± 4.60         | <b>45.70 ± 2.59</b>  | 19.27 ± 4.58         | 44.72 ± 2.58         | 6.00 ± 0.58         | 43.94 ± 2.14         | 8.07 ± 3.90         | 44.06 ± 1.11         | 8.13 ± 2.75          | <b>50.20 ± 3.03</b>  |
| SmallKitchenAppliances         | 40.37 ± 15.51        | <b>46.24 ± 15.42</b> | 44.32 ± 15.50        | 42.19 ± 3.16         | 38.13 ± 22.42        | 32.98 ± 5.23         | 32.80 ± 3.67        | 35.82 ± 4.27         | 35.41 ± 3.13        | 36.89 ± 7.74         | 38.88 ± 7.80         | 42.88 ± 15.27        |
| SmoothSubspace                 | <b>74.93 ± 5.59</b>  | 74.40 ± 5.13         | <b>74.80 ± 8.48</b>  | 31.73 ± 3.96         | 50.00 ± 10.52        | 46.67 ± 1.76         | 53.33 ± 9.45        | 50.22 ± 10.96        | 62.27 ± 6.56        | 60.67 ± 10.35        | 56.67 ± 5.19         | 68.53 ± 8.95         |
| SonyAIBORobotSurface1          | 77.57 ± 10.30        | <b>80.80 ± 8.99</b>  | 80.37 ± 5.89         | 59.80 ± 6.73         | 64.53 ± 18.83        | 52.86 ± 10.38        | 56.96 ± 5.82        | 55.35 ± 9.37         | 56.07 ± 4.43        | 57.68 ± 9.32         | 55.61 ± 9.09         | 57.20 ± 8.62         |
| SonyAIBORobotSurface2          | 80.29 ± 6.43         | <b>84.09 ± 5.18</b>  | 80.90 ± 6.99         | 67.39 ± 19.08        | 73.03 ± 13.78        | 66.18 ± 11.61        | 60.37 ± 27.05       | 61.35 ± 27.10        | 69.49 ± 15.13       | 68.07 ± 16.06        | 57.31 ± 15.03        | 66.09 ± 10.78        |
| StarLightCurves                | 63.75 ± 3.45         | 62.30 ± 9.88         | 57.59 ± 9.08         | 57.39 ± 13.40        | 57.55 ± 15.28        | <b>67.54 ± 17.11</b> | 37.78 ± 3.53        | 57.92 ± 15.55        | 27.99 ± 0.00        | 67.36 ± 17.40        | 64.81 ± 14.61        | 63.03 ± 14.23        |
| Strawberry                     | 52.27 ± 4.26         | 51.84 ± 3.86         | 54.43 ± 4.33         | 54.86 ± 4.34         | 53.62 ± 3.45         | 58.29 ± 0.95         | 54.86 ± 13.21       | <b>60.18 ± 0.68</b>  | 56.11 ± 9.26        | 57.93 ± 0.83         | 45.89 ± 11.15        | 51.46 ± 5.21         |
| SwedishLeaf                    | <b>65.95 ± 6.01</b>  | 46.08 ± 6.36         | <b>65.95 ± 6.01</b>  | 27.42 ± 3.44         | 40.83 ± 4.40         | 36.69 ± 1.99         | 27.20 ± 2.42        | 24.53 ± 4.08         | 31.65 ± 2.48        | 38.19 ± 0.81         | 8.10 ± 1.23          | 57.98 ± 2.72         |
| Symbols                        | <b>85.77 ± 4.83</b>  | 70.17 ± 4.91         | 76.68 ± 7.53         | 79.60 ± 7.65         | 72.50 ± 6.12         | 81.54 ± 3.92         | 37.15 ± 0.97        | 82.18 ± 0.42         | 46.13 ± 9.06        | 80.57 ± 0.95         | 51.54 ± 6.72         | 80.94 ± 7.54         |
| SyntheticControl               | 72.53 ± 6.61         | 76.40 ± 5.24         | 68.67 ± 10.59        | 38.47 ± 6.28         | 80.33 ± 9.12         | 47.78 ± 5.87         | 44.89 ± 3.20        | 48.22 ± 0.38         | 42.13 ± 2.87        | 50.00 ± 4.48         | 24.53 ± 7.68         | <b>84.20 ± 6.54</b>  |
| ToeSegmentation1               | <b>69.82 ± 7.39</b>  | 69.65 ± 4.27         | 65.09 ± 8.05         | 51.67 ± 1.47         | 55.79 ± 6.85         | 49.27 ± 1.10         | 49.71 ± 3.29        | 46.64 ± 4.73         | 52.46 ± 2.82        | 48.39 ± 3.23         | 49.47 ± 2.47         | 58.16 ± 3.70         |
| ToeSegmentation2               | 68.92 ± 8.63         | 70.31 ± 3.38         | 70.92 ± 10.76        | 50.31 ± 5.37         | 65.54 ± 9.84         | 50.26 ± 2.91         | 35.90 ± 10.81       | 50.51 ± 4.24         | 33.23 ± 16.47       | 52.05 ± 6.54         | 41.54 ± 14.95        | <b>75.23 ± 12.13</b> |
| Trace                          | 61.00 ± 4.64         | 65.20 ± 9.09         | 65.80 ± 6.61         | 49.60 ± 3.65         | 74.40 ± 6.15         | 51.33 ± 5.51         | 42.33 ± 4.51        | 47.67 ± 0.58         | 44.80 ± 7.69        | 51.33 ± 4.93         | 37.80 ± 6.42         | <b>99.20 ± 1.79</b>  |
| TwoLeadECG                     | <b>69.48 ± 12.74</b> | 64.97 ± 10.26        | 66.51 ± 13.23        | 54.03 ± 2.33         | <b>57.82 ± 5.04</b>  | 59.32 ± 3.05         | 53.32 ± 7.30        | 52.62 ± 3.32         | 54.47 ± 5.41        | 60.32 ± 1.06         | 50.73 ± 1.02         | 64.88 ± 11.28        |
| TwoPatterns                    | 48.77 ± 2.41         | <b>61.51 ± 6.85</b>  | 46.17 ± 11.65        | 31.86 ± 3.24         | 36.86 ± 6.10         | 29.76 ± 2.56         | 25.52 ± 1.93        | 28.23 ± 0.74         | 26.06 ± 1.27        | 29.87 ± 1.68         | 26.32 ± 2.53         | 45.74 ± 2.64         |
| UMD                            | 43.06 ± 4.02         | <b>54.58 ± 9.53</b>  | 45.56 ± 6.14         | 46.81 ± 7.70         | 50.14 ± 6.28         | 46.30 ± 5.02         | 45.60 ± 3.21        | 47.69 ± 4.19         | 48.61 ± 2.55        | 47.45 ± 6.56         | 31.39 ± 4.35         | 45.47 ± 8.73         |
| UWaveGestureLibraryAll         | 29.36 ± 4.20         | 24.46 ± 5.19         | 28.34 ± 3.82         | 66.77 ± 5.89         | 41.63 ± 5.40         | 69.19 ± 5.01         | 25.78 ± 1.68        | 67.23 ± 2.91         | 26.67 ± 3.53        | <b>69.21 ± 6.24</b>  | 50.70 ± 5.42         | 33.37 ± 0.26         |
| UWaveGestureLibraryX           | 26.45 ± 4.19         | 26.60 ± 3.44         | 24.71 ± 1.83         | 47.27 ± 6.01         | 35.36 ± 5.04         | <b>49.30 ± 7.17</b>  | 22.37 ± 0.14        | 47.22 ± 8.02         | 24.34 ± 5.30        | 49.17 ± 7.61         | 17.28 ± 8.20         | 30.33 ± 0.23         |
| UWaveGestureLibraryY           | 25.37 ± 4.63         | 26.13 ± 4.45         | 24.62 ± 4.93         | 43.95 ± 4.51         | 38.35 ± 7.26         | 47.05 ± 4.02         | 24.58 ± 1.89        | 46.37 ± 4.93         | 26.81 ± 2.91        | <b>47.18 ± 5.20</b>  | 20.37 ± 4.71         | 40.36 ± 0.25         |
| UWaveGestureLibraryZ           | 24.77 ± 4.74         | 27.03 ± 3.18         | 24.45 ± 3.15         | 42.90 ± 1.96         | 36.37 ± 3.72         | 44.61 ± 1.78         | 22.47 ± 2.82        | 44.70 ± 2.64         | 25.10 ± 2.80        | 44.75 ± 1.63         | 22.77 ± 3.47         | <b>47.44 ± 2.61</b>  |
| Wafer                          | 50.39 ± 4.56         | 44.94 ± 10.31        | 49.91 ± 13.57        | <b>67.87 ± 4.81</b>  | 51.56 ± 17.59        | 63.90 ± 3.73         | 64.15 ± 3.76        | 63.99 ± 9.60         |                     |                      |                      |                      |

TABLE 11: Per-dataset 2-shot classification results on 128 UCR datasets. Each value is reported as mean  $\pm$  standard deviation over 5 runs.

| Dataset                      | ResNet                              | TapNet                             | COSCO-ResNet                       | DLinear                             | PatchTST                           | TimesNet                            | Autoformer        | Crossformer                        | FEDformer         | Informer                           | GPT4TS                             | TimeMorph                           |
|------------------------------|-------------------------------------|------------------------------------|------------------------------------|-------------------------------------|------------------------------------|-------------------------------------|-------------------|------------------------------------|-------------------|------------------------------------|------------------------------------|-------------------------------------|
| ACSF1                        | <b>61.60 <math>\pm</math> 7.86</b>  | 47.20 $\pm$ 6.30                   | 59.20 $\pm$ 5.26                   | 25.80 $\pm$ 4.38                    | 42.00 $\pm$ 3.16                   | 40.33 $\pm$ 2.31                    | 30.67 $\pm$ 2.52  | 44.00 $\pm$ 6.24                   | 35.80 $\pm$ 3.19  | 40.67 $\pm$ 5.69                   | 24.80 $\pm$ 4.66                   | 54.33 $\pm$ 4.16                    |
| Adiac                        | 35.45 $\pm$ 2.60                    | 14.27 $\pm$ 3.74                   | 35.45 $\pm$ 2.60                   | 18.87 $\pm$ 2.86                    | 17.80 $\pm$ 5.08                   | 27.79 $\pm$ 2.14                    | 44.67 $\pm$ 0.39  | 16.62 $\pm$ 1.77                   | 55.24 $\pm$ 4.67  | 32.91 $\pm$ 3.49                   | 3.48 $\pm$ 1.27                    | <b>56.01 <math>\pm</math> 1.26</b>  |
| AllGestureWiimoteX           | <b>32.43 <math>\pm</math> 2.94</b>  | 27.69 $\pm$ 3.48                   | 32.09 $\pm$ 3.58                   | 19.46 $\pm$ 2.47                    | 23.77 $\pm$ 3.63                   | 24.43 $\pm$ 4.71                    | 11.86 $\pm$ 1.00  | 22.67 $\pm$ 2.29                   | 14.09 $\pm$ 1.28  | 21.10 $\pm$ 5.46                   | 23.77 $\pm$ 3.63                   | 26.51 $\pm$ 4.35                    |
| AllGestureWiimoteY           | <b>35.11 <math>\pm</math> 5.43</b>  | 28.57 $\pm$ 4.31                   | 28.91 $\pm$ 5.81                   | 20.54 $\pm$ 2.69                    | 33.31 $\pm$ 2.65                   | 24.33 $\pm$ 2.50                    | 12.00 $\pm$ 1.38  | 21.90 $\pm$ 1.33                   | 16.14 $\pm$ 1.67  | 22.57 $\pm$ 1.00                   | 33.31 $\pm$ 2.65                   | 29.43 $\pm$ 5.61                    |
| AllGestureWiimoteZ           | <b>29.80 <math>\pm</math> 2.53</b>  | 26.94 $\pm$ 2.84                   | 29.31 $\pm$ 4.56                   | 16.77 $\pm$ 2.02                    | 22.97 $\pm$ 5.35                   | 19.86 $\pm$ 4.12                    | 12.76 $\pm$ 0.36  | 19.57 $\pm$ 2.48                   | 14.97 $\pm$ 0.98  | 20.29 $\pm$ 3.48                   | 22.97 $\pm$ 5.35                   | 27.91 $\pm$ 1.69                    |
| ArrowHead                    | 50.17 $\pm$ 5.13                    | 44.80 $\pm$ 3.82                   | 45.14 $\pm$ 5.25                   | <b>57.03 <math>\pm</math> 4.92</b>  | 49.14 $\pm$ 13.02                  | 53.14 $\pm$ 6.02                    | 34.10 $\pm$ 6.27  | 50.67 $\pm$ 2.01                   | 42.29 $\pm$ 4.92  | 55.43 $\pm$ 6.44                   | 43.77 $\pm$ 8.76                   | <b>57.03 <math>\pm</math> 2.81</b>  |
| BME                          | 48.40 $\pm$ 4.91                    | 55.33 $\pm$ 7.02                   | 54.40 $\pm$ 8.12                   | 50.80 $\pm$ 5.11                    | 67.33 $\pm$ 7.90                   | 48.89 $\pm$ 2.12                    | 64.00 $\pm$ 5.21  | 58.89 $\pm$ 3.91                   | 67.33 $\pm$ 7.44  | 54.89 $\pm$ 9.20                   | 50.80 $\pm$ 8.05                   | <b>79.47 <math>\pm</math> 11.40</b> |
| Beef                         | 42.00 $\pm$ 2.98                    | 36.67 $\pm$ 8.50                   | 36.70 $\pm$ 9.60                   | 49.33 $\pm$ 7.23                    | 39.33 $\pm$ 6.41                   | 48.89 $\pm$ 5.09                    | 40.00 $\pm$ 3.33  | 34.44 $\pm$ 5.09                   | 42.67 $\pm$ 4.94  | <b>51.11 <math>\pm</math> 7.70</b> | 32.67 $\pm$ 7.23                   | 43.33 $\pm$ 5.27                    |
| BeetleFly                    | 50.00 $\pm$ 9.35                    | 67.00 $\pm$ 18.23                  | 55.00 $\pm$ 12.75                  | 52.00 $\pm$ 11.51                   | 57.00 $\pm$ 16.43                  | 45.00 $\pm$ 10.00                   | 48.33 $\pm$ 12.58 | 38.33 $\pm$ 7.64                   | 45.00 $\pm$ 9.35  | 56.67 $\pm$ 7.64                   | 57.00 $\pm$ 4.47                   | <b>75.00 <math>\pm</math> 18.03</b> |
| BirdChicken                  | 71.00 $\pm$ 6.52                    | 72.00 $\pm$ 4.47                   | <b>76.00 <math>\pm</math> 7.42</b> | 52.00 $\pm$ 14.40                   | 65.00 $\pm$ 10.61                  | 45.00 $\pm$ 8.66                    | 51.67 $\pm$ 7.64  | 46.67 $\pm$ 5.77                   | 53.00 $\pm$ 2.74  | 50.00 $\pm$ 13.23                  | 49.00 $\pm$ 2.24                   | 69.00 $\pm$ 22.19                   |
| CBF                          | 85.76 $\pm$ 5.83                    | <b>90.62 <math>\pm</math> 7.16</b> | 82.18 $\pm$ 10.67                  | 64.78 $\pm$ 6.67                    | 82.69 $\pm$ 10.89                  | 68.07 $\pm$ 6.00                    | 34.89 $\pm$ 2.41  | 73.78 $\pm$ 6.88                   | 36.78 $\pm$ 1.75  | 70.00 $\pm$ 6.65                   | 42.84 $\pm$ 7.09                   | 85.91 $\pm$ 4.23                    |
| Car                          | 42.00 $\pm$ 15.43                   | 41.67 $\pm$ 13.49                  | 52.67 $\pm$ 7.87                   | 55.33 $\pm$ 10.63                   | 43.00 $\pm$ 11.45                  | 54.44 $\pm$ 6.74                    | 32.78 $\pm$ 0.96  | 52.78 $\pm$ 10.84                  | 37.00 $\pm$ 7.76  | 55.56 $\pm$ 4.19                   | 31.00 $\pm$ 10.71                  | <b>63.33 <math>\pm</math> 7.45</b>  |
| Chinatown                    | <b>95.74 <math>\pm</math> 1.26</b>  | <b>96.73 <math>\pm</math> 1.19</b> | <b>96.73 <math>\pm</math> 0.81</b> | 54.52 $\pm$ 24.75                   | 91.08 $\pm$ 5.39                   | 85.33 $\pm$ 8.50                    | 86.10 $\pm$ 2.71  | 84.55 $\pm$ 3.36                   | 80.70 $\pm$ 5.41  | 82.80 $\pm$ 4.37                   | 45.01 $\pm$ 24.65                  | 91.84 $\pm$ 4.85                    |
| ChlorineConcentration        | 34.61 $\pm$ 4.95                    | 35.24 $\pm$ 5.79                   | 35.19 $\pm$ 5.79                   | 34.54 $\pm$ 2.93                    | 34.28 $\pm$ 2.22                   | 31.22 $\pm$ 6.21                    | 33.24 $\pm$ 2.95  | 33.84 $\pm$ 2.69                   | 33.91 $\pm$ 2.07  | 33.69 $\pm$ 2.59                   | <b>39.08 <math>\pm</math> 9.47</b> | 32.47 $\pm$ 3.03                    |
| CinCECGTorso                 | 46.52 $\pm$ 12.75                   | 48.35 $\pm$ 9.58                   | 51.06 $\pm$ 10.06                  | 39.77 $\pm$ 4.46                    | 54.91 $\pm$ 12.73                  | 48.14 $\pm$ 2.63                    | 36.18 $\pm$ 3.15  | 53.94 $\pm$ 2.51                   | 50.30 $\pm$ 12.26 | 48.89 $\pm$ 2.81                   | 49.00 $\pm$ 5.40                   | <b>62.95 <math>\pm</math> 6.66</b>  |
| Coffee                       | <b>94.29 <math>\pm</math> 3.19</b>  | 88.57 $\pm$ 12.73                  | <b>94.29 <math>\pm</math> 3.19</b> | 92.14 $\pm$ 3.91                    | 90.71 $\pm$ 10.89                  | 73.81 $\pm$ 8.99                    | 63.10 $\pm$ 7.43  | 85.71 $\pm$ 3.57                   | 84.29 $\pm$ 10.29 | 77.38 $\pm$ 4.12                   | 65.71 $\pm$ 15.07                  | 88.57 $\pm$ 4.66                    |
| Computers                    | 52.24 $\pm$ 10.15                   | 54.40 $\pm$ 10.81                  | 52.72 $\pm$ 12.14                  | 48.08 $\pm$ 7.70                    | 53.28 $\pm$ 11.25                  | 48.00 $\pm$ 10.51                   | 48.67 $\pm$ 4.60  | 48.00 $\pm$ 11.45                  | 50.40 $\pm$ 1.72  | 46.67 $\pm$ 11.22                  | 50.16 $\pm$ 7.53                   | <b>87.73 <math>\pm</math> 3.14</b>  |
| CricketX                     | <b>36.51 <math>\pm</math> 3.27</b>  | 34.10 $\pm$ 3.98                   | 33.03 $\pm$ 3.86                   | 20.62 $\pm$ 2.07                    | 30.56 $\pm$ 3.87                   | 27.35 $\pm$ 2.06                    | 8.12 $\pm$ 1.41   | 26.15 $\pm$ 1.85                   | 12.15 $\pm$ 1.24  | 27.44 $\pm$ 2.96                   | 11.54 $\pm$ 1.86                   | 35.98 $\pm$ 13.43                   |
| CricketY                     | <b>37.54 <math>\pm</math> 5.48</b>  | 30.62 $\pm$ 2.69                   | 33.28 $\pm$ 3.86                   | 22.56 $\pm$ 4.44                    | 24.21 $\pm$ 2.69                   | 26.50 $\pm$ 7.27                    | 9.06 $\pm$ 0.39   | 25.90 $\pm$ 6.29                   | 12.67 $\pm$ 0.94  | 27.52 $\pm$ 6.80                   | 10.00 $\pm$ 3.24                   | 30.43 $\pm$ 5.23                    |
| CricketZ                     | <b>40.41 <math>\pm</math> 4.15</b>  | 35.49 $\pm$ 2.72                   | 33.69 $\pm$ 5.21                   | 20.36 $\pm$ 1.13                    | 24.92 $\pm$ 3.09                   | 26.75 $\pm$ 2.72                    | 8.12 $\pm$ 1.50   | 24.44 $\pm$ 0.78                   | 12.97 $\pm$ 2.47  | 26.50 $\pm$ 2.74                   | 11.18 $\pm$ 2.42                   | 33.33 $\pm$ 3.02                    |
| Crop                         | 31.31 $\pm$ 3.87                    | 37.82 $\pm$ 2.09                   | 31.31 $\pm$ 3.87                   | 14.67 $\pm$ 0.98                    | 24.66 $\pm$ 2.54                   | 36.33 $\pm$ 2.63                    | 35.06 $\pm$ 3.15  | 37.89 $\pm$ 1.28                   | 35.83 $\pm$ 2.39  | 38.66 $\pm$ 2.99                   | 4.63 $\pm$ 0.75                    | <b>43.94 <math>\pm</math> 2.11</b>  |
| DiatomSizeReduction          | 78.43 $\pm$ 9.98                    | 84.44 $\pm$ 4.38                   | 89.74 $\pm$ 8.40                   | 83.73 $\pm$ 5.41                    | 63.01 $\pm$ 13.25                  | 84.42 $\pm$ 6.89                    | 59.91 $\pm$ 2.78  | 84.97 $\pm$ 5.38                   | 59.28 $\pm$ 18.44 | 82.35 $\pm$ 7.47                   | 35.10 $\pm$ 12.79                  | <b>90.39 <math>\pm</math> 5.62</b>  |
| DistalPhalanxOutlineAgeGroup | 66.91 $\pm$ 6.08                    | 67.77 $\pm$ 3.31                   | 65.76 $\pm$ 6.53                   | 55.54 $\pm$ 12.17                   | 58.42 $\pm$ 11.15                  | 57.07 $\pm$ 19.57                   | 50.84 $\pm$ 14.56 | 56.12 $\pm$ 13.32                  | 56.26 $\pm$ 12.92 | 57.07 $\pm$ 14.47                  | 38.99 $\pm$ 8.80                   | <b>67.77 <math>\pm</math> 3.39</b>  |
| DistalPhalanxOutlineCorrect  | 52.32 $\pm$ 12.15                   | 51.59 $\pm$ 11.49                  | 52.54 $\pm$ 12.44                  | 49.57 $\pm$ 11.83                   | 51.45 $\pm$ 15.36                  | <b>57.49 <math>\pm</math> 13.09</b> | 56.76 $\pm$ 11.56 | 55.80 $\pm$ 11.93                  | 51.38 $\pm$ 12.34 | 56.64 $\pm$ 12.97                  | 50.65 $\pm$ 9.31                   | 55.80 $\pm$ 14.95                   |
| DistalPhalanxTW              | 49.50 $\pm$ 8.83                    | <b>55.54 <math>\pm</math> 4.21</b> | 54.10 $\pm$ 4.92                   | 39.28 $\pm$ 8.61                    | 53.96 $\pm$ 7.56                   | 41.97 $\pm$ 11.56                   | 42.45 $\pm$ 10.74 | 39.81 $\pm$ 18.49                  | 47.05 $\pm$ 8.79  | 45.80 $\pm$ 16.17                  | 22.45 $\pm$ 8.85                   | 51.37 $\pm$ 8.97                    |
| DodgerLoopDay                | 28.75 $\pm$ 2.34                    | 23.75 $\pm$ 2.50                   | 28.00 $\pm$ 5.70                   | <b>44.00 <math>\pm</math> 4.09</b>  | 38.50 $\pm$ 7.42                   | 39.58 $\pm$ 4.02                    | 23.75 $\pm$ 2.50  | 42.50 $\pm$ 7.60                   | 19.75 $\pm$ 4.09  | 42.50 $\pm$ 3.31                   | 38.50 $\pm$ 7.42                   | 35.50 $\pm$ 8.78                    |
| DodgerLoopGame               | 54.93 $\pm$ 6.45                    | 63.04 $\pm$ 8.02                   | 58.41 $\pm$ 11.09                  | 53.62 $\pm$ 8.51                    | 65.65 $\pm$ 18.08                  | 67.87 $\pm$ 7.26                    | 48.55 $\pm$ 4.53  | <b>71.50 <math>\pm</math> 0.84</b> | 50.14 $\pm$ 3.81  | 68.36 $\pm$ 3.42                   | 65.65 $\pm$ 18.08                  | 61.01 $\pm$ 13.03                   |
| DodgerLoopWeekend            | 92.75 $\pm$ 2.40                    | 87.68 $\pm$ 5.59                   | 92.03 $\pm$ 3.69                   | 94.64 $\pm$ 2.74                    | 96.09 $\pm$ 1.41                   | 96.38 $\pm$ 1.26                    | 64.98 $\pm$ 4.71  | <b>97.34 <math>\pm</math> 0.42</b> | 65.22 $\pm$ 8.45  | 96.14 $\pm$ 0.84                   | 96.09 $\pm$ 1.41                   | 84.64 $\pm$ 2.73                    |
| ECG200                       | 69.40 $\pm$ 7.77                    | 75.20 $\pm$ 7.05                   | 71.80 $\pm$ 5.54                   | 76.80 $\pm$ 3.56                    | 71.80 $\pm$ 4.38                   | <b>78.33 <math>\pm</math> 1.53</b>  | 74.33 $\pm$ 5.69  | 75.67 $\pm$ 3.21                   | 73.60 $\pm$ 3.65  | 75.33 $\pm$ 0.58                   | 52.20 $\pm$ 18.20                  | 73.00 $\pm$ 3.46                    |
| ECG5000                      | 61.90 $\pm$ 13.09                   | 69.05 $\pm$ 11.38                  | 61.86 $\pm$ 10.65                  | <b>74.23 <math>\pm</math> 10.96</b> | 58.61 $\pm$ 14.82                  | 72.42 $\pm$ 4.03                    | 65.61 $\pm$ 11.76 | 69.40 $\pm$ 4.84                   | 67.93 $\pm$ 11.62 | 66.36 $\pm$ 9.81                   | 30.14 $\pm$ 19.40                  | 67.68 $\pm$ 9.76                    |
| ECGFiveDays                  | 68.78 $\pm$ 9.46                    | 56.79 $\pm$ 4.91                   | 71.73 $\pm$ 8.76                   | 57.12 $\pm$ 2.23                    | 67.29 $\pm$ 3.58                   | 66.55 $\pm$ 6.20                    | 74.64 $\pm$ 13.99 | <b>75.18 <math>\pm</math> 2.37</b> | 68.76 $\pm$ 10.24 | 68.52 $\pm$ 6.54                   | 57.79 $\pm$ 7.24                   | 69.12 $\pm$ 9.82                    |
| EOGHorizontalSignal          | 20.66 $\pm$ 1.70                    | 23.43 $\pm$ 5.48                   | 21.38 $\pm$ 4.60                   | 25.86 $\pm$ 4.54                    | 28.07 $\pm$ 2.90                   | 30.66 $\pm$ 2.91                    | 30.66 $\pm$ 2.91  | 31.68 $\pm$ 2.61                   | 9.56 $\pm$ 1.50   | 29.01 $\pm$ 2.49                   | 29.83 $\pm$ 3.23                   | <b>37.35 <math>\pm</math> 4.07</b>  |
| EOGVerticalSignal            | 13.37 $\pm$ 1.32                    | 16.57 $\pm$ 3.25                   | 14.86 $\pm$ 2.77                   | 26.80 $\pm$ 1.98                    | 29.56 $\pm$ 4.11                   | 26.98 $\pm$ 4.28                    | 11.88 $\pm$ 1.54  | 26.34 $\pm$ 4.16                   | 10.83 $\pm$ 1.45  | 26.61 $\pm$ 6.09                   | 20.88 $\pm$ 2.94                   | <b>31.82 <math>\pm</math> 4.47</b>  |
| Earthquakes                  | 52.95 $\pm$ 7.17                    | 57.84 $\pm$ 11.11                  | 49.35 $\pm$ 10.38                  | 53.24 $\pm$ 4.93                    | <b>63.88 <math>\pm</math> 6.42</b> | 63.31 $\pm$ 10.45                   | 49.16 $\pm$ 1.10  | 54.92 $\pm$ 17.17                  | 56.55 $\pm$ 8.34  | 60.43 $\pm$ 21.88                  | 57.12 $\pm$ 15.34                  | 55.25 $\pm$ 13.33                   |
| ElectricDevices              | 37.63 $\pm$ 9.44                    | 41.80 $\pm$ 2.08                   | 34.70 $\pm$ 5.95                   | 21.27 $\pm$ 5.73                    | 37.69 $\pm$ 10.00                  | 28.63 $\pm$ 3.21                    | 22.56 $\pm$ 2.12  | 20.63 $\pm$ 2.87                   | 22.76 $\pm$ 4.51  | 29.88 $\pm$ 3.14                   | 14.36 $\pm$ 4.97                   | <b>47.14 <math>\pm</math> 3.99</b>  |
| EthanolLevel                 | 25.32 $\pm$ 0.64                    | 25.52 $\pm$ 1.56                   | 25.12 $\pm$ 2.09                   | 25.76 $\pm$ 1.71                    | 26.96 $\pm$ 0.82                   | 26.87 $\pm$ 2.61                    | 23.20 $\pm$ 1.91  | 25.67 $\pm$ 3.18                   | 25.24 $\pm$ 0.98  | 26.47 $\pm$ 2.08                   | 25.12 $\pm$ 0.81                   | 28.00 $\pm$ 3.11                    |
| FaceAll                      | <b>55.98 <math>\pm</math> 6.19</b>  | 45.22 $\pm$ 8.18                   | <b>55.98 <math>\pm</math> 6.19</b> | 40.27 $\pm$ 5.76                    | 24.12 $\pm$ 4.85                   | 38.56 $\pm$ 3.11                    | 38.84 $\pm$ 3.81  | 36.71 $\pm$ 2.55                   | 38.89 $\pm$ 3.64  | 41.40 $\pm$ 3.79                   | 11.35 $\pm$ 5.01                   | 39.09 $\pm$ 1.28                    |
| FaceFour                     | 77.73 $\pm$ 4.99                    | 52.05 $\pm$ 10.37                  | 81.82 $\pm$ 7.14                   | 74.09 $\pm$ 5.98                    | 59.32 $\pm$ 5.76                   | 79.55 $\pm$ 9.02                    | 58.58 $\pm$ 7.31  | 80.68 $\pm$ 3.41                   | 62.50 $\pm$ 7.14  | <b>84.85 <math>\pm</math> 2.37</b> | 40.45 $\pm$ 14.16                  | 68.55 $\pm$ 4.91                    |
| FacesUCR                     | <b>67.20 <math>\pm</math> 6.42</b>  | 51.90 $\pm$ 6.85                   | 62.04 $\pm$ 8.47                   | 41.67 $\pm$ 3.36                    | 25.42 $\pm$ 6.93                   | 44.55 $\pm$ 2.52                    | 45.95 $\pm$ 4.27  | 49.07 $\pm$ 5.45                   | 48.56 $\pm$ 3.79  | 49.27 $\pm$ 6.47                   | 10.96 $\pm$ 5.26                   | 55.08 $\pm$ 2.32                    |
| FiftyWords                   | 19.03 $\pm$ 1.51                    | 13.49 $\pm$ 1.95                   | 19.03 $\pm$ 1.51                   | 40.19 $\pm$ 3.22                    | 28.35 $\pm$ 3.05                   | 44.69 $\pm$ 2.97                    | 5.05 $\pm$ 0.44   | 46.74 $\pm$ 2.43                   | 16.53 $\pm$ 1.75  | 44.18 $\pm$ 3.70                   | 15.16 $\pm$ 3.75                   | <b>47.30 <math>\pm</math> 2.89</b>  |
| Fish                         | <b>50.97 <math>\pm</math> 10.77</b> | 26.97 $\pm$ 9.88                   | 50.51 $\pm$ 16.65                  | 50.07 $\pm$ 6.36                    | 31.54 $\pm$ 5.18                   | 45.90 $\pm$ 8.88                    | 20.00 $\pm$ 4.12  | 39.05 $\pm$ 5.64                   | 22.97 $\pm$ 3.62  | 45.71 $\pm$ 10.47                  | 22.86 $\pm$ 2.83                   | 49.91 $\pm$ 10.25                   |
| FordA                        | <b>64.98 <math>\pm</math> 8.59</b>  | 62.27 $\pm$ 9.82                   | 62.82 $\pm$ 9.33                   | 49.92 $\pm$ 1.84                    | 60.48 $\pm$ 7.29                   | 50.30 $\pm$ 1.31                    | 50.66 $\pm$ 0.90  | 50.15 $\pm$ 0.79                   | 50.27 $\pm$ 1.01  | 50.58 $\pm$ 1.43                   | 50.76 $\pm$ 2.11                   | 53.35 $\pm$ 2.84                    |
| FordB                        | <b>61.19 <math>\pm</math> 3.67</b>  | 58.10 $\pm$ 1.40                   | 58.67 $\pm$ 2.63                   | 49.09 $\pm$ 1.35                    | 56.89 $\pm$ 2.99                   | 49.84 $\pm$ 0.63                    | 50.99 $\pm$ 2.05  | 50.25 $\pm$ 1.29                   | 49.95 $\pm$ 1.77  | 50.58 $\pm$                        |                                    |                                     |

TABLE 11: Per-dataset 2-shot classification results on 128 UCR datasets (continued).

| Dataset                        | ResNet                              | TapNet                             | COSCO-ResNet                        | DLinear                            | PatchTST                           | TimesNet                           | Autoformer                          | Crossformer       | FEDformer         | Informer                           | GPT4TS            | TimeMorph                           |
|--------------------------------|-------------------------------------|------------------------------------|-------------------------------------|------------------------------------|------------------------------------|------------------------------------|-------------------------------------|-------------------|-------------------|------------------------------------|-------------------|-------------------------------------|
| MixedShapesSmallTrain          | 45.73 $\pm$ 9.51                    | 37.76 $\pm$ 12.10                  | 51.77 $\pm$ 7.21                    | 61.69 $\pm$ 3.51                   | 54.28 $\pm$ 10.55                  | 63.00 $\pm$ 2.46                   | 19.05 $\pm$ 0.77                    | 64.04 $\pm$ 1.32  | 24.01 $\pm$ 6.26  | 62.64 $\pm$ 3.39                   | 57.53 $\pm$ 4.77  | <b>68.35 <math>\pm</math> 3.26</b>  |
| MoteStrain                     | 81.95 $\pm$ 4.07                    | 75.34 $\pm$ 9.74                   | 78.95 $\pm$ 3.25                    | 70.97 $\pm$ 10.57                  | 75.59 $\pm$ 8.13                   | 78.41 $\pm$ 9.87                   | 68.53 $\pm$ 3.31                    | 82.48 $\pm$ 1.96  | 68.63 $\pm$ 10.07 | <b>83.65 <math>\pm</math> 4.68</b> | 55.75 $\pm$ 11.79 | 58.56 $\pm$ 15.12                   |
| NonInvasiveFetalECGThorax1     | 25.55 $\pm$ 2.02                    | 14.44 $\pm$ 3.90                   | 25.55 $\pm$ 2.02                    | <b>55.96 <math>\pm</math> 3.30</b> | 18.44 $\pm$ 9.38                   | 50.77 $\pm$ 4.84                   | 18.37 $\pm$ 2.16                    | 51.65 $\pm$ 2.21  | 21.42 $\pm$ 2.01  | 53.89 $\pm$ 1.99                   | 13.55 $\pm$ 0.51  | 50.58 $\pm$ 2.13                    |
| NonInvasiveFetalECGThorax2     | 27.07 $\pm$ 5.56                    | 22.30 $\pm$ 6.32                   | 27.07 $\pm$ 5.56                    | <b>62.09 <math>\pm</math> 2.37</b> | 28.27 $\pm$ 8.71                   | 55.69 $\pm$ 4.28                   | 27.23 $\pm$ 2.03                    | 56.05 $\pm$ 0.94  | 30.73 $\pm$ 3.23  | 58.63 $\pm$ 2.42                   | 18.29 $\pm$ 1.75  | 59.72 $\pm$ 2.76                    |
| OSULeaf                        | 55.70 $\pm$ 9.28                    | 38.35 $\pm$ 6.31                   | <b>56.03 <math>\pm</math> 5.89</b>  | 25.79 $\pm$ 2.77                   | 25.29 $\pm$ 5.19                   | 29.89 $\pm$ 3.34                   | 18.18 $\pm$ 1.43                    | 28.10 $\pm$ 2.07  | 21.90 $\pm$ 3.33  | 28.51 $\pm$ 4.37                   | 23.31 $\pm$ 3.85  | 36.28 $\pm$ 6.97                    |
| OliveOil                       | 64.67 $\pm$ 10.70                   | 32.67 $\pm$ 5.48                   | <b>71.33 <math>\pm</math> 10.70</b> | <b>80.67 <math>\pm</math> 3.65</b> | 17.33 $\pm$ 10.90                  | 32.22 $\pm$ 11.71                  | 38.89 $\pm$ 7.70                    | 25.56 $\pm$ 12.62 | 24.00 $\pm$ 10.90 | 58.89 $\pm$ 22.69                  | 22.00 $\pm$ 13.04 | 23.33 $\pm$ 9.72                    |
| PLAID                          | 19.29 $\pm$ 3.99                    | 16.65 $\pm$ 2.54                   | 20.89 $\pm$ 4.30                    | 22.98 $\pm$ 3.80                   | 35.53 $\pm$ 7.89                   | 27.56 $\pm$ 4.82                   | 17.44 $\pm$ 2.97                    | 25.88 $\pm$ 4.40  | 19.81 $\pm$ 3.24  | 28.68 $\pm$ 3.91                   | 35.53 $\pm$ 7.89  | <b>40.19 <math>\pm</math> 5.06</b>  |
| PhalangesOutlinesCorrect       | 52.91 $\pm$ 9.24                    | 53.03 $\pm$ 10.79                  | 52.61 $\pm$ 9.16                    | 56.64 $\pm$ 11.15                  | 54.13 $\pm$ 11.04                  | <b>60.64 <math>\pm</math> 3.81</b> | 58.70 $\pm$ 2.16                    | 60.37 $\pm$ 4.20  | 52.26 $\pm$ 8.88  | 60.06 $\pm$ 3.62                   | 49.04 $\pm$ 14.25 | 50.84 $\pm$ 2.93                    |
| Phoneme                        | <b>12.22 <math>\pm</math> 1.88</b>  | 10.75 $\pm$ 2.12                   | 11.22 $\pm$ 1.88                    | 5.41 $\pm$ 0.40                    | 7.31 $\pm$ 0.69                    | 7.77 $\pm$ 0.84                    | 4.13 $\pm$ 1.74                     | 7.00 $\pm$ 0.45   | 6.19 $\pm$ 2.34   | 5.29 $\pm$ 0.61                    | 5.20 $\pm$ 0.75   | 10.02 $\pm$ 0.59                    |
| PickupGestureWiimoteZ          | 43.20 $\pm$ 11.37                   | 53.20 $\pm$ 9.55                   | <b>62.40 <math>\pm</math> 1.67</b>  | 43.20 $\pm$ 6.72                   | 40.40 $\pm$ 8.29                   | 52.67 $\pm$ 10.07                  | 21.33 $\pm$ 1.15                    | 53.33 $\pm$ 4.16  | 27.60 $\pm$ 3.58  | 51.33 $\pm$ 6.43                   | 40.40 $\pm$ 8.29  | <b>58.80 <math>\pm</math> 3.03</b>  |
| PigAirwayPressure              | 28.37 $\pm$ 3.10                    | 13.08 $\pm$ 1.90                   | <b>49.52 <math>\pm</math> 0.76</b>  | 5.00 $\pm$ 0.26                    | 3.65 $\pm$ 0.87                    | 4.49 $\pm$ 0.28                    | 3.21 $\pm$ 1.21                     | 7.05 $\pm$ 0.73   | 4.62 $\pm$ 1.05   | 6.09 $\pm$ 0.73                    | 5.10 $\pm$ 0.80   | <b>9.81 <math>\pm</math> 0.43</b>   |
| PigArtPressure                 | <b>50.58 <math>\pm</math> 2.62</b>  | 23.65 $\pm$ 3.56                   | <b>69.42 <math>\pm</math> 3.86</b>  | 7.88 $\pm$ 0.26                    | 5.29 $\pm$ 1.63                    | 10.10 $\pm$ 0.48                   | 8.01 $\pm$ 1.39                     | 9.78 $\pm$ 1.11   | 7.12 $\pm$ 1.24   | 8.33 $\pm$ 0.56                    | 19.13 $\pm$ 1.04  | 30.67 $\pm$ 1.38                    |
| PigCVP                         | 31.54 $\pm$ 0.94                    | 18.08 $\pm$ 2.27                   | <b>61.92 <math>\pm</math> 1.78</b>  | 7.02 $\pm$ 0.43                    | 3.94 $\pm$ 1.10                    | 6.73 $\pm$ 0.00                    | 4.01 $\pm$ 0.56                     | 7.85 $\pm$ 1.00   | 4.13 $\pm$ 0.80   | 5.29 $\pm$ 0.83                    | 10.10 $\pm$ 1.40  | 19.33 $\pm$ 0.99                    |
| Plane                          | <b>100.00 <math>\pm</math> 0.00</b> | 94.29 $\pm$ 3.75                   | 99.05 $\pm$ 1.17                    | 86.10 $\pm$ 6.69                   | 91.62 $\pm$ 3.39                   | 86.98 $\pm$ 7.02                   | 84.44 $\pm$ 7.02                    | 81.90 $\pm$ 1.90  | 87.24 $\pm$ 4.98  | 86.98 $\pm$ 6.34                   | 21.71 $\pm$ 8.89  | 99.24 $\pm$ 0.80                    |
| PowerCons                      | 82.11 $\pm$ 6.61                    | <b>83.78 <math>\pm</math> 3.63</b> | 82.33 $\pm$ 7.91                    | 72.11 $\pm$ 2.98                   | 70.78 $\pm$ 14.65                  | 69.81 $\pm$ 4.10                   | 52.22 $\pm$ 1.47                    | 70.93 $\pm$ 7.46  | 50.67 $\pm$ 4.38  | 70.00 $\pm$ 8.73                   | 65.89 $\pm$ 16.73 | 66.78 $\pm$ 15.52                   |
| ProximalPhalanxOutlineAgeGroup | <b>68.10 <math>\pm</math> 13.07</b> | 64.29 $\pm$ 28.01                  | 64.78 $\pm$ 22.07                   | 58.44 $\pm$ 28.63                  | 68.00 $\pm$ 16.32                  | 53.17 $\pm$ 31.21                  | 56.26 $\pm$ 31.37                   | 56.91 $\pm$ 37.90 | 59.22 $\pm$ 23.54 | 51.38 $\pm$ 35.67                  | 33.95 $\pm$ 22.63 | 66.24 $\pm$ 17.89                   |
| ProximalPhalanxOutlineCorrect  | <b>65.43 <math>\pm</math> 5.55</b>  | 60.07 $\pm$ 16.64                  | 63.85 $\pm$ 6.55                    | 63.37 $\pm$ 8.02                   | 62.96 $\pm$ 6.50                   | 54.75 $\pm$ 14.29                  | 54.30 $\pm$ 16.96                   | 60.94 $\pm$ 6.65  | 59.86 $\pm$ 17.09 | 55.21 $\pm$ 16.86                  | 44.88 $\pm$ 18.17 | 59.93 $\pm$ 12.82                   |
| ProximalPhalanxTW              | 50.83 $\pm$ 4.70                    | 56.00 $\pm$ 9.92                   | <b>67.12 <math>\pm</math> 8.12</b>  | 49.76 $\pm$ 11.43                  | 53.37 $\pm$ 7.43                   | 58.70 $\pm$ 5.35                   | 53.98 $\pm$ 16.76                   | 42.28 $\pm$ 24.98 | 56.00 $\pm$ 8.06  | 48.29 $\pm$ 19.01                  | 16.98 $\pm$ 12.37 | 57.76 $\pm$ 7.59                    |
| RefrigerationDevices           | <b>41.39 <math>\pm</math> 9.49</b>  | 40.37 $\pm$ 10.57                  | 41.23 $\pm$ 9.97                    | 33.92 $\pm$ 0.58                   | 35.31 $\pm$ 3.72                   | 36.71 $\pm$ 1.61                   | 33.87 $\pm$ 4.03                    | 35.64 $\pm$ 1.78  | 33.81 $\pm$ 1.50  | 33.60 $\pm$ 3.03                   | 33.07 $\pm$ 2.39  | 33.39 $\pm$ 7.13                    |
| Rock                           | 32.00 $\pm$ 5.48                    | 38.40 $\pm$ 8.65                   | 37.80 $\pm$ 13.31                   | 67.60 $\pm$ 10.53                  | 44.80 $\pm$ 18.25                  | 58.67 $\pm$ 13.61                  | <b>70.00 <math>\pm</math> 11.14</b> | 66.67 $\pm$ 8.08  | 47.60 $\pm$ 12.28 | 60.00 $\pm$ 14.00                  | 44.40 $\pm$ 14.24 | 64.00 $\pm$ 7.07                    |
| ScreenType                     | 36.91 $\pm$ 4.95                    | <b>40.21 <math>\pm</math> 6.72</b> | 38.40 $\pm$ 6.31                    | 35.25 $\pm$ 3.07                   | 36.75 $\pm$ 2.52                   | 39.56 $\pm$ 4.47                   | 33.78 $\pm$ 3.74                    | 38.67 $\pm$ 2.63  | 33.71 $\pm$ 2.21  | 39.11 $\pm$ 4.89                   | 33.81 $\pm$ 3.79  | 35.63 $\pm$ 4.40                    |
| SemgHandGenderCh2              | 55.13 $\pm$ 5.29                    | 58.23 $\pm$ 11.97                  | 54.27 $\pm$ 6.20                    | 53.27 $\pm$ 13.91                  | <b>62.87 <math>\pm</math> 8.65</b> | 49.22 $\pm$ 10.20                  | 55.56 $\pm$ 1.55                    | 62.44 $\pm$ 3.53  | 43.87 $\pm$ 10.45 | 56.22 $\pm$ 13.04                  | 53.70 $\pm$ 4.90  | 59.73 $\pm$ 10.87                   |
| SemgHandMovementCh2            | 33.51 $\pm$ 7.12                    | 31.29 $\pm$ 5.18                   | <b>36.00 <math>\pm</math> 6.56</b>  | 29.78 $\pm$ 3.16                   | 23.56 $\pm$ 5.26                   | 24.44 $\pm$ 2.52                   | 18.89 $\pm$ 0.59                    | 24.44 $\pm$ 1.39  | 18.71 $\pm$ 1.13  | 24.07 $\pm$ 5.35                   | 27.91 $\pm$ 3.59  | 31.16 $\pm$ 4.70                    |
| SemgHandSubjectCh2             | 32.00 $\pm$ 3.88                    | 30.71 $\pm$ 4.13                   | 33.56 $\pm$ 5.04                    | <b>45.91 <math>\pm</math> 5.66</b> | 40.67 $\pm$ 4.39                   | 29.56 $\pm$ 4.02                   | 23.56 $\pm$ 2.47                    | 32.52 $\pm$ 7.62  | 24.09 $\pm$ 3.07  | 30.81 $\pm$ 0.84                   | 29.47 $\pm$ 4.28  | 43.20 $\pm$ 2.62                    |
| ShakeGestureWiimoteZ           | 76.00 $\pm$ 6.63                    | 76.80 $\pm$ 7.43                   | <b>81.60 <math>\pm</math> 0.89</b>  | 47.20 $\pm$ 7.95                   | 58.40 $\pm$ 5.18                   | 54.00 $\pm$ 6.00                   | 26.00 $\pm$ 4.00                    | 54.67 $\pm$ 4.62  | 32.40 $\pm$ 2.61  | 56.00 $\pm$ 5.29                   | 58.40 $\pm$ 5.18  | <b>81.60 <math>\pm</math> 6.71</b>  |
| ShapeletSim                    | 78.89 $\pm$ 14.16                   | <b>98.33 <math>\pm</math> 2.08</b> | 92.11 $\pm$ 5.26                    | 50.11 $\pm$ 2.87                   | 80.22 $\pm$ 16.23                  | 47.59 $\pm$ 3.10                   | 50.74 $\pm$ 3.06                    | 48.15 $\pm$ 1.79  | 49.22 $\pm$ 2.93  | 46.48 $\pm$ 3.06                   | 49.67 $\pm$ 1.50  | 67.44 $\pm$ 10.92                   |
| ShapesAll                      | 36.80 $\pm$ 3.60                    | 28.17 $\pm$ 3.75                   | 36.80 $\pm$ 3.60                    | 50.73 $\pm$ 1.71                   | 32.23 $\pm$ 5.06                   | 55.78 $\pm$ 1.56                   | 6.11 $\pm$ 0.63                     | 53.17 $\pm$ 1.00  | 18.33 $\pm$ 5.95  | 53.33 $\pm$ 2.62                   | 27.63 $\pm$ 3.10  | <b>63.03 <math>\pm</math> 2.22</b>  |
| SmallKitchenAppliances         | 48.85 $\pm$ 7.91                    | 50.40 $\pm$ 8.87                   | 50.19 $\pm$ 7.71                    | 41.49 $\pm$ 3.33                   | 47.15 $\pm$ 6.04                   | 49.60 $\pm$ 6.54                   | 35.20 $\pm$ 2.93                    | 40.09 $\pm$ 2.14  | 42.03 $\pm$ 4.49  | 44.09 $\pm$ 8.36                   | 34.61 $\pm$ 4.49  | <b>55.68 <math>\pm</math> 8.74</b>  |
| SmoothSubspace                 | 78.93 $\pm$ 10.17                   | <b>77.87 <math>\pm</math> 5.55</b> | 80.13 $\pm$ 5.80                    | 33.33 $\pm$ 0.00                   | 51.20 $\pm$ 5.65                   | 58.22 $\pm$ 4.73                   | 68.89 $\pm$ 7.31                    | 59.11 $\pm$ 4.23  | 70.67 $\pm$ 4.88  | 81.33 $\pm$ 6.36                   | 48.27 $\pm$ 9.05  | <b>85.07 <math>\pm</math> 5.20</b>  |
| SonyAIBORobotSurface1          | 90.42 $\pm$ 4.34                    | <b>94.08 <math>\pm</math> 1.77</b> | 89.38 $\pm$ 5.35                    | 64.83 $\pm$ 12.29                  | 70.05 $\pm$ 3.77                   | 62.90 $\pm$ 13.91                  | 61.90 $\pm$ 7.89                    | 66.61 $\pm$ 10.89 | 59.10 $\pm$ 5.18  | 62.73 $\pm$ 9.45                   | 52.65 $\pm$ 8.42  | 71.85 $\pm$ 8.28                    |
| SonyAIBORobotSurface2          | <b>88.00 <math>\pm</math> 2.82</b>  | 84.87 $\pm$ 6.58                   | 83.67 $\pm$ 9.41                    | 74.59 $\pm$ 3.28                   | 78.70 $\pm$ 2.68                   | 69.60 $\pm$ 7.04                   | 77.26 $\pm$ 1.79                    | 78.49 $\pm$ 0.86  | 78.30 $\pm$ 1.49  | 79.29 $\pm$ 1.17                   | 56.81 $\pm$ 17.39 | 68.21 $\pm$ 5.28                    |
| StarLightCurves                | <b>76.49 <math>\pm</math> 11.97</b> | 66.10 $\pm$ 9.91                   | 66.22 $\pm$ 10.70                   | 67.92 $\pm$ 13.52                  | 71.57 $\pm$ 12.97                  | 63.90 $\pm$ 14.70                  | 35.37 $\pm$ 11.93                   | 65.31 $\pm$ 14.87 | 34.69 $\pm$ 14.98 | 63.78 $\pm$ 14.15                  | 68.45 $\pm$ 12.08 | 74.47 $\pm$ 15.08                   |
| Strawberry                     | 62.81 $\pm$ 6.83                    | 57.14 $\pm$ 6.89                   | 60.22 $\pm$ 9.39                    | 51.84 $\pm$ 8.28                   | 56.59 $\pm$ 2.41                   | 53.33 $\pm$ 7.10                   | <b>66.58 <math>\pm</math> 2.89</b>  | 52.97 $\pm$ 8.18  | 59.62 $\pm$ 11.05 | 54.59 $\pm$ 4.47                   | 51.03 $\pm$ 11.13 | 59.41 $\pm$ 6.38                    |
| SwedishLeaf                    | <b>72.45 <math>\pm</math> 3.37</b>  | 54.30 $\pm$ 6.89                   | <b>72.45 <math>\pm</math> 3.37</b>  | 34.02 $\pm$ 3.00                   | 43.26 $\pm$ 7.26                   | 48.91 $\pm$ 2.97                   | 33.28 $\pm$ 3.94                    | 46.24 $\pm$ 1.25  | 38.85 $\pm$ 4.16  | 47.52 $\pm$ 2.78                   | 7.94 $\pm$ 0.74   | 64.99 $\pm$ 3.83                    |
| Symbols                        | <b>90.49 <math>\pm</math> 1.42</b>  | 75.88 $\pm$ 7.72                   | 88.48 $\pm$ 4.41                    | 81.23 $\pm$ 0.99                   | 76.18 $\pm$ 6.87                   | 81.37 $\pm$ 1.84                   | 37.42 $\pm$ 3.12                    | 82.04 $\pm$ 0.58  | 58.95 $\pm$ 6.86  | 80.00 $\pm$ 1.74                   | 51.50 $\pm$ 7.93  | 82.69 $\pm$ 3.43                    |
| SyntheticControl               | 79.67 $\pm$ 4.05                    | 85.07 $\pm$ 4.63                   | 82.60 $\pm$ 6.01                    | 41.40 $\pm$ 6.37                   | 83.80 $\pm$ 5.24                   | 55.00 $\pm$ 3.38                   | 44.11 $\pm$ 1.39                    | 59.89 $\pm$ 3.15  | 47.93 $\pm$ 4.58  | 62.89 $\pm$ 3.15                   | 20.80 $\pm$ 4.95  | <b>87.93 <math>\pm</math> 3.95</b>  |
| ToeSegmentation1               | <b>68.42 <math>\pm</math> 7.02</b>  | 60.79 $\pm$ 8.14                   | 61.58 $\pm$ 7.54                    | 53.95 $\pm$ 2.19                   | 58.60 $\pm$ 10.97                  | 51.90 $\pm$ 4.30                   | 53.80 $\pm$ 2.21                    | 53.95 $\pm$ 0.44  | 52.37 $\pm$ 4.44  | 51.61 $\pm$ 3.08                   | 50.70 $\pm$ 2.53  | 60.26 $\pm$ 8.54                    |
| ToeSegmentation2               | 76.15 $\pm$ 9.44                    | <b>79.69 <math>\pm</math> 9.24</b> | 72.15 $\pm$ 7.68                    | 48.92 $\pm$ 5.64                   | 68.62 $\pm$ 12.68                  | 66.41 $\pm$ 15.71                  | 51.54 $\pm$ 5.38                    | 63.08 $\pm$ 15.78 | 47.08 $\pm$ 8.33  | 63.59 $\pm$ 15.79                  | 54.31 $\pm$ 14.96 | 76.15 $\pm$ 12.44                   |
| Trace                          | 76.00 $\pm$ 3.00                    | 76.40 $\pm$ 3.05                   | 73.80 $\pm$ 2.95                    | 52.40 $\pm$ 4.04                   | 76.60 $\pm$ 4.39                   | 47.33 $\pm$ 3.21                   | 51.00 $\pm$ 4.00                    | 49.00 $\pm$ 3.00  | 55.60 $\pm$ 4.62  | 49.00 $\pm$ 5.00                   | 46.00 $\pm$ 6.78  | <b>98.40 <math>\pm</math> 3.05</b>  |
| TwoLeadECG                     | <b>82.53 <math>\pm</math> 6.47</b>  | 79.19 $\pm$ 7.45                   | 70.63 $\pm$ 4.92                    | 55.68 $\pm$ 3.84                   | 59.95 $\pm$ 3.74                   | 62.36 $\pm$ 5.86                   | 56.60 $\pm$ 1.27                    | 55.90 $\pm$ 1.72  | 55.49 $\pm$ 2.80  | 60.14 $\pm$ 7.03                   | 48.48 $\pm$ 5.21  | 74.63 $\pm$ 8.09                    |
| TwoPatterns                    | 52.71 $\pm$ 4.44                    | <b>71.75 <math>\pm</math> 5.17</b> | 65.30 $\pm$ 11.45                   | 32.62 $\pm$ 1.84                   | 44.61 $\pm$ 9.45                   | 31.66 $\pm$ 1.59                   | 24.88 $\pm$ 1.30                    | 28.57 $\pm$ 1.14  | 25.14 $\pm$ 0.61  | 29.88 $\pm$ 2.34                   | 27.30 $\pm$ 2.15  | <b>78.23 <math>\pm</math> 0.41</b>  |
| UMD                            | 54.86 $\pm$ 7.95                    | 71.67 $\pm$ 9.36                   | 68.75 $\pm$ 16.74                   | 54.17 $\pm$ 4.55                   | 62.50 $\pm$ 12.00                  | 52.31 $\pm$ 6.22                   | 47.69 $\pm$ 9.93                    | 60.19 $\pm$ 1.45  | 53.06 $\pm$ 4.83  | 56.25 $\pm$ 6.05                   | 47.50 $\pm$ 4.16  | <b>78.86 <math>\pm</math> 14.11</b> |
| UWaveGestureLibraryAll         | 32.50 $\pm$ 3.38                    | 28.30 $\pm$ 5.01                   | 31.51 $\pm$ 4.14                    | <b>69.44 <math>\pm</math> 6.55</b> | 43.65 $\pm$ 6.39                   | 66.54                              |                                     |                   |                   |                                    |                   |                                     |

TABLE 12: Per-dataset 5-shot classification results on 128 UCR datasets. Each value is reported as mean  $\pm$  standard deviation over 5 runs.

| Dataset                      | ResNet            | TapNet            | COSCO-ResNet      | DLinear           | PatchTST          | TimesNet          | Autoformer       | Crossformer       | FEDformer         | Informer          | GPT4TS            | TimeMorph         |
|------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| ACSF1                        | 76.00 $\pm$ 2.92  | 64.60 $\pm$ 5.18  | 72.80 $\pm$ 1.64  | 36.20 $\pm$ 3.49  | 50.40 $\pm$ 2.61  | 60.00 $\pm$ 2.00  | 40.00 $\pm$ 1.00 | 62.67 $\pm$ 2.52  | 46.80 $\pm$ 3.70  | 58.67 $\pm$ 1.53  | 30.60 $\pm$ 4.83  | 68.33 $\pm$ 2.89  |
| Adiac                        | 56.21 $\pm$ 4.18  | 42.81 $\pm$ 4.46  | 56.21 $\pm$ 4.18  | 35.29 $\pm$ 1.32  | 34.58 $\pm$ 2.33  | 43.82 $\pm$ 1.54  | 46.97 $\pm$ 3.07 | 38.62 $\pm$ 1.68  | 64.50 $\pm$ 5.47  | 43.99 $\pm$ 3.86  | 7.11 $\pm$ 1.15   | 69.51 $\pm$ 2.82  |
| AllGestureWiimoteX           | 40.46 $\pm$ 4.50  | 34.14 $\pm$ 3.58  | 38.71 $\pm$ 5.08  | 23.63 $\pm$ 2.19  | 35.40 $\pm$ 4.31  | 32.24 $\pm$ 3.43  | 13.57 $\pm$ 1.57 | 29.95 $\pm$ 4.86  | 18.17 $\pm$ 3.28  | 29.38 $\pm$ 3.89  | 35.40 $\pm$ 4.31  | 39.40 $\pm$ 2.46  |
| AllGestureWiimoteY           | 43.20 $\pm$ 1.70  | 40.60 $\pm$ 1.51  | 36.20 $\pm$ 3.42  | 27.89 $\pm$ 2.07  | 40.97 $\pm$ 3.06  | 36.76 $\pm$ 2.07  | 15.38 $\pm$ 0.81 | 34.43 $\pm$ 2.02  | 19.49 $\pm$ 2.37  | 35.43 $\pm$ 1.55  | 40.97 $\pm$ 3.06  | 48.11 $\pm$ 0.89  |
| AllGestureWiimoteZ           | 41.46 $\pm$ 4.33  | 35.71 $\pm$ 5.12  | 36.46 $\pm$ 5.30  | 20.20 $\pm$ 1.22  | 27.11 $\pm$ 2.51  | 26.57 $\pm$ 0.25  | 13.86 $\pm$ 1.71 | 26.67 $\pm$ 2.65  | 17.37 $\pm$ 2.23  | 26.86 $\pm$ 0.99  | 27.11 $\pm$ 2.51  | 36.14 $\pm$ 2.51  |
| ArrowHead                    | 66.40 $\pm$ 5.44  | 61.03 $\pm$ 5.46  | 64.23 $\pm$ 7.62  | 59.43 $\pm$ 5.27  | 58.86 $\pm$ 12.66 | 60.19 $\pm$ 7.46  | 42.67 $\pm$ 0.87 | 60.76 $\pm$ 1.19  | 48.11 $\pm$ 2.87  | 63.43 $\pm$ 8.42  | 54.06 $\pm$ 9.79  | 73.70 $\pm$ 3.71  |
| BME                          | 55.60 $\pm$ 7.80  | 56.93 $\pm$ 3.90  | 68.00 $\pm$ 9.90  | 58.53 $\pm$ 7.20  | 89.60 $\pm$ 10.65 | 58.89 $\pm$ 5.55  | 73.33 $\pm$ 8.11 | 76.89 $\pm$ 7.34  | 80.00 $\pm$ 6.70  | 73.33 $\pm$ 5.93  | 53.07 $\pm$ 5.63  | 97.73 $\pm$ 1.33  |
| Beef                         | 54.67 $\pm$ 4.47  | 47.33 $\pm$ 2.79  | 55.33 $\pm$ 2.98  | 52.67 $\pm$ 7.60  | 43.33 $\pm$ 4.71  | 64.44 $\pm$ 3.85  | 50.00 $\pm$ 3.33 | 52.22 $\pm$ 8.39  | 62.00 $\pm$ 8.03  | 84.44 $\pm$ 1.92  | 35.33 $\pm$ 4.47  | 51.33 $\pm$ 6.91  |
| BeetleFly                    | 72.00 $\pm$ 7.58  | 60.00 $\pm$ 11.73 | 79.00 $\pm$ 10.84 | 71.00 $\pm$ 14.32 | 57.00 $\pm$ 8.37  | 70.00 $\pm$ 8.66  | 51.67 $\pm$ 2.89 | 66.67 $\pm$ 16.07 | 49.00 $\pm$ 6.52  | 70.00 $\pm$ 10.00 | 59.00 $\pm$ 18.51 | 91.67 $\pm$ 2.89  |
| BirdChicken                  | 69.00 $\pm$ 12.94 | 77.00 $\pm$ 9.75  | 90.00 $\pm$ 3.54  | 57.00 $\pm$ 5.70  | 61.00 $\pm$ 16.73 | 63.33 $\pm$ 7.64  | 36.67 $\pm$ 2.89 | 65.00 $\pm$ 10.00 | 54.00 $\pm$ 8.94  | 68.33 $\pm$ 15.28 | 54.00 $\pm$ 4.18  | 85.00 $\pm$ 11.73 |
| CBF                          | 95.87 $\pm$ 2.59  | 95.58 $\pm$ 3.67  | 95.89 $\pm$ 3.27  | 61.47 $\pm$ 7.78  | 95.67 $\pm$ 4.48  | 74.52 $\pm$ 5.66  | 39.04 $\pm$ 0.80 | 80.11 $\pm$ 4.97  | 42.29 $\pm$ 1.09  | 80.59 $\pm$ 4.09  | 41.20 $\pm$ 4.62  | 93.76 $\pm$ 3.90  |
| Car                          | 59.33 $\pm$ 9.02  | 51.00 $\pm$ 7.96  | 65.67 $\pm$ 5.73  | 52.33 $\pm$ 6.41  | 45.67 $\pm$ 2.79  | 68.89 $\pm$ 6.31  | 31.67 $\pm$ 5.00 | 48.89 $\pm$ 4.19  | 41.00 $\pm$ 12.56 | 57.78 $\pm$ 5.85  | 36.00 $\pm$ 4.50  | 69.67 $\pm$ 3.98  |
| Chinatown                    | 96.15 $\pm$ 2.16  | 96.97 $\pm$ 0.49  | 97.43 $\pm$ 0.38  | 50.96 $\pm$ 33.10 | 96.03 $\pm$ 2.24  | 84.94 $\pm$ 15.12 | 91.06 $\pm$ 1.94 | 93.00 $\pm$ 5.85  | 89.56 $\pm$ 2.00  | 87.95 $\pm$ 8.75  | 73.00 $\pm$ 0.76  | 93.46 $\pm$ 10.56 |
| ChlorineConcentration        | 35.97 $\pm$ 2.09  | 35.63 $\pm$ 3.63  | 36.15 $\pm$ 2.53  | 35.57 $\pm$ 3.02  | 35.80 $\pm$ 3.16  | 35.02 $\pm$ 2.94  | 36.15 $\pm$ 1.24 | 35.49 $\pm$ 4.56  | 37.02 $\pm$ 1.05  | 35.96 $\pm$ 1.50  | 38.60 $\pm$ 5.65  | 39.58 $\pm$ 3.20  |
| CinCECGTorso                 | 49.41 $\pm$ 5.43  | 57.77 $\pm$ 3.88  | 56.17 $\pm$ 3.91  | 43.81 $\pm$ 1.84  | 69.26 $\pm$ 4.67  | 63.41 $\pm$ 2.73  | 37.80 $\pm$ 1.42 | 64.95 $\pm$ 2.40  | 64.83 $\pm$ 11.83 | 68.41 $\pm$ 5.18  | 54.58 $\pm$ 3.46  | 82.56 $\pm$ 7.22  |
| Coffee                       | 86.43 $\pm$ 14.81 | 97.86 $\pm$ 1.96  | 100.00 $\pm$ 0.00 | 92.86 $\pm$ 3.57  | 97.86 $\pm$ 1.96  | 86.90 $\pm$ 2.06  | 76.19 $\pm$ 2.06 | 82.14 $\pm$ 9.45  | 92.86 $\pm$ 10.41 | 85.71 $\pm$ 0.00  | 50.00 $\pm$ 6.19  | 94.29 $\pm$ 1.96  |
| Computers                    | 58.80 $\pm$ 7.81  | 61.60 $\pm$ 5.76  | 60.96 $\pm$ 6.58  | 46.64 $\pm$ 4.37  | 54.48 $\pm$ 7.54  | 49.87 $\pm$ 5.33  | 50.53 $\pm$ 1.29 | 48.00 $\pm$ 8.43  | 49.04 $\pm$ 4.09  | 48.67 $\pm$ 4.31  | 46.56 $\pm$ 5.23  | 62.67 $\pm$ 4.74  |
| CricketX                     | 45.90 $\pm$ 4.41  | 43.08 $\pm$ 3.97  | 43.08 $\pm$ 2.15  | 25.23 $\pm$ 1.80  | 36.10 $\pm$ 5.19  | 34.87 $\pm$ 4.89  | 11.79 $\pm$ 1.43 | 30.77 $\pm$ 0.51  | 16.92 $\pm$ 1.32  | 33.68 $\pm$ 3.44  | 11.33 $\pm$ 1.41  | 49.06 $\pm$ 3.21  |
| CricketY                     | 42.67 $\pm$ 4.49  | 43.08 $\pm$ 3.40  | 43.28 $\pm$ 6.01  | 30.41 $\pm$ 3.78  | 36.92 $\pm$ 6.92  | 37.86 $\pm$ 2.42  | 9.06 $\pm$ 1.21  | 36.58 $\pm$ 2.06  | 15.23 $\pm$ 1.85  | 37.26 $\pm$ 2.44  | 12.05 $\pm$ 2.18  | 49.66 $\pm$ 1.41  |
| CricketZ                     | 51.59 $\pm$ 3.02  | 49.64 $\pm$ 3.11  | 47.79 $\pm$ 6.26  | 26.31 $\pm$ 2.67  | 36.31 $\pm$ 4.35  | 37.18 $\pm$ 1.18  | 10.77 $\pm$ 0.51 | 34.87 $\pm$ 1.43  | 15.44 $\pm$ 1.54  | 37.18 $\pm$ 0.77  | 10.92 $\pm$ 1.59  | 53.68 $\pm$ 2.06  |
| Crop                         | 49.93 $\pm$ 1.45  | 46.93 $\pm$ 2.27  | 49.93 $\pm$ 1.45  | 31.91 $\pm$ 2.21  | 38.13 $\pm$ 2.76  | 46.92 $\pm$ 2.60  | 44.47 $\pm$ 0.97 | 47.82 $\pm$ 2.55  | 47.76 $\pm$ 1.51  | 48.69 $\pm$ 2.69  | 8.15 $\pm$ 3.22   | 52.18 $\pm$ 2.24  |
| DiatomSizeReduction          | 85.75 $\pm$ 6.98  | 70.26 $\pm$ 16.84 | 95.95 $\pm$ 1.26  | 61.57 $\pm$ 2.74  | 65.49 $\pm$ 10.17 | 87.69 $\pm$ 0.59  | 68.63 $\pm$ 2.55 | 66.34 $\pm$ 8.52  | 73.53 $\pm$ 9.37  | 87.25 $\pm$ 0.00  | 41.83 $\pm$ 13.83 | 93.66 $\pm$ 1.97  |
| DistalPhalanxOutlineAgeGroup | 65.76 $\pm$ 4.54  | 68.63 $\pm$ 3.96  | 67.19 $\pm$ 5.75  | 58.99 $\pm$ 14.81 | 63.31 $\pm$ 4.46  | 64.75 $\pm$ 3.74  | 67.63 $\pm$ 2.16 | 69.30 $\pm$ 3.24  | 68.20 $\pm$ 2.35  | 68.59 $\pm$ 2.31  | 53.67 $\pm$ 12.57 | 69.35 $\pm$ 1.20  |
| DistalPhalanxOutlineCorrect  | 66.81 $\pm$ 3.92  | 61.96 $\pm$ 7.85  | 68.62 $\pm$ 6.57  | 56.23 $\pm$ 10.81 | 60.07 $\pm$ 6.07  | 62.44 $\pm$ 3.65  | 62.68 $\pm$ 3.32 | 58.94 $\pm$ 3.37  | 63.41 $\pm$ 7.40  | 59.30 $\pm$ 3.08  | 55.87 $\pm$ 8.58  | 63.77 $\pm$ 11.63 |
| DistalPhalanxTW              | 58.99 $\pm$ 2.69  | 57.12 $\pm$ 1.40  | 58.56 $\pm$ 3.40  | 49.64 $\pm$ 7.01  | 60.58 $\pm$ 2.61  | 57.31 $\pm$ 0.42  | 51.32 $\pm$ 3.62 | 59.47 $\pm$ 4.40  | 54.10 $\pm$ 4.24  | 56.59 $\pm$ 5.05  | 31.94 $\pm$ 15.91 | 56.40 $\pm$ 4.87  |
| DodgerLoopDay                | 37.75 $\pm$ 3.35  | 40.50 $\pm$ 4.11  | 37.00 $\pm$ 3.26  | 46.75 $\pm$ 4.01  | 44.25 $\pm$ 2.09  | 52.50 $\pm$ 5.45  | 22.08 $\pm$ 0.72 | 45.42 $\pm$ 2.60  | 24.25 $\pm$ 3.49  | 50.83 $\pm$ 4.73  | 44.25 $\pm$ 2.09  | 45.75 $\pm$ 3.26  |
| DodgerLoopGame               | 66.52 $\pm$ 4.02  | 82.32 $\pm$ 3.38  | 72.17 $\pm$ 3.64  | 76.09 $\pm$ 5.15  | 84.49 $\pm$ 1.89  | 75.36 $\pm$ 5.02  | 50.00 $\pm$ 2.61 | 78.99 $\pm$ 7.63  | 53.33 $\pm$ 2.09  | 77.29 $\pm$ 4.82  | 84.49 $\pm$ 1.89  | 72.61 $\pm$ 10.25 |
| DodgerLoopWeekend            | 95.51 $\pm$ 1.65  | 92.46 $\pm$ 3.46  | 94.78 $\pm$ 1.88  | 97.39 $\pm$ 0.40  | 97.25 $\pm$ 0.61  | 96.62 $\pm$ 0.84  | 64.43 $\pm$ 4.25 | 97.83 $\pm$ 0.00  | 72.90 $\pm$ 1.82  | 96.86 $\pm$ 0.42  | 97.25 $\pm$ 0.61  | 93.62 $\pm$ 2.37  |
| ECG200                       | 76.40 $\pm$ 3.58  | 77.80 $\pm$ 6.26  | 76.20 $\pm$ 4.60  | 75.00 $\pm$ 1.58  | 62.80 $\pm$ 16.36 | 77.67 $\pm$ 3.06  | 76.67 $\pm$ 3.79 | 78.00 $\pm$ 2.00  | 77.60 $\pm$ 3.21  | 79.33 $\pm$ 4.93  | 69.60 $\pm$ 4.51  | 67.40 $\pm$ 8.91  |
| ECG5000                      | 78.85 $\pm$ 9.03  | 75.51 $\pm$ 9.29  | 75.56 $\pm$ 6.88  | 84.88 $\pm$ 3.51  | 71.69 $\pm$ 7.99  | 82.01 $\pm$ 5.12  | 76.33 $\pm$ 7.90 | 83.48 $\pm$ 5.73  | 74.58 $\pm$ 8.80  | 82.23 $\pm$ 5.84  | 18.64 $\pm$ 16.84 | 73.89 $\pm$ 8.21  |
| ECGFiveDays                  | 71.54 $\pm$ 13.30 | 70.27 $\pm$ 8.41  | 70.22 $\pm$ 9.52  | 69.38 $\pm$ 6.83  | 77.54 $\pm$ 3.65  | 72.94 $\pm$ 9.66  | 87.65 $\pm$ 8.42 | 75.22 $\pm$ 2.60  | 83.30 $\pm$ 11.51 | 75.61 $\pm$ 4.26  | 60.49 $\pm$ 6.59  | 70.96 $\pm$ 3.91  |
| EOGHorizontalSignal          | 24.97 $\pm$ 1.88  | 32.71 $\pm$ 1.62  | 27.35 $\pm$ 3.43  | 29.56 $\pm$ 3.95  | 37.73 $\pm$ 6.23  | 36.92 $\pm$ 1.62  | 10.96 $\pm$ 1.15 | 38.40 $\pm$ 2.19  | 9.94 $\pm$ 1.90   | 35.17 $\pm$ 4.76  | 31.99 $\pm$ 1.89  | 46.35 $\pm$ 2.27  |
| EOGVerticalSignal            | 18.18 $\pm$ 3.62  | 22.10 $\pm$ 3.22  | 18.78 $\pm$ 4.22  | 29.01 $\pm$ 2.45  | 38.23 $\pm$ 4.43  | 31.77 $\pm$ 5.00  | 8.47 $\pm$ 1.80  | 31.95 $\pm$ 3.43  | 10.39 $\pm$ 1.59  | 31.22 $\pm$ 4.29  | 22.82 $\pm$ 2.72  | 36.74 $\pm$ 2.24  |
| Earthquakes                  | 50.94 $\pm$ 12.41 | 50.22 $\pm$ 8.85  | 52.23 $\pm$ 11.61 | 56.83 $\pm$ 2.92  | 52.09 $\pm$ 5.05  | 56.35 $\pm$ 11.87 | 51.32 $\pm$ 9.11 | 56.12 $\pm$ 3.14  | 53.38 $\pm$ 4.56  | 54.68 $\pm$ 7.61  | 52.81 $\pm$ 9.99  | 54.68 $\pm$ 9.31  |
| ElectricDevices              | 36.69 $\pm$ 5.52  | 36.63 $\pm$ 6.97  | 36.08 $\pm$ 5.74  | 23.65 $\pm$ 1.86  | 38.77 $\pm$ 8.33  | 38.73 $\pm$ 7.16  | 22.89 $\pm$ 3.05 | 25.09 $\pm$ 5.42  | 31.29 $\pm$ 6.08  | 38.61 $\pm$ 5.70  | 11.47 $\pm$ 4.02  | 47.06 $\pm$ 4.18  |
| EthanoLLevel                 | 27.52 $\pm$ 1.92  | 26.36 $\pm$ 0.86  | 26.60 $\pm$ 1.66  | 27.88 $\pm$ 1.25  | 24.88 $\pm$ 0.18  | 28.40 $\pm$ 1.73  | 28.60 $\pm$ 2.78 | 26.53 $\pm$ 0.12  | 25.40 $\pm$ 0.75  | 29.53 $\pm$ 0.64  | 26.32 $\pm$ 1.07  | 29.52 $\pm$ 1.40  |
| FaceAll                      | 67.63 $\pm$ 4.66  | 67.75 $\pm$ 7.28  | 67.63 $\pm$ 4.66  | 53.96 $\pm$ 2.14  | 41.22 $\pm$ 3.29  | 55.76 $\pm$ 2.36  | 53.79 $\pm$ 5.19 | 55.44 $\pm$ 2.51  | 51.51 $\pm$ 5.08  | 54.30 $\pm$ 2.41  | 17.64 $\pm$ 1.73  | 54.54 $\pm$ 1.26  |
| FaceFour                     | 88.18 $\pm$ 2.85  | 61.82 $\pm$ 13.74 | 89.77 $\pm$ 4.62  | 78.86 $\pm$ 3.17  | 57.50 $\pm$ 8.82  | 86.36 $\pm$ 1.14  | 64.77 $\pm$ 2.27 | 87.88 $\pm$ 1.74  | 71.82 $\pm$ 1.24  | 85.61 $\pm$ 1.74  | 41.14 $\pm$ 6.88  | 75.68 $\pm$ 4.37  |
| FacesUCR                     | 78.67 $\pm$ 2.69  | 73.00 $\pm$ 4.70  | 76.25 $\pm$ 3.16  | 50.94 $\pm$ 2.11  | 43.00 $\pm$ 7.53  | 68.33 $\pm$ 3.31  | 58.46 $\pm$ 2.45 | 68.99 $\pm$ 1.59  | 60.62 $\pm$ 1.49  | 67.61 $\pm$ 2.78  | 27.20 $\pm$ 3.34  | 68.58 $\pm$ 2.57  |
| FiftyWords                   | 30.07 $\pm$ 3.14  | 27.91 $\pm$ 3.50  | 30.07 $\pm$ 3.14  | 47.03 $\pm$ 2.26  | 37.71 $\pm$ 3.50  | 52.23 $\pm$ 1.46  | 9.45 $\pm$ 3.91  | 56.19 $\pm$ 3.63  | 25.10 $\pm$ 2.19  | 49.38 $\pm$ 1.41  | 40.84 $\pm$ 2.35  | 61.58 $\pm$ 2.55  |
| Fish                         | 61.26 $\pm$ 15.63 | 48.69 $\pm$ 6.91  | 67.66 $\pm$ 6.55  | 56.80 $\pm$ 6.22  | 42.97 $\pm$ 5.32  | 68.76 $\pm$ 3.49  | 25.52 $\pm$ 2.93 | 56.57 $\pm$ 5.51  | 40.80 $\pm$ 3.78  | 67.05 $\pm$ 1.44  | 26.40 $\pm$ 8.24  | 64.57 $\pm$ 5.92  |
| ForestA                      | 71.41 $\pm$ 10.22 | 71.94 $\pm$ 9.09  | 70.55 $\pm$ 10.29 | 50.33 $\pm$ 1.09  | 63.62 $\pm$ 6.82  | 50.28 $\pm$ 2.11  | 51.67 $\pm$ 1.61 | 49.67 $\pm$ 1.72  | 51.11 $\pm$ 2.04  | 49.82 $\pm$ 1.42  | 50.91 $\pm$ 1.25  | 54.00 $\pm$ 2.22  |
| FordB                        | 61.26 $\pm$ 2.75  | 58.96 $\pm$ 1.47  | 59.04 $\pm$ 3.16  | 50.00 $\pm$ 1.41  | 55.88 $\pm$ 4.39  | 50.86 $\pm$ 0.77  | 49.51 $\pm$ 0.81 | 48.81 $\pm$ 1.26  | 49.56 $\pm$ 0.80  | 50.21 $\pm$ 1.36  | 50.27 $\pm$ 2.02  | 52.32 $\pm$ 2.78  |
| FreezerRegularTrain          | 71.93 $\pm$ 7.16  | 86.24 $\pm$ 2.60  | 79.17 $\pm$ 4.44  | 76.42 $\pm$ 0.69  | 77.88 $\pm$ 9.36  | 76.43 $\pm$ 0.19  | 57.27 $\pm$ 4.31 | 76.76 $\pm$       |                   |                   |                   |                   |

TABLE 12: Per-dataset 5-shot classification results on 128 UCR datasets (continued).

| Dataset                        | ResNet               | TapNet              | COSCO-ResNet        | DLinear             | PatchTST            | TimesNet            | Autoformer          | Crossformer          | FEDformer     | Informer      | GPT4TS        | TimeMorph            |
|--------------------------------|----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|----------------------|---------------|---------------|---------------|----------------------|
| MixedShapesSmallTrain          | 66.24 ± 12.23        | 57.21 ± 4.26        | 72.37 ± 7.91        | 66.37 ± 2.62        | 66.13 ± 3.66        | 68.30 ± 1.42        | 22.61 ± 0.88        | 67.60 ± 3.67         | 25.23 ± 4.04  | 66.78 ± 1.26  | 60.00 ± 5.54  | <b>78.71 ± 1.70</b>  |
| MoteStrain                     | 84.74 ± 4.04         | 83.85 ± 4.63        | 85.10 ± 2.03        | 80.19 ± 8.46        | 77.96 ± 3.58        | <b>85.73 ± 4.20</b> | 72.68 ± 2.25        | 80.09 ± 3.68         | 77.11 ± 6.04  | 85.36 ± 1.87  | 60.30 ± 15.64 | 80.37 ± 4.50         |
| NonInvasiveFetalECGThorax1     | 40.80 ± 1.72         | 31.63 ± 3.55        | 40.80 ± 1.72        | <b>72.10 ± 1.96</b> | 51.79 ± 9.05        | 70.09 ± 3.02        | 22.04 ± 0.40        | 70.72 ± 1.13         | 32.89 ± 2.08  | 69.19 ± 0.16  | 28.56 ± 4.30  | 67.42 ± 0.56         |
| NonInvasiveFetalECGThorax2     | 41.15 ± 5.46         | 43.13 ± 8.61        | 41.15 ± 5.46        | <b>78.55 ± 0.96</b> | 60.71 ± 3.55        | 75.84 ± 1.88        | 37.61 ± 1.37        | 75.40 ± 1.50         | 50.66 ± 2.46  | 74.93 ± 2.49  | 37.30 ± 2.25  | 75.31 ± 0.82         |
| OSULeaf                        | 57.85 ± 5.97         | 50.74 ± 10.99       | <b>72.23 ± 4.84</b> | 32.40 ± 1.86        | 35.37 ± 3.13        | 38.84 ± 1.09        | 16.80 ± 1.04        | 32.64 ± 2.71         | 24.05 ± 2.60  | 36.91 ± 1.04  | 23.06 ± 4.07  | 49.92 ± 6.46         |
| OliveOil                       | 59.33 ± 13.21        | 28.67 ± 13.66       | <b>74.00 ± 6.83</b> | 31.33 ± 9.60        | 26.67 ± 10.00       | 42.22 ± 25.02       | 40.00 ± 10.00       | 32.22 ± 13.47        | 40.00 ± 21.73 | 32.22 ± 22.19 | 26.67 ± 10.00 | 28.67 ± 11.69        |
| PLAID                          | 24.02 ± 4.96         | 24.51 ± 3.44        | 22.87 ± 2.95        | 30.06 ± 4.34        | 47.93 ± 3.93        | 36.56 ± 2.69        | 26.88 ± 2.01        | 40.16 ± 2.24         | 27.26 ± 3.48  | 37.93 ± 4.09  | 47.93 ± 3.93  | <b>52.96 ± 5.39</b>  |
| PhalangesOutlinesCorrect       | 56.22 ± 7.89         | 55.22 ± 9.82        | <b>56.85 ± 6.96</b> | 52.75 ± 11.57       | 53.15 ± 7.53        | 51.83 ± 11.55       | 50.35 ± 9.47        | 51.20 ± 13.21        | 53.05 ± 9.33  | 50.85 ± 11.66 | 53.61 ± 9.97  | 53.61 ± 8.69         |
| Phoneme                        | <b>19.05 ± 2.97</b>  | 18.15 ± 2.47        | <b>19.05 ± 2.97</b> | 6.61 ± 0.25         | 9.00 ± 1.08         | 10.58 ± 0.95        | 6.87 ± 0.83         | 9.00 ± 0.29          | 9.61 ± 1.88   | 9.30 ± 1.34   | 8.21 ± 0.75   | 15.63 ± 1.56         |
| PickupGestureWiimoteZ          | 56.00 ± 10.20        | 66.80 ± 5.93        | <b>73.60 ± 4.56</b> | 52.40 ± 1.67        | 56.80 ± 9.55        | 57.33 ± 3.06        | 27.33 ± 1.15        | 58.00 ± 3.46         | 42.00 ± 2.00  | 58.67 ± 1.15  | 56.80 ± 9.55  | 68.00 ± 2.45         |
| PigAirwayPressure              | 25.00 ± 2.61         | 13.37 ± 2.05        | <b>48.17 ± 0.40</b> | 5.10 ± 0.26         | 4.62 ± 0.55         | 4.81 ± 0.00         | 4.17 ± 2.22         | 6.73 ± 0.48          | 4.04 ± 0.87   | 5.93 ± 0.56   | 4.42 ± 0.86   | 9.81 ± 0.73          |
| PigArtPressure                 | <b>50.96 ± 5.81</b>  | 20.77 ± 3.29        | <b>68.17 ± 4.63</b> | 8.46 ± 0.65         | 5.10 ± 1.82         | 8.97 ± 1.21         | 6.57 ± 2.00         | 8.97 ± 0.73          | 6.92 ± 1.65   | 9.29 ± 1.11   | 18.17 ± 2.24  | 33.08 ± 1.33         |
| PigCVP                         | 29.33 ± 2.90         | 18.75 ± 2.40        | <b>62.98 ± 1.73</b> | 6.83 ± 0.22         | 3.37 ± 1.32         | 7.53 ± 0.56         | 4.65 ± 1.11         | 7.53 ± 0.28          | 3.75 ± 1.24   | 4.81 ± 0.48   | 10.38 ± 1.21  | 19.52 ± 0.55         |
| Plane                          | <b>100.00 ± 0.00</b> | 98.10 ± 2.43        | 99.62 ± 0.52        | 88.95 ± 7.93        | 95.24 ± 3.16        | 97.78 ± 0.55        | 96.51 ± 1.98        | 95.87 ± 1.45         | 97.14 ± 1.51  | 95.87 ± 0.55  | 23.05 ± 11.32 | 99.24 ± 1.24         |
| PowerCons                      | 80.56 ± 3.36         | <b>84.44 ± 5.02</b> | 84.00 ± 6.30        | 70.11 ± 5.26        | 81.11 ± 10.74       | 75.37 ± 5.45        | 54.26 ± 3.90        | 80.93 ± 10.72        | 52.22 ± 4.39  | 78.52 ± 10.32 | 68.89 ± 15.97 | 76.11 ± 6.55         |
| ProximalPhalanxOutlineAgeGroup | 73.37 ± 8.19         | 81.76 ± 3.12        | 79.90 ± 3.95        | 65.56 ± 9.78        | 75.41 ± 5.61        | 79.02 ± 7.19        | 79.02 ± 8.46        | <b>84.07 ± 1.71</b>  | 74.34 ± 7.73  | 80.00 ± 3.41  | 43.61 ± 12.69 | 76.88 ± 5.79         |
| ProximalPhalanxOutlineCorrect  | <b>69.35 ± 11.27</b> | 69.00 ± 5.91        | 69.28 ± 9.35        | 64.47 ± 0.52        | 63.71 ± 8.48        | 65.18 ± 3.44        | 64.60 ± 1.57        | 63.69 ± 1.73         | 63.16 ± 5.61  | 66.67 ± 4.47  | 55.26 ± 17.89 | 65.84 ± 4.70         |
| ProximalPhalanxTW              | 62.34 ± 7.16         | 66.44 ± 4.62        | <b>69.37 ± 2.52</b> | 53.37 ± 11.45       | 65.27 ± 5.74        | 58.05 ± 7.67        | 58.21 ± 7.39        | 55.45 ± 4.15         | 60.00 ± 4.28  | 55.28 ± 3.66  | 27.32 ± 18.90 | 66.24 ± 3.19         |
| RefrigerationDevices           | 42.83 ± 1.65         | 43.20 ± 6.13        | <b>44.00 ± 6.18</b> | 33.33 ± 2.73        | 37.92 ± 6.42        | 38.93 ± 3.24        | 31.20 ± 3.23        | 32.98 ± 2.22         | 32.32 ± 2.29  | 38.04 ± 3.74  | 34.61 ± 1.83  | 40.96 ± 5.59         |
| Rock                           | 42.00 ± 5.29         | 36.80 ± 7.16        | 38.40 ± 4.34        | 80.40 ± 2.97        | 60.80 ± 5.93        | 80.67 ± 1.15        | 81.33 ± 3.06        | <b>88.67 ± 2.31</b>  | 59.20 ± 3.63  | 85.33 ± 3.06  | 33.60 ± 5.90  | 76.00 ± 3.16         |
| ScreenType                     | 42.56 ± 7.61         | 41.33 ± 8.02        | 40.64 ± 8.17        | 35.41 ± 2.78        | 36.16 ± 4.77        | 35.56 ± 2.39        | 32.18 ± 2.24        | 36.09 ± 2.30         | 32.53 ± 1.41  | 35.02 ± 0.41  | 34.08 ± 2.12  | 34.51 ± 4.14         |
| SemgHandGenderCh2              | 58.13 ± 2.49         | 66.47 ± 7.67        | 56.07 ± 2.82        | 65.13 ± 3.61        | <b>67.13 ± 2.65</b> | 50.28 ± 5.31        | 55.83 ± 13.67       | 55.06 ± 2.04         | 54.63 ± 4.30  | 47.94 ± 16.07 | 59.97 ± 7.08  | 66.80 ± 7.25         |
| SemgHandMovementCh2            | 30.89 ± 3.99         | 33.91 ± 3.59        | 34.40 ± 6.06        | 32.84 ± 5.27        | 26.49 ± 1.89        | 27.70 ± 2.36        | 20.59 ± 1.85        | 29.48 ± 2.44         | 21.64 ± 2.79  | 23.41 ± 3.03  | 33.16 ± 2.38  | <b>36.31 ± 5.92</b>  |
| SemgHandSubjectCh2             | 37.11 ± 4.58         | 44.09 ± 1.20        | 35.60 ± 3.13        | 50.76 ± 1.90        | 49.02 ± 0.83        | 46.67 ± 2.12        | 27.78 ± 0.59        | 51.19 ± 2.74         | 30.62 ± 1.93  | 41.48 ± 6.03  | 36.62 ± 4.30  | <b>54.31 ± 3.37</b>  |
| ShakeGestureWiimoteZ           | 80.40 ± 4.34         | 91.60 ± 2.61        | 89.20 ± 1.10        | 56.40 ± 1.67        | 72.80 ± 5.22        | 62.00 ± 0.00        | 35.33 ± 1.15        | <b>60.67 ± 3.06</b>  | 44.00 ± 2.45  | 55.33 ± 2.31  | 72.80 ± 5.22  | <b>92.00 ± 0.00</b>  |
| ShapeletSim                    | 82.78 ± 10.96        | <b>99.67 ± 0.75</b> | 92.56 ± 6.55        | 49.44 ± 2.69        | 88.22 ± 10.06       | 55.93 ± 2.31        | 49.81 ± 2.80        | 49.63 ± 4.21         | 50.67 ± 1.82  | 49.44 ± 3.33  | 49.67 ± 3.98  | 92.00 ± 3.88         |
| ShapesAll                      | 57.57 ± 3.68         | 48.33 ± 5.58        | 57.57 ± 3.68        | 58.13 ± 1.68        | 51.50 ± 3.69        | 64.67 ± 1.64        | 9.22 ± 0.79         | 65.83 ± 3.88         | 13.83 ± 3.47  | 59.22 ± 2.28  | 56.47 ± 1.46  | <b>76.20 ± 1.83</b>  |
| SmallKitchenAppliances         | 59.47 ± 8.51         | 57.39 ± 6.38        | <b>62.35 ± 6.85</b> | 39.04 ± 4.11        | 57.55 ± 2.52        | 57.51 ± 6.62        | 38.67 ± 2.54        | 39.56 ± 5.26         | 46.67 ± 3.53  | 56.62 ± 3.96  | 44.00 ± 7.15  | 51.63 ± 12.25        |
| SmoothSubspace                 | 86.80 ± 2.13         | 82.00 ± 2.83        | <b>88.67 ± 2.36</b> | 33.87 ± 1.19        | 57.07 ± 4.58        | 65.78 ± 2.04        | 69.33 ± 3.71        | 61.11 ± 0.77         | 77.07 ± 5.51  | 84.00 ± 4.81  | 37.07 ± 6.74  | 88.00 ± 2.87         |
| SonyAIBORobotSurface1          | 93.94 ± 2.22         | <b>95.71 ± 1.41</b> | 92.85 ± 2.46        | 61.83 ± 10.72       | 84.73 ± 2.02        | 71.21 ± 3.16        | 67.39 ± 1.20        | 71.60 ± 6.11         | 64.96 ± 2.40  | 64.89 ± 3.03  | 54.54 ± 12.34 | 84.86 ± 2.67         |
| SonyAIBORobotSurface2          | <b>92.51 ± 3.32</b>  | 91.14 ± 0.89        | 91.54 ± 4.19        | 78.15 ± 2.59        | 85.83 ± 4.10        | 79.96 ± 1.73        | 83.11 ± 2.73        | 81.78 ± 2.73         | 80.76 ± 4.57  | 83.21 ± 2.88  | 61.15 ± 14.84 | 77.21 ± 3.67         |
| StarLightCurves                | 81.52 ± 8.85         | 60.67 ± 16.70       | 76.44 ± 1.22        | 74.70 ± 4.25        | 76.72 ± 3.78        | 75.63 ± 4.10        | 28.48 ± 9.45        | 75.33 ± 3.39         | 27.99 ± 0.00  | 75.69 ± 5.23  | 75.95 ± 2.54  | <b>81.86 ± 7.93</b>  |
| Strawberry                     | 63.51 ± 2.99         | 64.22 ± 4.90        | 60.22 ± 9.83        | 58.49 ± 2.90        | 63.03 ± 7.09        | 61.89 ± 4.92        | <b>67.21 ± 4.90</b> | 59.82 ± 1.80         | 61.03 ± 3.64  | 65.77 ± 7.40  | 52.92 ± 6.34  | 58.05 ± 7.04         |
| SwedishLeaf                    | <b>79.81 ± 1.70</b>  | 76.00 ± 4.97        | <b>79.81 ± 1.70</b> | 47.97 ± 1.68        | 65.66 ± 4.54        | 62.61 ± 4.53        | 49.23 ± 4.26        | 67.15 ± 4.00         | 56.93 ± 3.43  | 62.29 ± 1.68  | 15.90 ± 6.80  | 79.78 ± 2.56         |
| Symbols                        | 88.78 ± 7.99         | 88.74 ± 7.74        | <b>91.24 ± 0.96</b> | 83.44 ± 1.29        | 84.92 ± 3.31        | 84.29 ± 1.01        | 36.11 ± 0.23        | 86.40 ± 1.63         | 58.19 ± 7.40  | 83.75 ± 0.90  | 27.56 ± 4.43  | 88.04 ± 1.30         |
| SyntheticControl               | 87.80 ± 2.38         | <b>96.33 ± 0.33</b> | 92.60 ± 1.01        | 48.53 ± 3.68        | 92.73 ± 2.94        | 73.22 ± 3.10        | 52.11 ± 3.20        | 66.22 ± 3.66         | 56.27 ± 3.45  | 72.78 ± 3.66  | 20.93 ± 4.87  | <b>95.07 ± 1.62</b>  |
| ToeSegmentation1               | <b>85.96 ± 7.05</b>  | 77.37 ± 5.14        | <b>81.58 ± 5.14</b> | 54.74 ± 3.58        | 68.16 ± 3.79        | 55.56 ± 2.16        | 53.95 ± 2.74        | 51.61 ± 0.91         | 53.25 ± 3.38  | 54.82 ± 1.32  | 48.77 ± 4.31  | 70.53 ± 10.39        |
| ToeSegmentation2               | 74.77 ± 12.53        | 77.85 ± 7.33        | 74.77 ± 8.79        | 50.77 ± 2.88        | 68.46 ± 6.25        | 58.97 ± 1.60        | 50.26 ± 0.44        | 59.49 ± 6.72         | 37.54 ± 3.14  | 64.10 ± 2.70  | 52.31 ± 9.12  | <b>78.00 ± 6.36</b>  |
| Trace                          | 88.60 ± 7.37         | 99.00 ± 1.00        | 93.00 ± 8.00        | 53.00 ± 4.42        | 76.40 ± 5.77        | 51.67 ± 4.93        | 53.33 ± 2.08        | 49.67 ± 3.79         | 59.80 ± 2.59  | 55.67 ± 8.50  | 48.80 ± 10.71 | <b>100.00 ± 0.00</b> |
| TwoLeadECG                     | <b>97.98 ± 4.17</b>  | 95.47 ± 5.89        | 75.84 ± 5.58        | 58.75 ± 2.38        | 82.55 ± 14.28       | 62.16 ± 1.52        | 60.81 ± 0.10        | 56.34 ± 2.59         | 61.88 ± 1.65  | 68.51 ± 9.61  | 52.10 ± 2.73  | 96.68 ± 5.58         |
| TwoPatterns                    | 64.62 ± 3.64         | <b>74.98 ± 5.04</b> | 74.94 ± 1.43        | 38.09 ± 3.07        | 51.91 ± 7.48        | 40.83 ± 3.89        | 26.00 ± 0.92        | 39.83 ± 3.80         | 26.50 ± 1.83  | 37.54 ± 1.63  | 27.50 ± 4.13  | 74.22 ± 2.81         |
| UMD                            | 87.08 ± 10.10        | 91.53 ± 5.28        | <b>96.67 ± 2.05</b> | 56.53 ± 3.69        | 74.44 ± 17.00       | 61.57 ± 1.45        | 62.96 ± 5.82        | 68.52 ± 10.79        | 71.81 ± 2.17  | 70.14 ± 10.69 | 48.47 ± 7.32  | 95.78 ± 2.33         |
| UWaveGestureLibraryAll         | 42.53 ± 1.15         | 39.33 ± 5.11        | 44.53 ± 1.84        | 77.02 ± 5.21        | 57.17 ± 2.24        | <b>78.18 ± 3.39</b> | 26.42 ± 1.62        | 77.47 ± 3.61         | 35.67 ± 1.53  | 76.96 ± 4.32  | 65.94 ± 6.48  | 48.36 ± 0.30         |
| UWaveGestureLibraryX           | 39.64 ± 3.12         | 46.31 ± 4.46        | 46.23 ± 4.40        | 56.88 ± 2.64        | 50.95 ± 2.22        | 58.42 ± 2.37        | 19.27 ± 3.18        | <b>58.58 ± 2.34</b>  | 31.22 ± 3.55  | 57.86 ± 1.47  | 26.48 ± 5.59  | 47.36 ± 0.30         |
| UWaveGestureLibraryY           | 37.00 ± 1.20         | 38.44 ± 2.57        | 40.23 ± 3.63        | <b>52.69 ± 2.24</b> | 48.41 ± 3.12        | 51.42 ± 3.10        | 21.22 ± 1.11        | 51.72 ± 2.98         | 30.92 ± 5.43  | 50.81 ± 4.53  | 19.79 ± 3.07  | 51.36 ± 0.31         |
| UWaveGestureLibraryZ           | 38.74 ± 2.41         | 44.95 ± 4.51        | 40.85 ± 4.13        | 48.35 ± 3.41        | 47.76 ± 4.10        | 50.34 ± 2.37        | 20.23 ± 1.68        | 49.48 ± 1.66         | 31.23 ± 4.16  | 48.05 ± 3.36  | 25.20 ± 6.78  | <b>55.54 ± 2.61</b>  |
| Wafer                          | 76.83 ± 9.15         | 69.99 ± 14.88       | 71.79 ± 15.46       | 55.60 ± 16.77       | 73.34 ± 19.66       | 80.42 ± 16.85       | 76.25 ± 9.34        | <b>83.86 ± 16.37</b> | 75.80 ± 12.54 | 83.26 ± 17.85 | 64.01 ± 22.29 | 71.65 ± 9.58         |
| Wine                           | 57.41 ± 13.03        | 48.15 ± 3.93        | <b>61.11 ± 5.40</b> | 55.93 ± 3.56        | 53.33 ± 5.62        | 47.53 ± 8.35        | 54.94 ± 8.55        | 50.00 ± 0.00         | 46.67 ± 6.47  | 37.65 ± 19.80 | 50.00 ± 0.00  | 51.48 ± 2.03         |
| WordSynonyms                   | 25.08 ± 1.54         | 21.22 ± 1.56        | 25.08 ± 1.54        | 29.56 ± 2.06        | 30.38 ± 2.74        | 45.87 ± 4.63        | 7.99 ± 1.24         | 44.67 ± 4.83         | 18.81 ± 2.07  | 41.33 ± 4.67  | 22.26 ± 2.64  | <b>47.05 ± 3.87</b>  |
| Worms                          | 57.14 ± 9.76         | 55.58 ± 5.91        | <b>62.86 ± 4.55</b> | 24.68 ± 4.68        | 40.26 ± 5.11        | 22.94 ± 0.75        | 19.91 ± 3.27        | 25.97 ± 0.00         | 16.62 ± 2.32  | 22.08 ± 1.30  | 22.08 ± 5.11  | 44.42 ± 6.26         |
| WormsTwoClass                  | <b>68.05 ± 7.21</b>  | 59.74 ± 6.69        | 62.08 ± 7.97        | 48.83 ± 3.13        | 51.17 ± 8.09        | 52.38 ± 2.70        | 42.86 ± 3.44        | 51.08 ± 5.25         | 48.83 ± 3.26  | 52.81 ± 3.27  | 48.83 ± 5.92  | 54.81 ± 7.59         |
| Yoga                           | <b>55.71 ± 3.37</b>  | 53.57 ± 4.72        | <b>55.19 ± 2.57</b> | 50.13 ± 2.22        | 53.89 ± 3.78        | 49.79 ± 3.21        | 52.94 ± 1.57        | 47.50 ± 3.55         | 51.67 ± 1.99  | 49.68 ± 4.28  | 48.87 ± 2.05  | 51.31 ± 4.34         |
| Avg. Acc.                      | 61.27                | 59.47               | <b>63.55</b>        | 52.30               | 56.94               | 57.86               | 43.20               | 57.20                | 47.30         | 58.35         | 42.94         | <b>64.14</b>         |
| Avg. Rank                      | 4.77                 | 5.34                | <b>4.23</b>         | 7.73                | 6.60                | 5.69                | 9.55                | 5.94                 | 8.70          | 5.79          | 9.48          | <b>4.19</b>          |
| #Best                          | 21                   | 13                  | <b>30</b>           | 6                   | 4                   | 8                   | 4                   | 7                    | 2             | 8             | 1             | <b>36</b>            |

TABLE 13: Per-dataset 10-shot classification results on 128 UCR datasets. Each value is reported as mean  $\pm$  standard deviation over 5 runs.

| Dataset                      | ResNet                             | TapNet                             | COSCO-ResNet                        | DLinear                            | PatchTST                           | TimesNet                           | Autoformer                         | Crossformer                        | FEDformer                          | Informer                           | GPT4TS                             | TimeMorph                          |
|------------------------------|------------------------------------|------------------------------------|-------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| ACSF1                        | <b>85.40 <math>\pm</math> 2.19</b> | 76.80 $\pm$ 3.35                   | 80.80 $\pm$ 0.84                    | 38.60 $\pm$ 0.89                   | 58.80 $\pm$ 2.59                   | 64.67 $\pm$ 0.58                   | 42.67 $\pm$ 1.53                   | 67.00 $\pm$ 2.00                   | 53.60 $\pm$ 2.51                   | 67.00 $\pm$ 2.00                   | 36.80 $\pm$ 3.27                   | 81.33 $\pm$ 1.53                   |
| Adiac                        | 62.46 $\pm$ 4.53                   | 56.98 $\pm$ 3.84                   | 62.46 $\pm$ 4.53                    | 45.32 $\pm$ 1.06                   | 47.72 $\pm$ 5.48                   | 56.01 $\pm$ 2.77                   | 48.68 $\pm$ 0.78                   | 47.91 $\pm$ 6.68                   | 71.71 $\pm$ 1.94                   | 48.00 $\pm$ 3.58                   | 12.84 $\pm$ 1.42                   | <b>76.42 <math>\pm</math> 1.68</b> |
| AllGestureWiimoteX           | 49.37 $\pm$ 3.15                   | 43.11 $\pm$ 2.57                   | 39.26 $\pm$ 2.50                    | 23.91 $\pm$ 1.60                   | 43.54 $\pm$ 2.85                   | 37.14 $\pm$ 0.52                   | 15.00 $\pm$ 0.87                   | 35.19 $\pm$ 1.33                   | <b>25.80 <math>\pm</math> 2.24</b> | 31.00 $\pm$ 1.57                   | 43.54 $\pm$ 2.85                   | <b>52.31 <math>\pm</math> 2.65</b> |
| AllGestureWiimoteY           | <b>54.89 <math>\pm</math> 2.09</b> | 50.74 $\pm$ 4.62                   | 40.17 $\pm$ 2.24                    | 27.26 $\pm$ 1.11                   | 48.03 $\pm$ 1.58                   | 42.57 $\pm$ 3.19                   | 16.95 $\pm$ 2.22                   | 42.57 $\pm$ 3.81                   | 30.37 $\pm$ 4.65                   | 41.24 $\pm$ 2.84                   | 48.03 $\pm$ 1.58                   | <b>56.34 <math>\pm</math> 3.54</b> |
| AllGestureWiimoteZ           | <b>49.34 <math>\pm</math> 1.38</b> | 46.03 $\pm$ 2.76                   | 39.80 $\pm$ 2.97                    | 22.43 $\pm$ 1.80                   | 34.54 $\pm$ 4.20                   | 31.29 $\pm$ 1.13                   | 16.67 $\pm$ 1.15                   | 29.67 $\pm$ 3.32                   | 21.71 $\pm$ 1.69                   | 32.19 $\pm$ 0.59                   | 34.54 $\pm$ 4.20                   | 44.43 $\pm$ 2.91                   |
| ArrowHead                    | 72.23 $\pm$ 5.22                   | 63.89 $\pm$ 7.06                   | 65.49 $\pm$ 9.09                    | 64.34 $\pm$ 0.65                   | 62.86 $\pm$ 7.57                   | 60.38 $\pm$ 1.19                   | 48.19 $\pm$ 2.58                   | 59.62 $\pm$ 2.88                   | 57.83 $\pm$ 5.80                   | 63.43 $\pm$ 3.48                   | 45.83 $\pm$ 13.23                  | <b>81.49 <math>\pm</math> 3.32</b> |
| BME                          | 64.27 $\pm$ 9.29                   | 69.33 $\pm$ 1.56                   | 78.67 $\pm$ 4.64                    | 64.53 $\pm$ 0.30                   | 97.60 $\pm$ 3.29                   | 71.11 $\pm$ 2.34                   | 78.89 $\pm$ 1.02                   | 88.44 $\pm$ 1.02                   | 91.33 $\pm$ 2.31                   | 86.67 $\pm$ 0.00                   | 46.40 $\pm$ 7.46                   | <b>99.20 <math>\pm</math> 0.20</b> |
| Beef                         | 51.33 $\pm$ 6.91                   | 44.00 $\pm$ 6.83                   | 52.00 $\pm$ 2.98                    | 61.33 $\pm$ 4.47                   | 46.00 $\pm$ 6.41                   | 70.00 $\pm$ 3.33                   | 51.11 $\pm$ 5.09                   | 54.44 $\pm$ 3.85                   | 64.00 $\pm$ 7.23                   | <b>80.00 <math>\pm</math> 0.00</b> | 37.33 $\pm$ 4.35                   | 68.00 $\pm$ 1.83                   |
| BeetleFly                    | 71.00 $\pm$ 8.94                   | 74.00 $\pm$ 6.52                   | 75.00 $\pm$ 6.12                    | 86.00 $\pm$ 4.18                   | 86.00 $\pm$ 2.24                   | 81.67 $\pm$ 2.89                   | 48.33 $\pm$ 2.89                   | 83.33 $\pm$ 2.89                   | 49.00 $\pm$ 11.94                  | 75.00 $\pm$ 5.00                   | 70.00 $\pm$ 12.25                  | <b>96.67 <math>\pm</math> 2.89</b> |
| BirdChicken                  | 84.00 $\pm$ 12.45                  | 92.00 $\pm$ 5.70                   | <b>94.00 <math>\pm</math> 4.18</b>  | 68.00 $\pm$ 2.74                   | 81.00 $\pm$ 9.62                   | 71.67 $\pm$ 7.64                   | 41.67 $\pm$ 7.64                   | 68.33 $\pm$ 16.07                  | 56.00 $\pm$ 5.48                   | 56.67 $\pm$ 7.64                   | 56.00 $\pm$ 4.18                   | 89.00 $\pm$ 5.48                   |
| CBF                          | 98.96 $\pm$ 0.23                   | 98.27 $\pm$ 0.96                   | <b>99.24 <math>\pm</math> 0.32</b>  | 67.49 $\pm$ 2.09                   | 95.98 $\pm$ 4.64                   | 90.07 $\pm$ 1.09                   | 39.37 $\pm$ 1.51                   | 91.44 $\pm$ 1.93                   | 51.24 $\pm$ 7.49                   | 90.11 $\pm$ 0.88                   | 49.31 $\pm$ 9.05                   | 97.71 $\pm$ 0.69                   |
| Car                          | 57.67 $\pm$ 10.84                  | 58.67 $\pm$ 3.21                   | 65.33 $\pm$ 2.17                    | 73.00 $\pm$ 2.98                   | 62.67 $\pm$ 5.22                   | 70.00 $\pm$ 2.89                   | 27.22 $\pm$ 5.85                   | 65.56 $\pm$ 0.96                   | 37.33 $\pm$ 3.84                   | 72.22 $\pm$ 1.92                   | 50.33 $\pm$ 8.28                   | <b>76.33 <math>\pm</math> 5.45</b> |
| Chinatown                    | <b>98.19 <math>\pm</math> 0.13</b> | 98.13 $\pm$ 0.16                   | <b>98.54 <math>\pm</math> 0.21</b>  | 54.58 $\pm$ 24.80                  | 97.73 $\pm$ 0.75                   | 94.75 $\pm$ 2.10                   | 95.63 $\pm$ 1.01                   | 97.28 $\pm$ 0.61                   | 96.62 $\pm$ 0.60                   | 96.60 $\pm$ 1.10                   | 63.56 $\pm$ 20.21                  | 94.56 $\pm$ 3.09                   |
| ChlorineConcentration        | <b>41.18 <math>\pm</math> 3.66</b> | 34.41 $\pm$ 8.63                   | 37.86 $\pm$ 5.20                    | 34.42 $\pm$ 4.40                   | 35.51 $\pm$ 6.32                   | 35.06 $\pm$ 1.39                   | 38.85 $\pm$ 1.62                   | 32.99 $\pm$ 4.01                   | 39.05 $\pm$ 4.08                   | <b>39.50 <math>\pm</math> 4.07</b> | 33.01 $\pm$ 11.68                  | 34.77 $\pm$ 6.93                   |
| CinCECGTorso                 | 54.03 $\pm$ 3.03                   | 65.94 $\pm$ 5.62                   | 64.64 $\pm$ 5.11                    | 45.36 $\pm$ 1.09                   | 80.65 $\pm$ 7.24                   | 81.59 $\pm$ 1.76                   | 35.82 $\pm$ 2.41                   | 84.42 $\pm$ 2.94                   | 63.93 $\pm$ 1.27                   | <b>85.19 <math>\pm</math> 1.24</b> | 52.77 $\pm$ 4.47                   | <b>94.71 <math>\pm</math> 4.65</b> |
| Coffee                       | 97.14 $\pm$ 6.39                   | 97.14 $\pm$ 1.60                   | <b>100.00 <math>\pm</math> 0.00</b> | 96.43 $\pm$ 4.37                   | 97.86 $\pm$ 1.96                   | 91.67 $\pm$ 2.06                   | 86.90 $\pm$ 16.50                  | 92.86 $\pm$ 0.00                   | 98.57 $\pm$ 3.19                   | 90.48 $\pm$ 2.06                   | 56.43 $\pm$ 7.74                   | 95.71 $\pm$ 2.99                   |
| Computers                    | 66.48 $\pm$ 3.03                   | 63.20 $\pm$ 6.81                   | <b>68.08 <math>\pm</math> 4.62</b>  | 48.88 $\pm$ 2.52                   | 56.40 $\pm$ 10.98                  | 52.13 $\pm$ 9.60                   | 52.13 $\pm$ 6.02                   | 50.93 $\pm$ 12.73                  | 49.68 $\pm$ 5.04                   | 53.87 $\pm$ 12.94                  | 51.52 $\pm$ 3.69                   | 65.60 $\pm$ 6.66                   |
| CricketX                     | 60.72 $\pm$ 2.35                   | 55.18 $\pm$ 4.36                   | 51.28 $\pm$ 3.40                    | 30.15 $\pm$ 2.84                   | 42.92 $\pm$ 1.99                   | 46.50 $\pm$ 1.21                   | 14.27 $\pm$ 1.71                   | 45.38 $\pm$ 2.45                   | 20.87 $\pm$ 2.94                   | 45.38 $\pm$ 1.94                   | 19.33 $\pm$ 2.95                   | <b>66.92 <math>\pm</math> 2.71</b> |
| CricketY                     | 56.92 $\pm$ 2.81                   | 49.44 $\pm$ 1.94                   | 47.69 $\pm$ 2.43                    | 32.82 $\pm$ 4.21                   | 42.15 $\pm$ 5.17                   | 44.62 $\pm$ 0.44                   | 9.32 $\pm$ 1.04                    | 44.02 $\pm$ 2.09                   | 17.90 $\pm$ 2.44                   | 41.11 $\pm$ 0.53                   | 23.95 $\pm$ 3.97                   | <b>57.95 <math>\pm</math> 1.33</b> |
| CricketZ                     | 63.18 $\pm$ 1.66                   | 57.38 $\pm$ 2.58                   | 48.82 $\pm$ 4.98                    | 30.56 $\pm$ 3.52                   | 43.18 $\pm$ 5.27                   | 46.32 $\pm$ 1.71                   | 12.91 $\pm$ 2.15                   | 47.78 $\pm$ 1.41                   | 18.26 $\pm$ 2.08                   | 45.30 $\pm$ 1.50                   | 21.95 $\pm$ 3.02                   | <b>65.30 <math>\pm</math> 1.16</b> |
| Crop                         | 57.92 $\pm$ 1.22                   | 54.52 $\pm$ 1.67                   | 57.92 $\pm$ 1.22                    | 44.46 $\pm$ 2.10                   | 44.96 $\pm$ 1.35                   | 54.14 $\pm$ 2.07                   | 52.84 $\pm$ 0.15                   | 54.82 $\pm$ 1.79                   | 54.74 $\pm$ 0.79                   | 54.60 $\pm$ 1.45                   | 25.02 $\pm$ 2.10                   | <b>57.97 <math>\pm</math> 1.25</b> |
| DiatomSizeReduction          | 87.32 $\pm$ 3.50                   | 71.05 $\pm$ 13.58                  | <b>96.80 <math>\pm</math> 0.91</b>  | 44.77 $\pm$ 1.16                   | 62.68 $\pm$ 4.64                   | 87.04 $\pm$ 1.80                   | 66.88 $\pm$ 2.86                   | 51.96 $\pm$ 5.03                   | 48.89 $\pm$ 18.63                  | 87.47 $\pm$ 0.19                   | 30.13 $\pm$ 0.15                   | <b>92.61 <math>\pm</math> 2.00</b> |
| DistalPhalanxOutlineAgeGroup | 68.20 $\pm$ 2.98                   | 68.78 $\pm$ 4.24                   | 70.50 $\pm$ 1.61                    | 69.50 $\pm$ 1.66                   | 69.50 $\pm$ 2.81                   | 66.67 $\pm$ 1.10                   | 65.71 $\pm$ 3.62                   | 70.50 $\pm$ 1.25                   | 68.78 $\pm$ 2.72                   | 66.91 $\pm$ 1.25                   | 48.06 $\pm$ 11.76                  | <b>70.65 <math>\pm</math> 2.18</b> |
| DistalPhalanxOutlineCorrect  | 64.78 $\pm$ 12.49                  | 65.07 $\pm$ 11.29                  | 63.62 $\pm$ 12.87                   | 50.00 $\pm$ 13.55                  | 60.14 $\pm$ 9.92                   | 58.94 $\pm$ 4.04                   | <b>67.15 <math>\pm</math> 2.41</b> | 55.43 $\pm$ 14.84                  | 62.39 $\pm$ 9.46                   | 61.71 $\pm$ 6.72                   | 47.61 $\pm$ 8.80                   | 60.51 $\pm$ 11.85                  |
| DistalPhalanxTW              | 55.83 $\pm$ 3.65                   | 59.14 $\pm$ 2.12                   | <b>60.58 <math>\pm</math> 3.58</b>  | 47.34 $\pm$ 6.42                   | 57.55 $\pm$ 6.08                   | 53.96 $\pm$ 3.14                   | 53.00 $\pm$ 2.91                   | 54.92 $\pm$ 0.83                   | 52.52 $\pm$ 4.35                   | 54.92 $\pm$ 2.91                   | 32.37 $\pm$ 14.50                  | 54.10 $\pm$ 3.11                   |
| DodgerLoopDay                | 49.25 $\pm$ 3.71                   | 47.25 $\pm$ 4.28                   | 39.75 $\pm$ 3.11                    | 41.50 $\pm$ 2.24                   | 47.00 $\pm$ 4.11                   | <b>49.58 <math>\pm</math> 5.64</b> | 28.75 $\pm$ 2.50                   | 45.42 $\pm$ 1.91                   | 29.00 $\pm$ 2.40                   | 48.75 $\pm$ 1.25                   | 47.00 $\pm$ 4.11                   | 48.75 $\pm$ 1.77                   |
| DodgerLoopGame               | 68.70 $\pm$ 6.09                   | 83.33 $\pm$ 5.28                   | 75.07 $\pm$ 2.64                    | 79.28 $\pm$ 0.97                   | <b>88.84 <math>\pm</math> 1.67</b> | 76.81 $\pm$ 1.26                   | 48.79 $\pm$ 3.42                   | 81.40 $\pm$ 1.51                   | 53.48 $\pm$ 2.83                   | 78.99 $\pm$ 1.45                   | <b>88.84 <math>\pm</math> 1.67</b> | 83.62 $\pm$ 0.65                   |
| DodgerLoopWeekend            | 94.06 $\pm$ 1.39                   | 94.20 $\pm$ 2.11                   | 96.81 $\pm$ 0.83                    | <b>97.83 <math>\pm</math> 0.00</b> | 96.81 $\pm$ 0.65                   | 96.86 $\pm$ 0.42                   | 72.71 $\pm$ 1.82                   | 97.58 $\pm$ 0.42                   | 76.38 $\pm$ 1.82                   | 97.10 $\pm$ 0.00                   | 96.81 $\pm$ 0.65                   | <b>97.83 <math>\pm</math> 0.00</b> |
| ECG200                       | 80.00 $\pm$ 4.00                   | <b>83.00 <math>\pm</math> 2.00</b> | 80.40 $\pm$ 4.28                    | 77.60 $\pm$ 4.34                   | 79.80 $\pm$ 6.53                   | 79.33 $\pm$ 3.21                   | 78.00 $\pm$ 3.61                   | 81.00 $\pm$ 5.00                   | 82.00 $\pm$ 2.92                   | 82.00 $\pm$ 3.61                   | 63.00 $\pm$ 15.26                  | 77.40 $\pm$ 4.88                   |
| ECG5000                      | 83.56 $\pm$ 5.09                   | 78.23 $\pm$ 2.20                   | 80.72 $\pm$ 4.37                    | <b>88.37 <math>\pm</math> 1.22</b> | 76.31 $\pm$ 5.83                   | 79.59 $\pm$ 2.75                   | 73.64 $\pm$ 2.21                   | 84.75 $\pm$ 1.16                   | 79.28 $\pm$ 5.11                   | 82.19 $\pm$ 1.79                   | 24.56 $\pm$ 15.15                  | 73.78 $\pm$ 6.18                   |
| ECGFiveDays                  | 95.40 $\pm$ 1.88                   | 88.99 $\pm$ 4.44                   | <b>97.56 <math>\pm</math> 1.20</b>  | 74.87 $\pm$ 4.61                   | 94.61 $\pm$ 2.00                   | 83.82 $\pm$ 7.05                   | 96.44 $\pm$ 1.42                   | 91.64 $\pm$ 1.90                   | 97.51 $\pm$ 1.12                   | 86.18 $\pm$ 8.29                   | 57.47 $\pm$ 4.38                   | 75.28 $\pm$ 1.71                   |
| EthanolHorizontalSignal      | 30.61 $\pm$ 3.99                   | 43.15 $\pm$ 5.84                   | 30.94 $\pm$ 3.48                    | 29.89 $\pm$ 1.60                   | 38.78 $\pm$ 6.14                   | 39.59 $\pm$ 1.67                   | 8.01 $\pm$ 1.27                    | 41.62 $\pm$ 1.42                   | 10.61 $\pm$ 3.44                   | 40.06 $\pm$ 3.72                   | 39.56 $\pm$ 4.17                   | <b>49.17 <math>\pm</math> 1.62</b> |
| EOGVerticalSignal            | 21.71 $\pm$ 2.53                   | 28.23 $\pm$ 2.47                   | 19.83 $\pm$ 3.08                    | 31.55 $\pm$ 2.19                   | 40.06 $\pm$ 1.98                   | 36.00 $\pm$ 1.12                   | 8.47 $\pm$ 0.84                    | 37.75 $\pm$ 1.67                   | 11.99 $\pm$ 1.33                   | 37.02 $\pm$ 1.99                   | 30.55 $\pm$ 3.17                   | <b>42.21 <math>\pm</math> 2.26</b> |
| Earthquakes                  | 53.81 $\pm$ 8.62                   | 53.96 $\pm$ 9.50                   | 51.37 $\pm$ 3.47                    | 52.52 $\pm$ 6.49                   | 54.82 $\pm$ 2.85                   | 60.91 $\pm$ 4.63                   | 49.16 $\pm$ 8.34                   | 59.71 $\pm$ 6.86                   | 54.68 $\pm$ 5.26                   | <b>61.87 <math>\pm</math> 3.60</b> | 47.91 $\pm$ 6.66                   | 54.68 $\pm$ 7.63                   |
| ElectricDevices              | 40.12 $\pm$ 4.42                   | 38.65 $\pm$ 3.96                   | 36.00 $\pm$ 4.64                    | 28.04 $\pm$ 1.63                   | 39.08 $\pm$ 8.26                   | 48.59 $\pm$ 6.21                   | 30.07 $\pm$ 3.26                   | 33.74 $\pm$ 3.43                   | 37.44 $\pm$ 1.49                   | 48.14 $\pm$ 2.51                   | 16.08 $\pm$ 5.57                   | <b>49.42 <math>\pm</math> 5.02</b> |
| EthanolLevel                 | 26.56 $\pm$ 1.96                   | 25.76 $\pm$ 1.05                   | 26.16 $\pm$ 0.71                    | 29.28 $\pm$ 1.78                   | 25.92 $\pm$ 1.70                   | 28.07 $\pm$ 2.55                   | 25.20 $\pm$ 3.34                   | 26.80 $\pm$ 0.69                   | 25.60 $\pm$ 1.13                   | <b>29.87 <math>\pm</math> 2.47</b> | 25.56 $\pm$ 1.05                   | 28.24 $\pm$ 5.02                   |
| FaceAll                      | 77.73 $\pm$ 3.48                   | <b>80.30 <math>\pm</math> 1.67</b> | 77.73 $\pm$ 3.48                    | 67.09 $\pm$ 2.40                   | 54.49 $\pm$ 5.41                   | 67.46 $\pm$ 1.82                   | 59.68 $\pm$ 1.83                   | 67.32 $\pm$ 2.82                   | 60.69 $\pm$ 2.63                   | 64.06 $\pm$ 2.32                   | 32.89 $\pm$ 2.71                   | 63.01 $\pm$ 1.34                   |
| FaceFour                     | 87.95 $\pm$ 3.07                   | 59.32 $\pm$ 7.51                   | <b>92.95 <math>\pm</math> 2.03</b>  | 74.77 $\pm$ 0.95                   | 66.36 $\pm$ 10.77                  | 85.98 $\pm$ 1.31                   | 65.91 $\pm$ 2.27                   | 88.26 $\pm$ 0.66                   | 69.55 $\pm$ 1.69                   | 83.71 $\pm$ 1.31                   | 34.55 $\pm$ 3.82                   | 79.09 $\pm$ 1.90                   |
| FacesUCR                     | <b>87.80 <math>\pm</math> 1.60</b> | 84.26 $\pm$ 2.06                   | 82.41 $\pm$ 2.48                    | 63.80 $\pm$ 1.79                   | 54.40 $\pm$ 3.05                   | 80.54 $\pm$ 1.15                   | 70.11 $\pm$ 1.05                   | <b>83.69 <math>\pm</math> 1.13</b> | 72.08 $\pm$ 1.16                   | 79.51 $\pm$ 1.53                   | 34.67 $\pm$ 3.28                   | 79.08 $\pm$ 1.41                   |
| FiftyWords                   | 45.36 $\pm$ 2.39                   | 36.70 $\pm$ 1.89                   | 45.36 $\pm$ 2.39                    | 53.67 $\pm$ 1.47                   | 50.46 $\pm$ 2.83                   | 64.32 $\pm$ 1.87                   | 16.85 $\pm$ 0.67                   | 67.99 $\pm$ 1.84                   | 37.05 $\pm$ 3.62                   | 57.36 $\pm$ 1.54                   | 56.40 $\pm$ 1.98                   | <b>71.34 <math>\pm</math> 2.10</b> |
| Fish                         | <b>83.31 <math>\pm</math> 3.78</b> | 56.00 $\pm$ 4.48                   | 71.54 $\pm$ 6.28                    | 65.60 $\pm$ 3.49                   | 62.74 $\pm$ 2.15                   | 68.95 $\pm$ 4.29                   | 24.38 $\pm$ 3.80                   | 71.05 $\pm$ 1.44                   | 57.14 $\pm$ 3.45                   | 75.05 $\pm$ 2.31                   | 38.17 $\pm$ 5.05                   | 78.29 $\pm$ 3.92                   |
| FordA                        | 78.26 $\pm$ 5.14                   | 75.61 $\pm$ 0.71                   | <b>78.70 <math>\pm</math> 3.26</b>  | 49.09 $\pm$ 0.93                   | 67.88 $\pm$ 3.90                   | 51.99 $\pm$ 2.52                   | 52.22 $\pm$ 0.95                   | 48.81 $\pm$ 1.31                   | 53.05 $\pm$ 1.09                   | 48.21 $\pm$ 1.67                   | 50.06 $\pm$ 2.65                   | 57.15 $\pm$ 1.85                   |
| FordB                        | <b>63.83 <math>\pm</math> 5.74</b> | 62.17 $\pm$ 3.33                   | 61.70 $\pm$ 3.19                    | 48.54 $\pm$ 0.72                   | 59.06 $\pm$ 1.85                   | 46.75 $\pm$ 0.61                   | 49.79 $\pm$ 1.45                   | 47.24 $\pm$ 1.24                   | 50.47 $\pm$ 2.25                   | 47.33 $\pm$ 0.14                   | 49.33 $\pm$ 1.67                   | 55.60 <                            |





TABLE 14  
Win/Tie/Loss of TimeMorph against selected baselines on 128 UCR datasets.

| Baseline     | 1-shot       | 2-shot       | 5-shot       | 10-shot     |
|--------------|--------------|--------------|--------------|-------------|
| COSCO-ResNet | 68 / 0 / 60  | 68 / 1 / 59  | 58 / 0 / 70  | 64 / 0 / 64 |
| PatchTST     | 97 / 0 / 31  | 97 / 0 / 31  | 99 / 0 / 29  | 94 / 2 / 32 |
| TimesNet     | 88 / 0 / 40  | 91 / 1 / 36  | 86 / 0 / 42  | 93 / 1 / 34 |
| GPT4TS       | 106 / 2 / 20 | 110 / 0 / 18 | 114 / 1 / 13 | 121 / 1 / 6 |
| ResNet       | 64 / 1 / 63  | 66 / 1 / 61  | 67 / 0 / 61  | 69 / 0 / 59 |
| TapNet       | 75 / 0 / 53  | 75 / 3 / 50  | 76 / 1 / 51  | 72 / 3 / 53 |

### A.1 Win–Tie–Loss Counts

Table 14 reports the complete win/tie/loss counts visualized in Figure 7.

## APPENDIX B

### ADDITIONAL EXPERIMENTAL DETAILS

#### B.1 Code Release and Assets

We will release an anonymized code package with the submission. The release includes the TimeMorph implementation, few-shot fine-tuning and evaluation utilities, baseline configurations, table-generation utilities, environment files, and dataset-preparation instructions. The code is released under the MIT license. The package does not redistribute raw third-party datasets or gated pretrained model weights; users should obtain those assets from the original providers and comply with their licenses and terms of use. The release documents which experiments are directly reproducible from the package and which require separately downloaded datasets or pretrained checkpoints.

#### B.2 Asset and License Table

Table 15 summarizes the main existing assets used in this paper. We list the original source, role, version when available, license or stated terms, and whether the asset is redistributed in our release. For assets whose official source does not state a separate dataset license, we cite the official repository or archive page and do not redistribute the raw data.

TABLE 15: Existing assets used in this paper and their licenses or stated terms. URLs were checked during manuscript preparation.

| Asset                          | Role                                                                  | Source / version                       | License or stated terms                                                                                                                                                  | Redistribution in our release                                                          |
|--------------------------------|-----------------------------------------------------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| UCR 2018                       | Archive Main few-shot benchmark and unlabeled Stage I source pool     | TSC website; Zenodo v1                 | Zenodo record lists Creative Commons Attribution 4.0 International (CC BY 4.0); archive should be cited via Daur et al.                                                  | Not redistributed; users should download it from the original archive or cited mirror. |
| TSQA / Chat-Time               | Stage I raw series and Stage II question-answer alignment data        | Hugging Face dataset card              | Apache-2.0 according to the Hugging Face dataset metadata                                                                                                                | Not redistributed; users should obtain it from the original dataset source.            |
| M4 Competition dataset         | Stage I raw series and Stage II captioning / attribute-alignment data | Official M4 repository                 | The official repository publicly provides the dataset and asks users to cite the M4 competition resources; no separate dataset LICENSE file was found in the repository. | Not redistributed; users download from the official repository.                        |
| MIT-BIH Arrhythmia Database    | External semantic-label evaluation                                    | PhysioNet v1.0.0                       | Open Data Commons Attribution License v1.0; preprocessing required                                                                                                       | Not redistributed; requires a local PhysioNet download.                                |
| PhysioNet/CinC 2017 AF dataset | External semantic-label evaluation                                    | PhysioNet v1.0.0                       | Open Data Commons Attribution License v1.0; preprocessing required                                                                                                       | Not redistributed; requires a local PhysioNet download.                                |
| Llama 3.2 1B                   | Pretrained causal LLM backbone                                        | Hugging Face model card                | Llama 3.2 Community License and Acceptable Use Policy                                                                                                                    | Not redistributed; users must obtain access from Meta / Hugging Face.                  |
| DINOv2-base                    | Frozen visual backbone                                                | Hugging Face model card                | Apache-2.0                                                                                                                                                               | Not redistributed; obtained from the original model repository.                        |
| OpenTSLM base code             | Starting codebase and time-series language-model components           | Project repository and release package | MIT license in the repository license file                                                                                                                               | Modified code is released in anonymized form under MIT, preserving applicable notices. |

TABLE 16

Computational efficiency and fine-tuning cost under the 10-shot UCR protocol. Total parameters count the full deployed model, while updated parameters count only the parameters fine-tuned on the downstream support set. Adapter size estimates the per-dataset trainable-state footprint. Runtime and memory are measured on representative UCR datasets using a single RTX 3090.

| Model        | Total params | Updated params | Updated % | Adapter MB | Peak GB | Train ms/step | Infer ms/ex. | Infer ex./s |
|--------------|--------------|----------------|-----------|------------|---------|---------------|--------------|-------------|
| TimeMorph    | 1.28B        | 12.2M          | 0.96      | 46.7       | 13.75   | 1207.8        | 156.85       | 6.4         |
| ResNet       | 629.1K       | 629.1K         | 100.00    | 2.4        | 0.33    | 13.2          | 0.26         | 4273.3      |
| TapNet       | 912.1K       | 912.1K         | 100.00    | 3.5        | 0.22    | 15.0          | 0.47         | 3345.0      |
| COSCO-ResNet | 662.1K       | 662.1K         | 100.00    | 2.5        | 0.58    | 50.8          | 0.25         | 4315.1      |
| PatchTST     | 665.4K       | 598.3K         | 90.80     | 2.3        | 1.54    | 32.6          | 0.75         | 2149.8      |
| DLinear      | 1.2M         | 1.2M           | 100.00    | 4.6        | 0.04    | 2.7           | 0.07         | 14389.5     |
| TimesNet     | 2.5M         | 2.5M           | 100.00    | 9.7        | 0.14    | 66.7          | 2.46         | 614.5       |
| Autoformer   | 1.2M         | 1.2M           | 100.00    | 4.5        | 0.40    | 23.1          | 11.10        | 91.3        |
| Crossformer  | 2.8M         | 2.8M           | 100.00    | 10.8       | 0.06    | 24.9          | 0.59         | 1709.6      |
| FEDformer    | 1.8M         | 1.8M           | 100.00    | 6.7        | 0.26    | 244.1         | 5.17         | 201.9       |
| Informer     | 1.4M         | 1.4M           | 100.00    | 5.3        | 0.22    | 18.0          | 0.62         | 1690.1      |
| GPT4TS       | 82.2M        | 1.1M           | 1.34      | 4.2        | 0.56    | 22.6          | 0.86         | 1181.2      |

TABLE 15: Existing assets used in this paper and their licenses or stated terms (continued).

| Asset                                                                                                          | Role                                                 | Source / version                                                 | License or stated terms                           | Redistribution in our release                     |
|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------|
| Python libraries, including PyTorch, Transformers, PEFT, NumPy, pandas, scikit-learn, and related dependencies | ML Training, fine-tuning, evaluation, and re-porting | Version constraints are listed in the released environment files | Governed by their respective open-source licenses | Not vendored; installed by the environment files. |

### B.3 Efficiency Summary

Table 16 reports computational efficiency and fine-tuning cost under the 10-shot UCR protocol. Runtime and memory are measured on representative UCR datasets using a single RTX 3090, while parameter counts are reported separately for total deployed parameters and support-set fine-tuned parameters.

### B.4 Baseline Training Recipes and Hyperparameters

Table 17 summarizes the training rules used by the reported baseline families. This table makes the few-shot comparison protocol explicit: all methods share the same sampled support/query split, while checkpoint-selection rules and epoch schedules follow each method family.

### B.5 Computational Efficiency Details

The efficiency analysis uses the same model families as the main benchmark and excludes TimeMorph-only ablations. The representative UCR subset contains COFFEE, GUNPOINT, ECG5000, ELECTRICDEVICES, CROP, ACSF1, PHONEME, and NONINVASIVEFETALECGTHORAX1, covering short, medium, and long series as well as different class counts. The external efficiency measurements use the same protocol for MIT-BIH and CinC2017.

## APPENDIX C

### ADDITIONAL PLOTS

Figure 9 visualizes the shot-scaling trend over the 128 UCR datasets. TimeMorph remains the strongest method on the averaged benchmark curve across the entire few-shot range, with the largest absolute advantage appearing at 10-shot.

### C.1 Additional Qualitative Visualizations

Figure 10 extends the representation visualization to the representative datasets used in the qualitative analysis. Although t-SNE layouts can vary with data geometry and projection randomness, the additional panels provide a broader check of whether temporal, morphology, and fused decision states organize query samples in different ways across datasets.

TABLE 17

Few-shot training recipes for TimeMorph and the reported baseline families. All methods use the same sampled support sets within each run and evaluate on all official TEST examples from the target dataset.

| Method / family                                                                | Optimizer                                       | Epochs                                                  | Batch / LR                                                             | Model selection rule                                           | Val | ES | Few-shot notes                                                                                                                                     |
|--------------------------------------------------------------------------------|-------------------------------------------------|---------------------------------------------------------|------------------------------------------------------------------------|----------------------------------------------------------------|-----|----|----------------------------------------------------------------------------------------------------------------------------------------------------|
| TimeMorph                                                                      | AdamW                                           | 5 warm-up + 55 joint fine-tuning                        | $8 / 2 \times 10^{-4}$ (encoder), $1 \times 10^{-4}$ (projector, LoRA) | Report the last joint fine-tuning checkpoint                   | No  | No | Class-token rows remain trainable; language-side fine-tuning uses LoRA in the joint fine-tuning phase.                                             |
| ResNet, TapNet                                                                 | AdamW                                           | 60                                                      | model-specific / $10^{-4}$                                             | Best support-set accuracy, tie-broken by support loss          | No  | No | Trained only on the sampled support set; the support set doubles as the model-selection set.                                                       |
| COSCO-ResNet                                                                   | SAM with SGD base optimizer + prototypical loss | 100                                                     | $128 / 10^{-2}$                                                        | Final trained model; support centroids computed after training | No  | No | Query predictions are made by distances to support centroids rather than a learned classifier head.                                                |
| PatchTST                                                                       | AdamW + linear warmup                           | 60 total epochs with head warm-up and joint fine-tuning | 16 / separate backbone-head LR                                         | Report the last joint fine-tuning checkpoint                   | No  | No | Uses the same support/query split and full dataset class set as the main protocol.                                                                 |
| TSLib family (DLINEAR, AUTOFORMER, CROSSFORMER, FEDFORMER, INFORMER, TIMESNET) | RAdam + cosine schedule                         | Fixed model-specific schedule                           | usually 16 / $10^{-3}$                                                 | Report the last checkpoint                                     | No  | No | Single-stage training; evaluation masks logits to the target dataset's class set. TimesNet uses a shorter schedule than the other TSLib baselines. |
| GPT4TS                                                                         | RAdam                                           | 60                                                      | $64 / 10^{-4}$                                                         | Report the last checkpoint                                     | No  | No | One-Fits-All classification baseline under the same sampled support/query protocol.                                                                |

TABLE 18

Per-dataset runtime details for the computational-efficiency analysis. Rows with incomplete measurements are omitted.

| Dataset | Model        | Peak GB | Train ms/step | Infer ms/ex. | Infer ex./s |
|---------|--------------|---------|---------------|--------------|-------------|
| ACSF1   | TimeMorph    | 13.75   | 1262.4        | 173.87       | 5.8         |
| ACSF1   | ResNet       | 1.01    | 26.0          | 0.32         | 3167.0      |
| ACSF1   | TapNet       | 0.59    | 33.7          | 1.45         | 688.2       |
| ACSF1   | COSCO-ResNet | 1.64    | 119.2         | 0.43         | 2303.7      |
| ACSF1   | PatchTST     | 6.50    | 107.6         | 2.23         | 447.7       |
| ACSF1   | DLinear      | 0.10    | 4.5           | 0.07         | 13898.9     |
| ACSF1   | TimesNet     | 0.27    | 121.8         | 4.54         | 220.5       |
| ACSF1   | Autoformer   | 1.19    | 40.5          | 12.53        | 79.8        |
| ACSF1   | Crossformer  | 0.12    | 25.0          | 0.58         | 1723.7      |
| ACSF1   | FEDformer    | 0.61    | 277.0         | 7.03         | 142.3       |
| ACSF1   | Informer     | 0.56    | 23.4          | 1.09         | 917.6       |
| ACSF1   | GPT4TS       | 1.00    | 29.1          | 0.89         | 1121.4      |




Fig. 9. Shot-scaling trend on the 128 UCR datasets. Each point reports the mean accuracy over five runs. TimeMorph remains the strongest method across all four shot settings.




Fig. 10. Additional t-SNE visualizations for temporal, morphology, and fused decision representations on representative UCR datasets. The plots are used as qualitative diagnostics and are not used for model selection.

## REFERENCES

- [1] H. Ismail Fawaz, G. Forestier, J. Weber, L. Idoumghar, and P.-A. Muller, "Deep learning for time series classification: a review," *Data mining and knowledge discovery*, vol. 33, no. 4, pp. 917–963, 2019.
- [2] W. S. Cleveland and R. McGill, "Graphical perception: Theory, experimentation, and application to the development of graphical methods," *Journal of the American Statistical Association*, vol. 79, no. 387, pp. 531–554, 1984.
- [3] J. Heer, M. Bostock, and V. Ogievetsky, "A tour through the visualization zoo," *Communications of the ACM*, vol. 53, no. 6, pp. 59–67, 2010.
- [4] L. Ye and E. Keogh, "Time series shapelets: A new primitive for data mining," in *Proceedings of the 15th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 2009, pp. 947–956.
- [5] Z. Wang and T. Oates, "Encoding time series as images for visual inspection and classification using tiled convolutional neural networks," in *Workshops at the Twenty-Ninth AAAI Conference on Artificial Intelligence*, 2015.
- [6] A. Dempster, F. Petitjean, and G. I. Webb, "ROCKET: Exceptionally fast and accurate time series classification using random convolutional kernels," *Data Mining and Knowledge Discovery*, vol. 34, no. 5, pp. 1454–1495, 2020.
- [7] X. Zhang, Y. Gao, J. Lin, and C.-T. Lu, "TapNet: Multivariate time series classification with attentional prototypical network," in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 34, 2020, pp. 6845–6852.
- [8] W. Tang, L. Liu, and G. Long, "Interpretable time-series classification on few-shot samples," in *Proceedings of the International Joint Conference on Neural Networks*. IEEE, 2020, pp. 1–8.
- [9] H. I. Fawaz, B. Lucas, G. Forestier, C. Pelletier, D. F. Schmidt, J. Weber, G. I. Webb, L. Idoumghar, P.-A. Muller, and F. Petitjean, "InceptionTime: Finding alexnet for time series classification," *Data Mining and Knowledge Discovery*, vol. 34, no. 6, pp. 1936–1962, 2020.
- [10] C. Yang, X. Wang, L. Yao, G. Long, and G. Xu, "Dyformer: A dynamic transformer-based architecture for multivariate time series classification," *Information Sciences*, vol. 656, p. 119881, 2024.
- [11] Y. Chen, Z. Li, C. Yang, X. Wang, and G. Xu, "Large language models are few-shot multivariate time series classifiers," *Data Mining and Knowledge Discovery*, vol. 39, no. 66, 2025.
- [12] N. Gruver, M. Finzi, S. Qiu, and A. G. Wilson, "Large language models are zero-shot time series forecasters," in *Advances in Neural Information Processing Systems*, vol. 36, 2023, pp. 19 622–19 635.
- [13] T. Zhou, P. Niu, X. Wang, L. Sun, and R. Jin, "One fits all: Power general time series analysis by pretrained LM," in *Advances in Neural Information Processing Systems*, vol. 36, 2023, pp. 43 322–43 355.
- [14] M. Jin, S. Wang, L. Ma, Z. Chu, J. Y. Zhang, X. Shi, P.-Y. Chen, Y. Liang, Y.-F. Li, S. Pan, and Q. Wen, "Time-LLM: Time series forecasting by reprogramming large language models," in *International Conference on Learning Representations*, 2024.
- [15] C. Sun, H. Li, Y. Li, and S. Hong, "TEST: Text prototype aligned embedding to activate LLM's ability for time series," in *International Conference on Learning Representations*, 2024.
- [16] T. B. Brown, B. Mann, N. Ryder, M. Subbiah, J. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell *et al.*, "Language models are few-shot learners," in *Advances in Neural Information Processing Systems*, vol. 33, 2020, pp. 1877–1901.
- [17] Q. Dong, L. Li, D. Dai, C. Zheng, J. Ma, R. Li, H. Xia, J. Xu, Z. Wu, B. Chang, X. Sun, L. Li, and Z. Sui, "A survey on in-context learning," in *Proceedings of the 2024 Conference on Empirical Methods in Natural Language Processing*. Association for Computational Linguistics, 2024, pp. 1107–1128.
- [18] L. N. Zheng, C. Dong, W. E. Zhang, L. Yue, M. Xu, O. Maennel, and W. Chen, "Understanding why large language models can be ineffective in time series analysis: The impact of modality alignment," in *Proceedings of the 31st ACM SIGKDD Conference on Knowledge Discovery and Data Mining*. Association for Computing Machinery, 2025, pp. 4026–4037.
- [19] C. Hokamp and Q. Liu, "Lexically constrained decoding for sequence generation using grid beam search," in *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, 2017, pp. 1535–1546.
- [20] T. Koo, F. Liu, and L. He, "Automata-based constraints for language model decoding," *arXiv preprint arXiv:2407.08103*, 2024.
- [21] J. Narwariya, P. Malhotra, L. Vig, G. Shroff, and T. V. Vishnu, "Meta-learning for few-shot time series classification," in *Proceedings of the 7th ACM IKDD CoDS and 25th COMAD*, 2020, pp. 28–36.
- [22] S. W. Yoon, J. Seo, and J. Moon, "TapNet: Neural network augmented with task-adaptive projection for few-shot learning," in *Proceedings of the 36th International Conference on Machine Learning*, ser. Proceedings of Machine Learning Research, vol. 97. PMLR, 2019, pp. 7115–7123.
- [23] J. Snell, K. Swersky, and R. Zemel, "Prototypical networks for few-shot learning," in *Advances in Neural Information Processing Systems*, vol. 30, 2017.
- [24] J. Barrada, A. Gomez, R. Puga, K. Zhou, and L. Zhang, "COSCO: A sharpness-aware training framework for few-shot multivariate time series classification," in *Proceedings of the 33rd ACM International Conference on Information and Knowledge Management*, 2024, pp. 3622–3626.
- [25] C. Chang, W.-Y. Wang, W.-C. Peng, and T.-F. Chen, "LLM4TS: Aligning pre-trained LLMs as data-efficient time-series forecasters," *ACM Transactions on Intelligent Systems and Technology*, vol. 16, no. 3, pp. 1–20, 2025.
- [26] P. Langer, T. Kaar, M. Rosenblatt, M. A. Xu, W. Chow, M. Maritsch, A. Verma, B. Han, D. S. Kim, H. Chubb, S. Ceresnak, A. Zahedivash, A. T. S. Sandhu, F. Rodriguez, D. McDuff, E. Fleisch, O. Aalami, F. Barata, and P. Schmiedmayer, "OpenTSLM: Time-series language models for reasoning over multivariate medical text- and time-series data," *arXiv preprint arXiv:2510.02410*, 2025.
- [27] M. Tan, M. A. Merrill, V. Gupta, T. Althoff, and T. Hartvigsen, "Are language models actually useful for time series forecasting?" *Advances in Neural Information Processing Systems*, vol. 37, pp. 60 162–60 191, 2024.
- [28] M. A. Merrill, M. Tan, V. Gupta, T. Hartvigsen, and T. Althoff, "Language models still struggle to zero-shot reason about time series," in *Findings of the Association for Computational Linguistics: EMNLP 2024*, 2024.
- [29] A. F. Ansari, L. Stella, C. Turkmen, X. Zhang, P. Mercado, H. Shen, O. Shchur, S. S. Rangapuram, S. Pineda Arango, S. Kapoor, J. Zschiegner, D. C. Maddix, H. Wang, M. W. Mahoney, K. Torkkola, A. G. Wilson, M. Bohlke-Schneider, and Y. Wang, "Chronos: Learning the language of time series," *Transactions on Machine Learning Research*, 2024.
- [30] A. Das, W. Kong, R. Sen, and Y. Zhou, "A decoder-only foundation model for time-series forecasting," in *Proceedings of the 41st International Conference on Machine Learning*, ser. Proceedings of Machine Learning Research, vol. 235. PMLR, 2024, pp. 10 148–10 167.
- [31] G. Woo, C. Liu, A. Kumar, C. Xiong, S. Savarese, and D. Sahoo, "Unified training of universal time series forecasting transformers," in *Proceedings of the 41st International Conference on Machine Learning*, ser. Proceedings of Machine Learning Research, vol. 235. PMLR, 2024, pp. 53 140–53 164.
- [32] M. Goswami, K. Szafer, A. Choudhry, Y. Cai, S. Li, and A. Dubrawski, "MOMENT: A family of open time-series foundation models," in *Proceedings of the 41st International Conference on Machine Learning*, ser. Proceedings of Machine Learning Research, vol. 235. PMLR, 2024, pp. 16 115–16 152.
- [33] S. Gao, T. Koker, O. Queen, T. Hartvigsen, T. Tsiligkaridis, and M. Zitnik, "UniTS: A unified multi-task time series model," in *Advances in Neural Information Processing Systems*, vol. 37, 2024, pp. 140 589–140 631.
- [34] Y. Nie, N. H. Nguyen, P. Sinthong, and J. Kalagnanam, "A time series is worth 64 words: Long-term forecasting with transformers," in *International Conference on Learning Representations*, 2023.
- [35] Z. Wang and T. Oates, "Imaging time-series to improve classification and imputation," in *Proceedings of the 24th International Joint Conference on Artificial Intelligence*, 2015, pp. 3939–3945.
- [36] H. Liu, C. Liu, and B. A. Prakash, "A picture is worth a thousand numbers: Enabling LLMs reason about time series via visualization," in *Proceedings of the 2025 Conference of the Nations of the Americas Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1: Long Papers*. Albuquerque, New Mexico: Association for Computational Linguistics, 2025, pp. 7486–7518.
- [37] S. Roschmann, Q. Bouniot, V. Feofanov, I. Redko, and Z. Akata, "Time series representations for classification lie hidden in pre-trained vision transformers," *arXiv preprint arXiv:2506.08641*, 2025.
- [38] C. Raffel, N. Shazeer, A. Roberts, K. Lee, S. Narang, M. Matena, Y. Zhou, W. Li, and P. J. Liu, "Exploring the limits of transfer



- learning with a unified text-to-text transformer," *Journal of Machine Learning Research*, vol. 21, no. 140, pp. 1–67, 2020.
- [39] T. Z. Zhao, E. Wallace, S. Feng, D. Klein, and S. Singh, "Calibrate before use: Improving few-shot performance of language models," in *Proceedings of the 38th International Conference on Machine Learning*, ser. Proceedings of Machine Learning Research, vol. 139. PMLR, 2021, pp. 12 697–12 706.
  - [40] A. Holtzman, P. West, V. Shwartz, Y. Choi, and L. Zettlemoyer, "Surface form competition: Why the highest probability answer isn't always right," in *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*. Association for Computational Linguistics, 2021, pp. 7038–7051.
  - [41] A. Balakrishnan, J. Rao, K. Upasani, M. White, and R. Subba, "Constrained decoding for neural NLG from compositional representations in task-oriented dialogue," in *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*. Association for Computational Linguistics, 2019, pp. 831–844.
  - [42] S. Geng, M. Josifoski, M. Peyrard, and R. West, "Grammar-constrained decoding for structured NLP tasks without finetuning," in *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*. Association for Computational Linguistics, 2023, pp. 10 932–10 952.
  - [43] T. Schick and H. Sch"utze, "Exploiting cloze-questions for few-shot text classification and natural language inference," in *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*. Association for Computational Linguistics, 2021, pp. 255–269.
  - [44] T. Gao, A. Fisch, and D. Chen, "Making pre-trained language models better few-shot learners," in *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing*. Association for Computational Linguistics, 2021, pp. 3816–3830.
  - [45] C. Wang, Q. Qi, J. Wang, H. Sun, Z. Zhuang, J. Wu, L. Zhang, and J. Liao, "ChatTime: A unified multimodal time series foundation model bridging numerical and textual data," in *Proceedings of the AAAI Conference on Artificial Intelligence*, 2025, pp. 12 694–12 702.
  - [46] S. Makridakis, E. Spiliotis, and V. Assimakopoulos, "The M4 competition: 100,000 time series and 61 forecasting methods," *International Journal of Forecasting*, vol. 36, no. 1, pp. 54–74, 2020.
  - [47] H. A. Dau, A. Bagnall, K. Kamgar, C.-C. M. Yeh, Y. Zhu, S. Gharghabi, C. A. Ratanamahatana, and E. Keogh, "The ucr time series archive," *IEEE/CAA Journal of Automatica Sinica*, vol. 6, no. 6, pp. 1293–1305, 2019.
  - [48] Z. Wang, W. Yan, and T. Oates, "Time series classification from scratch with deep neural networks: A strong baseline," in *2017 International Joint Conference on Neural Networks*, 2017, pp. 1578–1585.
  - [49] A. Zeng, M. Chen, L. Zhang, and Q. Xu, "Are transformers effective for time series forecasting?" in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 37, no. 9, 2023, pp. 11 121–11 128.
  - [50] H. Wu, T. Hu, Y. Liu, H. Zhou, J. Wang, and M. Long, "TimesNet: Temporal 2d-variation modeling for general time series analysis," in *International Conference on Learning Representations*, 2023.
  - [51] H. Wu, J. Xu, J. Wang, and M. Long, "Autoformer: Decomposition transformers with auto-correlation for long-term series forecasting," in *Advances in Neural Information Processing Systems*, vol. 34, 2021, pp. 22 419–22 430.
  - [52] Y. Zhang and J. Yan, "Crossformer: Transformer utilizing cross-dimension dependency for multivariate time series forecasting," in *International Conference on Learning Representations*, 2023.
  - [53] T. Zhou, Z. Ma, Q. Wen, X. Wang, L. Sun, and R. Jin, "FEDformer: Frequency enhanced decomposed transformer for long-term series forecasting," in *Proceedings of the 39th International Conference on Machine Learning*, ser. Proceedings of Machine Learning Research, vol. 162. PMLR, 2022, pp. 27 268–27 286.
  - [54] H. Zhou, S. Zhang, J. Peng, S. Zhang, J. Li, H. Xiong, and W. Zhang, "Informer: Beyond efficient transformer for long sequence time-series forecasting," in *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 35, no. 12, 2021, pp. 11 106–11 115.
  - [55] S. Abnar and W. Zuidema, "Quantifying attention flow in transformers," in *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, 2020, pp. 4190–4197.
  - [56] L. van der Maaten and G. Hinton, "Visualizing data using t-SNE," *Journal of Machine Learning Research*, vol. 9, no. 86, pp. 2579–2605, 2008.