

Title: Methods and Tools for Software Engineering  
Course ID: ECE 650  
Lectures: Thursday, 17:30 – 20:20  
Instructor: Prof. Alireza Sharifi, a9sharif@uwaterloo.ca  
TA: Hari Govind Vediramana Krishnan, hgvedira@uwaterloo.ca

Office hours:

- Alireza: When: Thr 10-11, Thr 15-17, Fri 16-18:30. Where: DC-2526.
- Hari: When: Tue 16-18. Where: DC-2550.

Begin all email subjects with [ECE650].

## Final Course Project – Due December 9, 2018 11:30 PM

The project can be done in **groups of 2**. If you decide to do the project in a group, make sure that both team members submit through LEARN.

This is the final course project. For the project you will need to:

- Augment your code from Assignment 4 in the way that is described below.
- Quantitatively analyze your software for various kinds of inputs.
- Write a brief report ( $\approx 5$  pages, 11 pt font, reasonable margins) with your analysis. Your report must be **typeset**, and must be in PDF.

You should **augment your code from Assignment 4** in the following ways.

- Make it **multithreaded**. You should have **at least 4 threads**: one for I/O, and one each for the different approaches to solve the minimum vertex cover problem.
- Implement the **following two additional ways to solve MIN-VERTEX-COVER**, in addition to the REDUCTION-TO-CNF-SAT approach you had in Assignment 4. (We will call your approach from Assignment 4, **CNF-SAT-VC**.)
  1. Pick a **vertex of highest degree** (most incident edges). Add it to your vertex cover and throw away all edges incident on that vertex. Repeat till no edges remain. We will call this algorithm **APPROX-VC-1**.
  2. Pick an edge  $\langle u, v \rangle$ , and add both  $u$  and  $v$  to your vertex cover. Throw away all edges attached to  $u$  and  $v$ . **Repeat till no edges remain**. We will call this algorithm **APPROX-VC-2**.

## Inputs

As input, use the output of `/home/agurfink/ece650/graphGen/graphGen` on `ecelinux`. That program generates graphs with the same number of edges for a particular number of vertices, but not necessarily the same edges.

## Output

Given a graph as input, your program should output the vertex cover computed by each approach **in sorted order**. That is, give the following input:

```
V 5
E {<2,1>,<2,0>,<2,3>,<1,4>,<4,3>}
```

The output from your program should be:

```
CNF-SAT-VC: 2,4      in sorted order
APPROX-VC-1: 2,4
APPROX-VC-2: 0,2,3,4
```

That is, the name of the algorithm, followed by a colon ':', a single space, and then the computed result as a sorted sequence of vertices, separated by commas.

## Analysis

You should analyze how efficient each approach is, for various inputs. An input is characterized by the number of vertices. “Efficient” is characterized in one of two ways: (1) **running time**, and (2) **approximation ratio**. We characterize the approximation ratio as the ratio of the size of the computed vertex cover to the size of an optimal (minimum-sized) vertex cover.

For measuring the running time, use `pthread_getcpuclockid()`. For an example of how it is used, see [http://www.kernel.org/doc/man-pages/online/pages/man3/pthread\\_getcpuclockid.3.html](http://www.kernel.org/doc/man-pages/online/pages/man3/pthread_getcpuclockid.3.html).

For measuring the approximation ratio, compare it to the output of CNF-SAT-VC, which is guaranteed to be optimal.

Your objective is to measure, for various values of  $|V|$  (number of vertices), for the graphs generated by **graphGen**, the running time and approximation ratio. You should do this by generating graphs for  $|V| \in [5, 20]$  using that program, **in increments of 5**. That is, **graphs with 5, 10, 15, 20 vertices**.

You should **generate at least 10 graphs for each value for  $|V|$** , compute the time and approximation ratio for each such graph. You should measure the running time for at least 10 runs of each such graph. Then, **you should compute the mean (average) and standard deviation across those 100 runs for each value of  $|V|$** . For the approximation ratio, if there is any random component (e.g., which edges you choose, for APPROX-VC-2), then you should measure that multiple times as well for each graph.

## Report

The main part of your report are **graphs (plots) corresponding to the data you generate as described in the “Analysis” section above**. One way to show the output is to have two plots: one for running times and the other for approximation ratio. The **horizontal axis is the number of vertices**.

You should plot the mean for each value of  $|V|$  for which you made measurements, and the standard deviation as a yerrorbar. An example of a possible plot is shown in Figure 1.

The remainder of your report should be reasoning about your plots. That is, you should explain why your plots look the way they do. For example, if there is a “spike” in the approximation ratio for some value of  $|V|$  for one of the approaches, **you should explain why there is such a spike**. You should also **explain apparent trends**. For example, if, for one of the approaches, the running time seems to increase linearly with  $|V|$ , you should reason about why that is happening.

## Marking

We will mark by: (1) Trying some inputs and checking your output, (2) inspecting your code to make sure that you are using pthreads correctly, and, (3) reading your report.

- Marking script for compile/make etc. fails: automatic 0
- Your program runs, awaits input and does not crash on input: + 20
- Correctly implemented 2 new algorithms: + 20 each, total + 40
- **Generated plots**: + 20
- Report: + 20

## CMake

As discussed below under “Submission Instructions”, you should use a **CMakeLists.txt** file to build your project. We will build your project using the following sequence:




Figure 1: Example plot, generated using `gnuplot`. The error bars for Approx-2 are not visible because the standard deviation is small.

```
cd PROJECT && mkdir build && cd build && cmake ../
```

where `PROJECT` is the top level directory of your submission. If your code is not compiled from scratch (i.e., from the C++ sources), you get an automatic 0. Unlike for the assignments, you must create the `CMakeLists.txt` file on your own. You can use a `CMakeLists.txt` file from previous projects.

## Submission Instructions

You should place all your files in a single zipped file, `prj-ece650.zip`. When unzipped the directory should contain:

- All your C++ source-code files.
- A `CMakeLists.txt`, that builds your C++ executable `prj-ece650`.
- A file `user.yml` that includes your name, *WatIAM*, and student number of all the team members. Note that *WatIAM* is the user name for your Quest account, e.g. `a9sharif`, and a *student number* is an 8-digit number, e.g. `20397238`. If you have done the assignment as a group, the information for both members of the group should be included in the `user.yml`.
- A file named “`report.pdf`” with your report.