



A.P. SHAH INSTITUTE OF TECHNOLOGY



| | Department of Compute Data S |
|-------------------|---------------------------------|
| WALLEY WAS TO SEE | |

| | | Department of Computer Science and Engineering Data Science | | S S |
|---------|------|--|------|--------------------|
| martar: | Silv | Cubinet | AICD | Academic Year: 202 |

The bela distribution plays a significant role in finance, particularly in risk modelling portfolio management, and probability estimation. Since it is defined on the interval (0,1), it is useful for modelling probabilities, proportion and uncertain financial variables

Defination of the Bela Distribution. The Bela distribution is parameterized by two shape parameters, d and B:

$$f(x; \alpha, \beta) = \frac{x^{\alpha-1}(1-x)^{\beta-1}}{B(\alpha, \beta)}$$
, 0 < x < 1

d, B >0 are shape parameters

$$B(\alpha,\beta) = \int_{-\infty}^{\infty} t^{\alpha-1}(1-t)^{\beta-1} dt \quad (or) \quad B(\alpha,\beta) = \int_{-\infty}^{\infty} t^{\alpha-1} dt$$

> The mean of the Bela distribution:

-> The variance

$$Var(X) = \frac{d\beta}{(\alpha+\beta)^2(\alpha+\beta+1)}$$



A.P. SHAH INSTITUTE OF TECHNOLOGY

Department of Computer Science and Engineering **Data Science**



Semester: VILL Subject: AIFB

Academic Year: 2024-25

Theyse of the Bela Distribution:

* The Bela Distribution is very flexible and takes

different shapes on dand B:

* Uniform Distribution: \ = 1, B=1 -> Flat.

* left skewed: axB -> More probability mass near o

* Rightshewed: a>B -> More probability mass near 1.

* Bell shaped : d=B>1

Applications of the Beta distribution in Finance.

Example:

Suppose a stock analyst estimates the probability of a bull market using a Bela distribution with parameters d = 3, and B = 2.

(a) Find the mean of the distribution.

(b) Compute the variance.

(c) Find the probability density for x=0.5.

Solution:

(a) Mean of the Bela Distribution :-

The mean of a bela distribution is

$$E(x) = \frac{d}{d+B} = \frac{3}{3+a} = \frac{3}{5} = 0.6$$

(b) Variance of the Bela Distribution:

$$Var(X) = \frac{\Delta B}{(\Delta + B + 1)} = \frac{(3)(2)}{(3+2)^{2}(8+2+1)}$$

Subject Incharge: B. Sarala Mary

Department of CSE-Data Science | APSIT





A.P. SHAH INSTITUTE OF TECHNOLOGY

Department of Computer Science and Engineering **Data Science**



Semester: VIII Subject: AIFB

Academic Year: 2024-25

 $\frac{=6}{(5)^2(6)} = \frac{6}{150} = 0.04$

(1) Probability Density at x = 0.5

The probability density function is:

f(x) = x -1 (1-x)B-1

Fixt compute bela function:

B(2,3) = [(3) [(2) T(3+2)

[(3) = 2! =2, [(a) = 1! =1, [(6) = 4! =24

 $B(2,3) = \frac{(a)(1)}{34} = \frac{a}{34} = \frac{1}{12}$

Now compute fro. 5):

 $f(0.5) = (0.5)^{3-1} (1-0.5)^{2-1} = (0.5)^{2} (0.5)$ $= \frac{(0.25)(0.5)}{1/12} = \frac{0.125}{1/12}$

=1.5

Mean = 0.6, Variance = 0.04, fco.15) = 1.5

This means that the probability density at x=0.5 is 1.5. which indicates the likelihood of observing a probability of 0.5 for bull market is relatively high.

PARSHWANATH CHARITABLE TRUST'S



A.P. SHAH INSTITUTE OF TECHNOLOGY

Department of Computer Science and Engineering
Data Science



| Semester: VII | Subject :_ | ALEB | | Year: 2024-25 |
|--|--|---|---------------------------|-----------------------------------|
| Applications of | Bela Distrib | ution in tin | and: | bability |
| . It helps | in estimation | g expected of | uture relative | |
| historical data (B) Bayesian f *The Bela and Binomial *In Bayes beleifs about | Distribution | l's a conjugate | statistics. uloss can upo | he Bernoulli late their hat |
| Example:- | or initially k | pelaires that | astock has a | 30°6 |
| can update the (c) Risk Mana. *The Bela | probability gement & Valu Distribution | dynamicall ue - out-Risk is useful fo | y estimating | probabilitic |
| of extreme la | applica | toes testing | and sunario | analysis |