# **Database Management System(DBMS)**

#### **DATABASE 1**

mysql> CREATE DATABASE collage\_info;

mysql> USE collage\_info;

mysql> CREATE TABLE student(Name varchar(50), Address varchar(50), Phone\_no double, Email varchar(35), Marks int);

#### mysql> DESC student;

Field	Туре	Null	Key	Default	Extra
Name	Varchar(50)	YES		NULL	
Address	Varchar(50)	YES		NULL	
Phone_no	double	YES		NULL	
Email	varchar(35	YES		NULL	
Marks	int	YES		NULL	

mysql> INSERT INTO student VALUES("Avishek Yadav", "Patna", 9189004775, "avishek@065gmail.com", 500),

("Subhasis Addya", "Durgapur", 9189504785, "subhasisaddya@gmail.com", 658), ("Koushik Bannerjee", "Raniganj", 9189040995, "kousik@065gmail.com", 800), ("Soumya Chakraborti", "Durgapur", 9189004775, "soumya@054gmail.com", 450), ("Hrishi Mondal", "Durgapur", 917904985, "hrishimondal@gmail.com", 850);

#### mysql> SELECT \* FROM student;

Name	Address	Phone_no	Email	Marks
Avishek Yadav	Patna	9189004775	avishek@065gmail.com	500
Subhasis Addya	Durgapur	9189504785	subhasisaddya@gmail.com	658
Koushik Bannerjee	Raniganj	9189040995	kousik@065gmail.com	800
Soumya Chakraborti	Durgapur	9189004775	soumya@054gmail.com	450
Hrishi Mondal	Durgapur	917904985	hrishimondal@gmail.com	850

#### mysql> SELECT \* FROM student WHERE Marks BETWEEN 500 AND 700;

Name	Address	Phone_no	Email	Marks
Avishek Yadav	Patna	9189004775	avishek@065gmail.com	500
Subhasis Addya	Durgapur	9189504785	subhasisaddya@gmail.com	658

### mysql> SELECT \* FROM student WHERE Address="Durgapur" OR Address="Bihar";

Name	Address	Phone_no	Email	Marks
Subhasis Addya	Durgapur	9189504785	subhasisaddya@gmail.com	658
Soumya	Durgapur	9189004775	soumya@054gmail.com	450
Chakraborti				
Hrishi Mondal	Durgapur	917904985	hrishimondal@gmail.com	850

### mysql> SELECT \* FROM student WHERE Name LIKE "A%";

Name	Address	Phone_no	Email	Marks
Avishek Yadav	Patna	9189004775	avishek@065gmail.com	500

### mysql> SELECT \* FROM student WHERE Name LIKE "S%";

Name	Address	Phone_no	Email	Marks
Subhasis Addya	Durgapur		subhasisaddya@gmail.com	658
		9189504785		
Soumya Chakraborti	Durgapur	9189004775	soumya@054gmail.com	450

# mysql> SELECT \* FROM student WHERE Name IN ("Koushik Bannerjee", "Subhasis Addya");

Name	Address	Phone_no	Email	Marks
Subhasis Addya	Durgapur		subhasisaddya@gmail.com	658
		9189504785		
Koushik Bannerjee	Raniganj	9189040995	kousik@065gmail.com	450

# mysql> SELECT \* FROM student WHERE Name NOT IN ("Koushik Bannerjee", "Subhasis Addya");

Name	Address	Phone_no	Email	Marks
Avishek Yadav	Patna	9189004775	avishek@065gmail.com	500
Soumya	Durgapur	9189004775	soumya@054gmail.com	450
Chakraborti				
Hrishi Mondal	Durgapur	917904985	hrishimondal@gmail.com	850

#### **DATABASE 2**

mysql> CREATE DATABASE empInfo;

mysql> USE empInfo;

mysql> CREATE TABLE emp\_Data(Name varchar(50), Address varchar(80), Phone double, Email varchar(30), Salary double);

mysql> DESC emp\_Data;

Field	Туре	Null	Key	Default	Extra
Name	Varchar(50)	YES		NULL	
Address	Varchar(50)	YES		NULL	
Phone	double	YES		NULL	

mysql>CREATE TABLE emp\_Data(Name varchar(50), Address varchar(80), Phone double, Email varchar(30), Salary double);

Mysql> INSERT INTO emp\_Data (Name, Address, Phone, Email, Salary) VALUES("Rishi Mukherjee", "Durgapur", 918538895243, "rishimukherjee@gmail.com", 25000),

("Suvam Chakraborti", "Durgapur, Steel Park",

918001165553, "suvamchakraborti@gmail.com", 25000),

("Subhasis Addya", "Durgapur, Pipe Line", 918918950886, "subhasisaddya@gmail.com", 35000),

("Risita Halder", "Durgapur, Sagarbhanga", 918617334058, "risitahalder@gmail.com", 25000),

("Tanmoy Mondal", "Durgapur, Raidanga", 916297044231, "tanmoymondal@gmail.com", 25000),

("Suryadip Mondal", "Barjora", 919932513526, "suryadipmondal@gmail.com", 25000);

#### mysql> SELECT \* FROM emp\_data;

Name	Address	Phone	Email	Salary
Rishi Mukherjee	Durgapur	918538895243	rishimukherjee@gmail.com	25000
Suvam Chakraborti	Durgapur, Steel Park	918001165553	suvamchakraborti@gmail.com	25000
Subhasis Addya	Durgapur, Pipe Line	918918950886	subhasisaddya@gmail.com	35000
Risita Halder	Durgapur, Sagarbhanga	918617334058	risitahalder@gmail.com	25000
Tanmoy Mondal	Durgapur, Raidanga	916297044231	tanmoymondal@gmail.com	25000
Suryadip Mondal	Barjora	919932513526	suryadipmondal@gmail.com	25000

# mysql> SELECT \* FROM emp\_Data WHERE Salary=25000;

Name	Address	Phone	Email	Salary
Rishi Mukherjee	Durgapur	918538895243	rishimukherjee@gmail.com	25000
Suvam Chakraborti	Durgapur,	918001165553	suvamchakraborti@gmail.com	25000
	Steel Park			
Risita Halder	Durgapur,	918617334058	risitahalder@gmail.com	25000
	Sagarbhanga			
Tanmoy Mondal	Durgapur,	916297044231	tanmoymondal@gmail.com	25000
	Raidanga			
Suryadip Mondal	Barjora	919932513526	suryadipmondal@gmail.com	25000

# mysql> SELECT Name, Phone, Salary FROM emp\_data;

Name	Phone	Salary
Rishi Mukherjee	9185388952	25000
	43	
Suvam Chakraborti	9180011655	25000
	53	
Subhasis Addya	9189189508	35000
	86	
Risita Halder	9186173340	25000
	58	
Tanmoy Mondal	9162970442	25000
	31	
Suryadip Mondal	9199325135	25000
	26	

# mysql> SELECT \* FROM emp\_Data ORDER BY Salary DESC;

Name	Address	Phone	Email	Salary
Subhasis Addya	Durgapur,	918918950886	subhasisaddya@gmail.com	35000
	Pipe Line			
Rishi Mukherjee	Durgapur	918538895243	rishimukherjee@gmail.com	25000
Suvam Chakraborti	Durgapur,	918001165553	suvamchakraborti@gmail.com	25000
	Steel Park			
Risita Halder	Durgapur,	918617334058	risitahalder@gmail.com	25000
	Sagarbhanga			
Tanmoy Mondal	Durgapur,	916297044231	tanmoymondal@gmail.com	25000
	Raidanga			
Suryadip Mondal	Barjora	919932513526	suryadipmondal@gmail.com	25000

### mysql> SELECT \* FROM emp\_Data ORDER BY Salary ASC;

Name	Address	Phone	Email	Salary
Rishi Mukherjee	Durgapur	918538895243	rishimukherjee@gmail.com	25000
Suvam Chakraborti	Durgapur, Steel Park	918001165553	suvamchakraborti@gmail.com	25000
Risita Halder	Durgapur, Sagarbhanga	918617334058	risitahalder@gmail.com	25000
Tanmoy Mondal	Durgapur, Raidanga	916297044231	tanmoymondal@gmail.com	25000
Suryadip Mondal	Barjora	919932513526	suryadipmondal@gmail.com	25000
Subhasis Addya	Durgapur, Pipe Line	918918950886	subhasisaddya@gmail.com	35000

### **DATABASE 3**

```
mysql> CREATE DATABASE collage;
mysql> USE collage;
mysql> CREATE TABLE student_data (
roll_no INT PRIMARY KEY,
name VARCHAR(30),
marks INT NOT NULL,
grade VARCHAR(2),
city VARCHAR(20)
);
```

mysql> SELECT \* FROM student\_info; Empty set (0.00 sec)

mysql> DESC student\_info;

Field	Туре	Null	Key	Default	Extra
roll_no	int	NO	PRI	NULL	
name	varchar(50)	YES		NULL	
marks	int	NO		NULL	
grade	varchar(2)	YES		NULL	
city	varchar(20)	YES		NULL	

### mysql> SELECT \* FROM student\_info WHERE marks+20 > 70;

roll_no	Name	Marks	Grade	City
101	Manoj	98	A+	Jharkhand
102	Abhisek	85	А	Bihar
103	John	70	B+	Jharkhand
104	Himesh	98	A+	Durgapur
105	Rajib	55	С	Jamsedpur
106	Viccky	68	В	Tata

mysql> SELECT \* FROM student\_info WHERE city IN ("Ranchi", "Jamsedpur", "Hydrabad", "Durgapur");

roll_no	Name	Marks	Grade	City
104	Himesh	98	A+	Durgapur
105	Rajib	55	С	Jamsedpur

### mysql> SELECT \* FROM student\_info WHERE marks BETWEEN 20 AND 55;

roll_no	Name	Marks	Grade	City
105	Rajib	55	С	Jamsedpur

### mysql> SELECT \* FROM student\_info WHERE marks > 90 OR city= "Burdwan";

roll_no	Name	Marks	Grade	City
101	Manoj	98	A+	Jharkhand
104	Himesh	98	A+	Durgapur

mysql> SELECT AVG(marks) FROM student_info;	
AVG(marks)	
79.0000	
mysql> SELECT MAX(marks) FROM student_info;	
MAX(marks)	
98	
mysql> SELECT MIN(marks) FROM student_info;	
MIN(marks)	
55	
mysql> SELECT COUNT(name) FROM student_info;	
COUNT(name)	
6	