

# Disinfection Spray Channel Tent

## Overview

## Solution B for RMG Factories




**House#23 (Level-06), Road#08, DIT Project, Merul Badda, Dhaka-1212**

**Email: rashad@universaltechpark.com, anayet@universaltechpark.com**

**Hotline: +8801933339950-52, Web: [www.universaltechpark.com](http://www.universaltechpark.com)**



# Tent Size: 6'x3'x2'



Size Available   Customized, L x W x H cm			
3m Series	4m Series	5m Series	6m Series
3 x 1.5 x 2	4 x 1.5 x 2	5 x 1.5 x 2	
3 x 2 x 2	4 x 2 x 2	5 x 2 x 2	6 x 2 x 2
3 x 3 x 2	4 x 3 x 2	5 x 3 x 2	<b>6 x 3 x 2</b>



# BoM



filter connection tube




sprinkler connection tube



sprinkler, end-plug, quick connector

infrared sensor



voice control



spray flow  
speed adjustment  
switch



pipe  
conversion



pump



filter



power adopter



PIR Motion  
Sensor Socket



power cable



connect to  
power cord



socket switch

**PIR Motion Sensor Socket**

Rated Power: 2,000W  
Auto induction distance 2-4 meters  
Auto induction spray duration: 10s



# Pump Motor



## Booster Sprayer Durable Pure Copper Motor

<b>Power</b>	45W
<b>Voltage</b>	12V
<b>Pressure</b>	0.75M/PA
<b>Flow</b>	4L/MIN, 150ml/min
<b>Starting Voltage</b>	220V



# Sprinkler




## Sprinkler

aluminum alloy 3-way imported spray head  
 single spray head (100 degree angle coverage)


<b>Sprinkler quantity (default)</b>	3M Series: 12 pcs 4-5M Series: 16 pcs 6M Series: 20 pcs
<b>Spray Water Tube Length (default)</b>	3M Series: 12 m 4-5M Series: 16 m 6M Series: 20 m



# Sprinkler Positioning




Actual Goods Packaging







# Sprinkler Positioning




1




2




3



4



5



6



Finished System  
Photo 1



Finished System  
Photo 2