## **ARJUNA (NEET)**

P XI M1 Pg47



## **Kinematics**

**DPP-02** 




A car moves for hall of its time at 80 km/h and for rest half of time at 40 km/h. Total distance covered is 60 km. What is the average speed of the car:

- (A) 60 km/h
- (B) 80 km/h
- (C) 120 km/h
- (D) 180 km/h



The ratio of the numerical values of the average velocity and average speed of a body is always:

- (A) Unity
- (B) Unity or less
- (C) Unity or more
- (D) Less than unity





- (C)  $\frac{2v_1v_2}{v_1+v_2}$



4. A particle moves along the sides AB, BC, CD of a square of side 25 m with a velocity of 15 ms<sup>-1</sup>. Its average velocity is:



- (A)  $15 \text{ ms}^{-1}$
- (B)  $10 \text{ ms}^{-1}$
- (C)  $7.5 \text{ ms}^{-1}$
- (D)  $5 \text{ ms}^{-1}$



A particle moves along a semicircle of radius 10 m in 5 seconds. The average velocity of the particle is:

- (A)  $2\pi \text{ ms}^{-1}$
- (B)  $4\pi \text{ ms}^{-1}$
- (C)  $2 \text{ ms}^{-1}$
- (D)  $4 \text{ ms}^{-1}$

A car travels from place A to the place B at 20 km/hour and returns at 30 km/hour. The average speed of the car for the whole journey is-



- (A) 25 km/hour
- (B) 24 km/hour
- (C) 50 km/hour
- (D) 5 km/hour

7. A particle is executing a circular motion of radius R with a uniform speed v. After completing half the circle, the change in velocity and in speed will be respectively -

- (A) zero, zero
- (B) 2v, zero
- (C) 2v, 2v
- (D) zero, 2v

Object is moving with constant velocity then acceleration of object:

- (A) may uniform
- (B) may variable
- (C) must be zero
- (D) may be zero



- Position of object is given as function of time  $x = t^2 - 2t + 4$  find velocity at t = 2 sec.
  - (A) 2 m/s
- (B) 4 m/s
- (C) zero
- (D) 6 m/s

- 10. Average velocity in a time interval zero then in same time interval average speed is:
  - (A) must be zero
  - (B) may be zero
  - (C) must be non-zero
  - (D) may be -ve

11. Object is moving with constant speed then velocity of object:

- (A) may be variable
- (B) must be constant
- (C) must be variable
- (D) may be zero



- **12.** Object is moving with constant velocity the speed of object :
  - (A) may be variable
  - (B) may be constant
  - (C) must be variable
  - (D) must be constant



## **ANSWERS**

- 1. (A)
- 2. **(B)**
- 3. (D)
- **4. (D)**
- **5. (D)**
- **6. (B)**
- 7. **(B)**
- 8. (C)
- 9. (A)
- **10.** (**B**)
- 11. (A)
- **12.** (**D**)





\*Note\* - If you have any query/issue

Mail us at <a href="mailto:support@physicswallah.org">support@physicswallah.org</a>

