


Redox Rxns and Equivalent concept

① Oxidation number \rightarrow It is the real or imaginary charge present on an atom when the compound/molecule is considered 100% ionic.



+1	-1
----	----

<u>O.N.O</u>	+1	-1
--------------	----	----



+1	-1
----	----




O.N.O

I^+ is hypothetical concept


O. No by rules

Rules to determine oxidation number

1. Sum of the oxidation number of all the atoms in a neutral molecule / compound is zero



2. Sum of the oxidation number of all the atoms in an ion is equal to charge on ion.



3. Oxidation number of F is -1 in all its compound.



4. Oxidation number of alkali metals is $+1$ in its all compound.



5. Oxidation number of alkaline metals is +2 in its all compound.

2nd group

6. Oxidation number of H is +1 in its compounds except metal hydride.




7. Oxidation number of 'O' is generally -2 except is peroxide, superoxide and OF₂ etc.

-1

$-\frac{1}{2}$

$2 + 2x = 0$

$x = -1$



$x - 2 = -1$

8. Oxidation number of element may vary from n to n-8 (where 'n' is group number)





FIND OXIDATION NUMBER OF UNADDERLINED ELEMENTS

- | | | | | |
|--|---|--|---|---|
| ✓ 1. CO_2
$x - 4 = 0$ | 2. $\text{H}_2\overset{+3}{\text{C}}\text{O}_4$ | 3. $\overset{+3}{\text{C}}\text{O}_4^{2-}$ | 4. $\text{H}_2\overset{-2}{\text{S}}$ | 5. $\text{H}_2\overset{+6}{\text{S}}\text{O}_4$ |
| ✗ 6. SOCl_2 | 7. N_2O_5 | 8. $\overset{+5}{\text{H}}\text{NO}_3$ | 9. $\text{Ba}(\text{NO}_2)_2$ | 10. NH_4^+ |
| 11. $\text{P}_4(\text{s})$ | 12. H_3PO_4 | 13. PH_3 | 14. Cl^- | 15. Cl_2 |
| 16. HClO_4 | 17. Cl_2O | 18. XeO_6^{4-} | 19. KMnO_4 | 20. K_3MnF_6 |
| 21. K_2FeO_4 | 22. Cr^{3+} | 23. $\text{Fe}_{0.9}\text{O}$ | 24. I_3^- | 25. $\text{K}_3[\text{Fe}(\text{CN})_6]$ |
| 26. $\text{K}[\text{Co}(\text{C}_2\text{O}_4)_2(\text{NH}_3)_2]$ | 27. $\text{Ni}(\text{CO})_4$ | 28. $\text{Fe}(\text{CO})_5$ | 29. $\text{C}_{12}\text{H}_{22}\text{O}_{11}$ | |
| 30. $\text{FeSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 \cdot 6\text{H}_2\text{O}$ | | | | |

$$\underline{\underline{\text{Ba}(\text{NO}_2)_2}} \longrightarrow 2 + 2x - 8 = 0$$

$$\underline{\underline{x = 3}}$$



$$x - 4 = -1$$

$$\underline{\underline{x = 3}}$$

1-20

Exemplar











▲ 9 • Asked by Aaditya Ag...

Test

Leaderboard

Ranking is based on marks. Total test duration past to answer the last question in the test will be considered to break the tie.

Live rankings

1		Shubho Roy 276 marks • 2h : 57m : 3s
2		ARITRA AMBUDH DUTTA 272 marks • 2h : 59m : 57s
3		Raghav Singla RS 268 marks • 2h : 59m : 7s
4		You 268 marks • 3h
5		Sahil 257 marks • 2h : 59m : 30s
6		Shaswat Suman 244 marks • 2h : 59m : 49s
7		Krishna Awasthi 243 marks • 2h : 59m : 59s
8		Aditya Geete 224 marks • 2h : 58m : 51s
9		Shravan Agrawal 222 marks • 3h
10		Ayush Chauhan 219 marks • 1h : 49m : 36s

▲ 3 • Asked by Aaditya Ag...

ye wala dekhiye sir

1



Shubhro Roy

276 marks • 2h : 57m : 3s

2



Tushar Jain

275 marks • 2h : 49m : 28s

3



ARITRA AMBUDH DUTTA

272 marks • 2h : 59m : 57s

#4



Raghav Singla RS

268 marks • 2h : 59m : 7s

#5



You

268 marks • 3h

#6



Toshit Jain

263 marks • 2h : 31m : 53s

#7



Sahil

257 marks • 2h : 59m : 30s

#8



Drish Menghani

249 marks • 2h : 55m : 38s

▲ 4 • Asked by Shaurya

Please help me with this doubt

Sir, I have completed Mole Concept
A concentration term chapter from
another educator but I have not completed
States of Matter chapter. So, Sir,
Could can I join join you from this course
or I should complete the previous
chapters by their recordings?

Sir, I want to study from you.

▲ 6 • Asked by Ankur


Sir integer type questions me Aise mistakes ho rahi hai kya karu

Question 21
-0 MARKS

Your Time Taken: 5m 4s Avg Time Taken By Others: 2m 28s Attempt Accuracy: 44%

Static & Kinetic Friction

Block A has a mass of 2kg and block B has 20 kg. If the coefficient of kinetic friction between block B and the horizontal surface is 0.1, and B is accelerating towards the right with $a = 2 \text{ m/s}^2$, then the mass of the block C will be-



10.5
CORRECT ANSWER

10.6
INCORRECT

[Solution View](#)

▲ 3 • Asked by Divya Agra...

SIR MERE 3 TEST ME 106 , 149 , 77 :(SIR IMPROVEMENT KI
JGH MARKS OR KAM HO GYE ME KYA KARU SIR :(((

(+)

▲ 1 • Asked by Dwarkadhis...

Sir mere T1 mai 344. T2 mai 122 aur T3 mai 25 rank ayii all
thanks to you sir pc ke sare crrt hua ...your teaching is best

▲ 3 • Asked by Rakshit

sir i got infected by malaria and typhoid both aur sir docter ne 10 days ke liye bed rest krne ko bola hai but 10 days me to bohot jada backlog ho jayega sir please help.


20 25

▲ 4 • Asked by Prathmesh

SIR 24TH OCTOBER KO NTSE STAGE 2 HAI , BUT USKI PREPARATION ME BOHOT TIME JAA RHA HAI AUR MUJHE IOC OC ME BHI DIKKAT HAI. TO KYA MAI STAGE 2 KI PREPARATION LEAVE KR DUN ?

▲ 3 • Asked by Harsh

Sir muje 44 marks ka organic chemistry chodan pada
because mene abhi tak OC bilkul nahi padha hai to usse
cover kaise karu please help !!




10 days

4 hrs

12-13 hr

▲ 1 • Asked by Divyanshu
sir 180 se 31 ...thank you sir



100 meter

9.8 Sec ✓
9.84 Sec ✓
9.87 Sec ✓

(10)

▲ 5 • Asked by Aman

Sir paper k time bhut ajeeb sa feel hota h bhut sweating
hone lagti h aur dizziness feel hoti h sir
Is wajah se bhut q attempt hi ni hote sir kya karu 100 hi
aaye papaer m:((

In Out

Date

In

Out

min

Math

