Excercise 3 **Date:**

Develop and compare CLI, GUI, and Voice User Interfaces (VUI) for the same task and assess user satisfaction using Python (Tkinter for GUI, Speech Recognition for VUI), Terminal

AIM:

The aim is to develop and compare Command Line Interface (CLI), Graphical User Interface (GUI), and Voice User Interface (VUI) for the same task, and assess user satisfaction using Python (with Tkinter for GUI and Speech Recognition for VUI) and Terminal.

PROCEDURE:

i) CLI (Command Line Interface)

CLI implementation where users can add, view, and remove tasks using the terminal.

```
□tasks = []
def add_task(task):
    tasks.append(task)
    print(f"Task '{task}' added.")

def view_tasks():
    if tasks:
        print("Your tasks:")
        for idx, task in enumerate(tasks, 1):
            print(f"{idx}. {task}")
    else:
        print("No tasks to show.")

def remove_task(task_number):
    if 0 < task_number <= len(tasks):
        removed_task = tasks.pop(task_number - 1)
        print(f"Task '{removed_task}' removed.")
    else:
        print("Invalid task number.")

def main():
    while True:
        print("\nOptions: 1.Add Task 2.View Tasks 3.Remove Task 4.Exit")
        choice = input("Enter your choice: ")

        if choice == '1.':
            task = input("Enter task: ")
            add_task(task)
        elif choice == '2.':
            view_tasks()
        elif choice == '3':
            task_number = int(input("Enter task number to remove: "))
            remove_task(task_number)
        elif choice == '4':
            print("Exiting...")
            break
        else:
            print("Invalid choice. Please try again.")

if __name__ == "__main__":
    main()
```

OUTPUT:


File Edit Format Run Options Window Help
File Edit Shell Debug Options Window Help

```
import os
import sys

def  rename_file(old_name, new_name):
    try:
        os.rename(old_name, new_name)
        print(f"File renamed from {old_name} to {new_name}")
    except FileNotFoundError:
        print(f"Error: {old_name} not found.")
    except Exception as e:
        print(f"An error occurred: {e}")

if __name__ == "__main__":
    if len(sys.argv) != 3:
        print("Usage: python rename_file_cli.py <old_filename> <new_filename>")
    else:
        rename_file(sys.argv[1], sys.argv[2])
```

```
Python 3.12.4 (tags/v3.12.4:8e8a4ba, Jun  6 2024, 19:30:16) [MSC v.1940 64 bit (
AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
============= RESTART: C:/Users/fluid/Downloads/python/uid code.py =============
Usage: python rename_file_cli.py <old_filename> <new_filename>
>>>
```

ii) GUI (Graphical User Interface)

Tkinter to create a simple GUI for our To-Do List application.

```
import tkinter as tk
from tkinter import messagebox

tasks = []

def add_task():
    task = task_entry.get()
    if task:
        tasks.append(task)
        task_entry.delete(0, tk.END)
        update_task_list()
    else:
        messagebox.showwarning("Warning", "Task cannot be empty")

def update_task_list():
    task_list.delete(0, tk.END)
    for task in tasks:
        task_list.insert(tk.END, task)

def remove_task():
    selected_task_index = task_list.curselection()
    if selected_task_index:
        task_list.delete(selected_task_index)
        tasks.pop(selected_task_index[0])

app = tk.Tk()
app.title("To-Do List")

task_entry = tk.Entry(app, width=40)
task_entry.pack(pady=10)

add_button = tk.Button(app, text="Add Task", command=add_task)
add_button.pack(pady=5)

remove_button = tk.Button(app, text="Remove Task", command=remove_task)
remove_button.pack(pady=5)

task_list = tk.Listbox(app, width=40, height=10)
task_list.pack(pady=10)

app.mainloop()
```

OUTPUT:


uid code.py - C:/Users/fluid/Downloads/python/uid code.py (3.12.4)
File Edit Format Run Options Window Help
IDLE Shell 3.12.4
File Edit Shell Debug Options Window Help
File R...
Old Filename:
New Filename:
Rename File

```
import tkinter as tk
from tkinter import messagebox
import os

def rename_file():
    old_name = old_filename_entry.get()
    new_name = new_filename_entry.get()

    try:
        os.rename(old_name, new_name)
        messagebox.showinfo("Success", f"File renamed from {old_name} to {new_n
    except FileNotFoundError:
        messagebox.showerror("Error", f"File {old_name} not found.")
    except Exception as e:
        messagebox.showerror("Error", f"An error occurred: {e}")

# Set up the main window
root = tk.Tk()
root.title("File Renamer")

# Create and place labels, entries, and buttons
tk.Label(root, text="Old Filename:").grid(row=0, column=0)
tk.Label(root, text="New Filename:").grid(row=1, column=0)

old_filename_entry = tk.Entry(root)
old_filename_entry.grid(row=0, column=1)

new_filename_entry = tk.Entry(root)
new_filename_entry.grid(row=1, column=1)

rename_button = tk.Button(root, text="Rename File", command=rename_file)
rename_button.grid(row=2, columnspan=2)

# Start the Tkinter event loop
root.mainloop()
```

```
Python 3.12.4 (tags/v3.12.4:8e8a4ba, Jun  6 2024, 19:30:16) [MSC v.1940 64 bit (
AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
= RESTART: C:/Users/fluid/Downloads/python/uid code.py
```

iii) VUI (Voice User Interface)

speech_recognition library for voice input and the pyttsx3 library for text-to-speech output. Make sure you have these libraries installed (pip install SpeechRecognition pyttsx3).

```
import speech_recognition as sr
import pyttsx3

tasks = []
recognizer = sr.Recognizer()
engine = pyttsx3.init()

def add_task(task):
    tasks.append(task)
    engine.say(f"Task {task} added")
    engine.runAndWait()

def view_tasks():
    if tasks:
        engine.say("Your tasks are")
        for task in tasks:
            engine.say(task)
    else:
        engine.say("No tasks to show")
    engine.runAndWait()

def remove_task(task_number):
    if 0 < task_number <= len(tasks):
        removed_task = tasks.pop(task_number - 1)
        engine.say(f"Task {removed_task} removed")
    else:
        engine.say("Invalid task number")
    engine.runAndWait()

def recognize_speech():
    with sr.Microphone() as source:
        print("Listening...")
        audio = recognizer.listen(source)
        try:
            command = recognizer.recognize_google(audio)
            return command
        except sr.UnknownValueError:
            engine.say("Sorry, I did not understand that")
            engine.runAndWait()
            return None

def main():
    while True:
        engine.say("Options: add task, view tasks, remove task, or exit")
        engine.runAndWait()

        command = recognize_speech()
        if not command:
            continue

        if "add task" in command:
            engine.say("What is the task?")
            engine.runAndWait()
            task = recognize_speech()
            if task:
                add_task(task)
        elif "view tasks" in command:
            view_tasks()
        elif "remove task" in command:
            engine.say("Which task number to remove?")
            engine.runAndWait()
            task_number = recognize_speech()
            if task_number:
                remove_task(int(task_number))
        elif "exit" in command:
            engine.say("Exiting...")
            engine.runAndWait()
            break
        else:
            engine.say("Invalid option. Please try again.")
            engine.runAndWait()

if __name__ == "__main__":
    main()
```

OUTPUT:


uid code.py - C:/Users/fluid/Downloads/python/uid code.py (3.12.4)
File Edit Format Run Options Window Help
IDLE Shell 3.12.4
File Edit Shell Debug Options Window Help

```
import speech_recognition as sr
import os

def rename_file_from_voice_command(command):
    # Extracting old and new filename from the command
    try:
        words = command.split(" ")
        old_name = words[1]
        new_name = words[3]

        os.rename(old_name, new_name)
        print(f"File renamed from {old_name} to {new_name}")
    except Exception as e:
        print(f"Error: {e}")

def listen_for_command():
    recognizer = sr.Recognizer()
    mic = sr.Microphone()

    print("Listening for command to rename a file...")
    with mic as source:
        recognizer.adjust_for_ambient_noise(source)
        audio = recognizer.listen(source)

    try:
        command = recognizer.recognize_google(audio)
        print(f"Command received: {command}")
        rename_file_from_voice_command(command)
    except sr.UnknownValueError:
        print("Sorry, I couldn't understand the command.")
    except sr.RequestError as e:
        print(f"Could not request results from Google Speech Recognition service

if __name__ == "__main__":
    listen_for_command()
```

```
Python 3.12.4 (tags/v3.12.4:8e8a4ba, Jun  6 2024, 19:30:16) [MSC v.1940 64 bit
AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
= RESTART: C:/Users/fluid/Downloads/python/uid code.py
Listening for command to rename a file...
Command received: UID code
Error: list index out of range
>>>
```


uid code.py - C:/Users/fluid/Downloads/python/uid code.py (3.12.4)
File Edit Format Run Options Window Help
IDLE Shell 3.12.4
File Edit Shell Debug Options Window Help

```python
import speech_recognition as sr
import os

def rename_file_from_voice_command(command):
    # Extracting old and new filename from the command
    try:
        words = command.split(" ")
        old_name = words[1]
        new_name = words[3]

        os.rename(old_name, new_name)
        print(f"File renamed from {old_name} to {new_name}")
    except Exception as e:
        print(f"Error: {e}")

def listen_for_command():
    recognizer = sr.Recognizer()
    mic = sr.Microphone()

    print("Listening for command to rename a file...")
    with mic as source:
        recognizer.adjust_for_ambient_noise(source)
        audio = recognizer.listen(source)

    try:
        command = recognizer.recognize_google(audio)
        print(f"Command received: {command}")
        rename_file_from_voice_command(command)
    except sr.UnknownValueError:
        print("Sorry, I couldn't understand the command.")
    except sr.RequestError as e:
        print(f"Could not request results from Google Speech Recognition service

if __name__ == "__main__":
    listen_for_command()
```

```
Python 3.12.4 (tags/v3.12.4:8e8a4ba, Jun  6 2024, 19:30:16) [MSC v.1940 64 bit
AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
= RESTART: C:/Users/fluid/Downloads/python/uid code.py
Listening for command to rename a file...
Command received: UID code
Error: list index out of range
>>>
```

RESULT:

Hence we implemented and developed Command Line Interface (CLI), Graphical User Interface (GUI), and Voice User Interface (VUI) for the same task, and assess user satisfaction using Python (with Tkinter for GUI and Speech Recognition for VUI) and Terminal.