

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING ACADEMIC YEAR 2024-2025 EVEN SEMESTER



CS23432 SOFTWARE ENGINEERING LAB

LAB MANUAL

SECOND YESR

FOURTH SEMESTER

2024-2025

EVEN SEMESTER

| Ex No | List of Experiments |
|----------|---|
| 1 | Study of Azure DevOps |
| 2 | Designing Project using AGILE-SCRUM Methodology. |
| 3 | Agile Planning |
| 4 | User stories – Creation |
| 5 | Architecture Diagram Using AZURE |
| 6 | Designing Usecase and Class Diagram |
| 7 | Designing Interaction Diagrams |
| 8 | Design Interface |
| 9 | Implementation – Design a Web Page based on Scrum Methodology |
| 10 | Testing using Azure. |
| 11 | Deployment |

| Requirements | | | | | | |
|--------------|---|--|--|--|--|--|
| Hardware | Intel i3, CPU @ 1.20GHz 1.19 GHz, 4 GB RAM, | | | | | |
| | 32 Bit Operating System | | | | | |
| Software | StarUML, Azure | | | | | |

LAB PLAN

CS19442-SOFTWARE ENGINEERING LAB

| Ex No | Date | Торіс | Page No | Sign |
|----------|------|---|------------|------|
| 1 | | Study of Azure DevOps | | |
| 2 | | Writing Problem Statement | | |
| 3 | | Designing Project using AGILE-SCRUM Methodology by using Azure. | | |
| 4 | | Agile Planning | | |
| 5 | | User stories – Creation | | |
| 6 | | Architecture Diagram Using AZURE | | |
| 7 | | Designing Usecase Diagram using StarUML | | |
| 8 | | Designing Activity Diagrams using StarUML | | |
| 9 | | Designing Sequence Diagrams using StarUML | | |
| 10 | | Design Class Diagram | | |
| 10 | | Design User Interface | | |
| 11 | | Implementation – Design a Web Page based on Scrum Methodology | | |
| 12 | | Testing | | |
| 13 | | Deployment | | |

Course Outcomes (COs)

Course Name: Software Engineering

Course Code: CS23432

| CO 1 | Understand the software development process models. |
|------|--|
| CO 2 | Determine the requirements to develop software |
| CO 3 | Apply modeling and modeling languages to design software products |
| CO 4 | Apply various testing techniques and to build a robust software products |
| CO 5 | Manage Software Projects and to understand advanced engineering concepts |

CO - PO - PSO matrices of course

| PO/PSO | PO1 | PO2 | PO3 | PO4 | PO5 | PO6 | PO7 | PO8 | PO9 | PO10 | PO11 | PO12 | PSO1 | PSO2 | PSO3 |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| co | | | | | | | | | | | | | | | |
| CS23432.1 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 1 | 3 | - |
| CS23432.2 | 2 | 3 | 1 | 2 | 2 | 1 | - | 1 | 1 | 1 | 2 | - | 1 | 2 | - |
| CS23432.3 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 |
| CS23432.4 | 2 | 2 | 3 | 2 | 2 | 2 | 1 | 0 | 2 | 2 | 2 | 1 | 1 | 2 | 1 |
| CS23432.5 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 0 | 2 | 1 | 1 | 1 | 2 | 1 | - |
| Average | 2.0 | 2.2 | 2.0 | 1.6 | 1.6 | 1.4 | 1.3 | 1.3 | 1.6 | 1.4 | 1.8 | 1.3 | 1.4 | 2.0 | 1.0 |

Correlation levels 1, 2 or 3 are as defined below:

1: Slight (Low) 2: Moderate (Medium) 3: Substantial (High) No correlation: "-"

STUDY OF AZURE DEVOPS

AIM:

To study how to create an agile project in Azure DevOps environment.

STUDY:

Azure DevOps is a cloud-based platform by Microsoft that provides tools for DevOps practices, including CI/CD pipelines, version control, agile planning, testing, and monitoring. It supports teams in automating software development and deployment.

Understanding Azure DevOps

Azure DevOps consists of five key services:

1.1 Azure Repos (Version Control)

Supports Git repositories and Team Foundation Version Control (TFVC). Provides features like branching, pull requests, and code reviews.

1.2 Azure Pipelines (CI/CD)

Automates build, test, and deployment processes.

Supports multi-platform builds (Windows, Linux, macOS).

Works with Docker, Kubernetes, Terraform, and cloud providers (Azure, AWS, GCP).

1.3 Azure Boards (Agile Project Management)

Manages work using Kanban boards, Scrum boards, and dashboards. Tracks user stories, tasks, bugs, sprints, and releases.

1.4 Azure Test Plans (Testing)

Provides manual, exploratory, and automated testing. Supports test case management and tracking.

1.5 Azure Artifacts (Package Management)

Stores and manages NuGet, npm, Maven, and Python packages. Enables versioning and secure access to dependencies.

Getting Started with Azure DevOps

Step 1: Create an Azure DevOps Account Visit Azure DevOps.

Sign in with a Microsoft Account.

Create an Organization and a Project.

Step 2: Set Up a Repository (Azure Repos)

Navigate to Repos.

Choose Git or TFVC for version control. Clone the repository and push your code.

Step 3: Configure a CI/CD Pipeline (Azure Pipelines)

Go to Pipelines \rightarrow New Pipeline.

Select a source code repository (Azure Repos, GitHub, etc.).

Define the pipeline using YAML or the Classic Editor. Run the pipeline to build and deploy the application.

Step 4: Manage Work with Azure Boards Navigate to Boards.

Create work items, user stories, and tasks. Organize sprints and track progress.

Step 5: Implement Testing (Azure Test Plans) Go to Test Plans.

Create and run test cases

View test results and track bugs.

RESULT:

The study was successfully completed.

PROBLEM STATEMENT

AIM:

To prepare Problem Statement for your given project.

Problem Statement:

Online Quiz System

The project aims to develop a comprehensive Online Quiz System that facilitates interactive quiz administration and assessment. The system will support user registration and role-based access (students and instructors), multiple question types (MCQs, True/False, Fill-in-the-Blanks), and image-based questions with CRUD functionality. Students can attempt quizzes with real-time scoring and performance feedback, while instructors can create quizzes, manage question banks, and analyze results through detailed reports and dashboards. The solution will be a secure, scalable web application featuring automated grading, progress tracking, and analytics to evaluate individual and group performance, enhancing the learning and assessment experience.

RESULT:

The problem statement was written successfully.

AGILE PLANNING

AIM:

To prepare an Agile Plan.

THEORY:

Agile planning is a part of the Agile methodology, which is a project management style with an incremental, iterative approach. Instead of using an in-depth plan from the start of the project—which is typically product-related—Agile leaves room for requirement changes throughout and relies on constant feedback from end users.

With Agile planning, a project is broken down into smaller, more manageable tasks with the ultimate goal of having a defined image of a project's vision. Agile planning involves looking at different aspects of a project's tasks and how they'll be achieved, for example:

- Roadmaps to guide a product's release ad schedule
- Sprints to work on one specific group of tasks at a time
- A feedback plan to allow teams to stay flexible and easily adapt to change

User stories, or the tasks in a project, capture user requirements from the end user's perspective Essentially, with Agile planning, a team would decide on a set of user stories to action at any given time, using them as a guide to implement new features or functionalities in a tool. Looking at tasks as user stories is a helpful way to imagine how a customer may use a feature and helps teams prioritize work and focus on delivering value first.

- Steps in Agile planning process
 - 1. Define vision
 - 2. Set clear expectations on goals
 - 3. Define and break down the product roadmap
 - 4. Create tasks based on user stories
 - 5. Populate product backlog
 - 6. Plan iterations and estimate effort
 - 7. Conduct daily stand-ups
 - 8. Monitor and adapt

RESULT:

Thus the Agile plan was completed successfully.

CREATE USER STORIES

AIM:

To create User Stories

THEORY:


A user story is an informal, general explanation of a software feature written from the perspective of the end user. Its purpose is to articulate how a software feature will provide value to the customer.

User story template


"As a [role], I [want to], [so that]."

PROCEDURE:


- Open your web browser and go to the Azure website:
 https://azure.microsoft.com/en-in
 Sign in using your Microsoft account credentials. If you don't have an account, create one.
- 2. If you don't have a Microsoft account, sign up here: https://signup.live.com/?lic=1




3. You will now reach the Azure home page.




4. Open the DevOps environment in Azure by typing "Azure DevOps Organizations" in the search bar.




5. Click on the "My Azure DevOps Organization" link and create an organization. You will be taken to the Azure DevOps Organization Home page.




- 6. Create the First Project in Your Organization
 - i. On the organization's Home page, click New Project.
 - ii. Enter the following details:
- Name: (e.g., LMS)
- Description: Add project context (optional)
- Visibility: Choose Private or Public iii. Click Create.



7. Once logged in, ensure you're in the correct organization. If you're part of multiple organizations, switch between them from the top left corner near your profile.




8. The Project Dashboard will be displayed.



- 9. To manage user stories:
 - a. From the left menu, click on Boards.

- b. Click Add a Work Item \rightarrow User Story.
- c. Enter the User Story details in the form provided.
- 10. Fill in User Story Details



RESULT:

The user story was written successfully.

SEQUENCE DIAGRAM

AIM:


To design a Sequence Diagram by using Mermaid.js

THEORY:

A Sequence Diagram is a key component of Unified Modelling Language (UML) used to visualize the interaction between objects in a sequential order. It focuses on how objects communicate with each other over time, making it an essential tool for modelling dynamic behaviour in a system.

Procedure:

- 1. Open a project in Azure DevOps Organisations.
- 2. To design select wiki from menu



3. Write code for drawing sequence diagram and save the code.

sequenceDiagram

participant Student

participant WebApp

participant AuthService

participant QuizService

participant QuestionBank

participant ResultService

participant Instructor

%% Student registration and login

Student->>WebApp: Register/Login

WebApp->>AuthService: Validate credentials

AuthService-->>WebApp: Success/Failure

WebApp-->>Student: Authenticated

%% Student starts quiz

Student->>WebApp: View Available Quizzes

WebApp->>QuizService: Fetch quizzes

QuizService-->>WebApp: Quiz list

WebApp-->>Student: Display quizzes

%% Student takes quiz

Student->>WebApp: Start Quiz

WebApp->>QuestionBank: Fetch questions

QuestionBank-->>WebApp: Questions

WebApp-->>Student: Display questions

Student->>WebApp: Submit Answers

WebApp->>ResultService: Evaluate and store result

ResultService-->>WebApp: Score

WebApp-->>Student: Show Score

%% Instructor manages quiz

Instructor->>WebApp: Login

WebApp->>AuthService: Validate Instructor

AuthService-->>WebApp: Authenticated

WebApp-->>Instructor: Dashboard

Instructor->>WebApp: Create/Edit Quiz

WebApp->>QuizService: CRUD Quiz

QuizService-->>WebApp: Success

Instructor->>WebApp: Upload Question Images

WebApp->>QuestionBank: Store Images

QuestionBank-->>WebApp: Upload Success

Instructor->>WebApp: View Student Reports

WebApp->>ResultService: Fetch Reports

ResultService-->>WebApp: Report Data

WebApp-->>Instructor: Display Report

EXPLAINATION:

• participant defines the entities involved.

• ->> represents a direct message.

• -->> represents a response message.

• + after ->> activates a participant.


• - after -->> deactivates a participant.


• alt / else for conditional flows.

• loop can be used for repeated actions.

- -> Solid line without arrow
- --> Dotted line without arrow
- ->> Solid line with arrowhead
- -->> Dotted line with arrowhead
- <<->> Solid line with bidirectional arrowheads (v11.0.0+)
- <<-->> Dotted line with bidirectional arrowheads (v11.0.0+)
- -x Solid line with a cross at the end
- --x Dotted line with a cross at the end
- -) Solid line with an open arrow at the end (async)
- --) Dotted line with a open arrow at the end (async)

4. Click wiki menu and select the page





RESULT:

The sequence diagram was drawn successfully.


CLASS DIAGRAM

AIM:-

To draw a sample class diagram for your project or system.

THEORY


A UML class diagram is a visual tool that represents the structure of a system by showing its classes, attributes, methods, and the relationships between them.




NOTIONS IN CLASS DIAGRAM

Procedure:

- 1. Open a project in Azure DevOps Organisations.
- 2. To design select wiki from menu.



3. Write code for drawing class diagram and save the code




classDiagram

```
%% Entities in the Online Quiz System
class User {
  +int userId
  +string username
  +string email
  +string passwordHash
  +string role
  +register()
  +login()
  +updateProfile()
}
class Student {
  +int studentId
  +List~QuizAttempt~ quizAttempts
  +takeQuiz()
  +viewResults()
}
```

```
class Instructor {
  +int instructorId
  +createQuiz()
  + manage Question Bank() \\
  +generateReports()
}
class Admin {
  +int adminId
  +manageUsers()
  +systemConfig()
}
class Quiz {
  +int quizId
  +string title
  +string description
  +datetime startTime
  +datetime endTime
  +int timeLimit
  +List~Question~ questions
  +addQuestion()
}
class Question {
  +int questionId
  +string text
  +string type
  +int points
  +string mediaUrl
```

```
+List~Option~ options
  +uploadImage()
}
class QuizAttempt {
  +int attemptId
  +datetime startTime
  +datetime endTime
  +int score
  +submitAnswers()
}
class Report {
  +int reportId
  +generateStudentReport()
  +generateQuestionStats()
  +exportPDF()
}
%% Relationships
User < |-- Student
User < |-- Instructor
User < |-- Admin
Instructor "1" *-- "0..*" Quiz : creates
Quiz "1" *-- "1..*" Question : contains
Question "1" *-- "0..*" Option : has
Student "1" *-- "0..*" QuizAttempt: has
QuizAttempt "1" *-- "1" Quiz : for
Instructor "1" *-- "0..*" Report : generates
```



| DECIII T. | | | |
|--------------------------------------|-------------------|--|--|
| RESULT: | | | |
| | | | |
| | ned successfully. | | |
| RESULT: The class diagram was design | ned successfully. | | |
| | ned successfully. | | |
| | ned successfully. | | |
| | ned successfully. | | |

USECASE DIAGRAM


AIM:

Steps to draw the Use Case Diagram using draw.io

THEORY:

UCD shows the relationships among actors and use cases within a system which Provide an overview of all or part of the usage requirements for a system or organization in the form of an essential model or a business model and communicate the scope of a development project

- Use Cases
- Actors
- Relationships
- System Boundary Boxes



PROCEDURE:

Step 1: Create the Use Case Diagram in Draw.io

- Open Draw.io (diagrams.net).
- Click "Create New Diagram" and select "Blank" or "UML Use Case" template.
- Add Actors (Users, Admins, External Systems) from the UML section.
- Add Use Cases (Functionalities) using ellipses.
- Connect Actors to Use Cases with lines (solid for direct interaction, dashed for
- <<include>> and <<extend>>).
- Save the diagram as .drawio or

export as PNG/JPG/SVG. Step 2:

Upload the Diagram to Azure

DevOps


Option 1: Add to Azure DevOps Wiki

• Open Azure DevOps and go to your project.

- Navigate to Wiki (Project > Wiki).
- Click "Edit Page" or create a new page.
- Drag & Drop the exported PNG/JPG image.
- Use Markdown to embed the diagram:
- ![Use Case Diagram](attachments/use_case_diagram.png)

Option 2: Attach to Work Items in Azure Boards

- Open Azure DevOps → Navigate to Boards (Project > Boards).
- Select a User Story, Task, or Feature.
- Click "Attachments" → Upload your Use Case Diagram.
- Add comments or descriptions to explain the use case.



D2[System Config]

end

%% Relationships

A1 --> B1 & B2 & B3

A2 --> C1 & C2 & C3 & C4


A3 --> D1 & D2

%% Extensions

C1 -.->|includes| C4

C3 -.->|extends| E1[[Analyze Statistics]]

B2 -.->|extends| E2[[Compare Scores]]



RESULT:

The use case diagram was designed successfully.

ACTIVITY DIAGRAM

AIM:

To draw a sample activity diagram for your project or system.


THEORY:

Activity diagrams are an essential part of the Unified Modelling Language (UML) that help visualize workflows, processes, or activities within a system. They depict how different actions are connected and how a system moves from one state to another.

| Notations | Symbol | Meaning |
|-------------------|------------|--|
| Start | | Shows the beginning of a process |
| Connector | | Shows the directional flow, or control flow, of the activity |
| Joint symbol | ↓ ↓ | Combines two concurrent activities and re- |
| | | introduces them to a flow where one activity occurs |
| | + | at a time |
| Decision | \Diamond | Represents a decision |
| Note | | Allows the diagram creators o communicate |
| | | additional messages |
| Send signal | | Show that a signal is being sent to a receiving activity |
| Receive signal | | Demonstrates the acceptance of an event |
| Flow final symbol | \otimes | Represents the end of a specific process flow |
| Option loop | | Allows the creator to model a repetitive sequence |
| | | within the option loop symbol |
| Shallow history | H | Represents a transition that invokes the last active |
| pseudostate | | state. |
| End | | Marks the end state of an activity and represents the completion of all flows of a process |

PROCEDURE:

- 1. Draw diagram in draw.io
- 2. Upload the diagram in Azure DevOps wiki



:::mermaid

flowchart TD

A[Start] --> B[User Registration or Login]

B --> C{Is User Authenticated?}

C -- No --> B

C -- Yes --> D[Dashboard]

D --> E{Choose Action}

E -->|Take Quiz| F[Select Quiz Topic]

E -->|Manage Quizzes Instructor| G[Create, Edit or Delete Quiz]

E -->|View Reports| H[Select Student or Quiz Report]

F --> I[Start Quiz]

I --> J[Display Question]

 $J \longrightarrow K\{Question Type\}$

K --> |MCQ| L[Display MCQ Options]

K -->|True or False| M[Display True/False Options]

K -->|Fill in the Blanks| N[Display Blank Field]

L --> O[Submit Answer]

 $M \longrightarrow O$

 $N \longrightarrow O$

O --> P{More Questions?}

P -- Yes --> J

P -- No --> Q[Submit Quiz]

Q --> R[Calculate Score]

R --> S[Save Score to Database]


S --> T[Show Result to User]

G --> U[Set Quiz Details, Questions, Upload Images]

U --> V[Save Quiz to Database]

H --> W[Generate and View Reports]

| T> D $V> D$ $W> D$ |
|----------------------|
| D> Z[Logout] Z> A |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |



RESULT:

The activity diagram was designed successfully.

ARCHITECTURE DIAGRAM

AIM:

Steps to draw the Architecture Diagram using draw.io.


Theory:

An architectural diagram is a visual representation that maps out the physical implementation for components of a software system. It shows the general structure of the software system and the associations, limitations, and boundaries between each element.



Procedure:

- 1. Draw diagram in draw.io.
- 2. Upload the diagram in Azure DevOps wiki



RESULT:

The architecture diagram was designed successfully.


USER INTERFACE

AIM:


Design User Interface for the given project.

INTERFACE:


Login page:




Teacher Dashboard:




Student Dashboard:




Quiz Attempt:




Quiz Results:



Student Report:





RESULT:

The UI was designed successfully.

EX NO:11

IMPLEMENTATION

AIM:

To implement and deploy a web-based project titled "Quiz Master" using the Agile software development methodology, with version control, integration, and continuous deployment handled through Azure DevOps.

OVERVIEW:

This experiment focuses on the end-to-end development of a web application using the Agile approach and deploying it through Azure DevOps tools. The selected project, **Quiz Master**, is an interactive web-based quiz application designed to allow users to take quizzes, view scores, and analyze performance. Agile methodology is particularly well-suited for such iterative development, allowing continuous improvement and delivery. The practical implementation demonstrates not only software construction but also the collaborative integration and automation features of modern DevOps practices

Methodology Used:

Agile Software Development Life Cycle (Agile SDLC)

Tools and Technologies:

• Frontend: HTML, CSS, JavaScript (React.js)

• **Backend:** Node.js (or Python / .NET if applicable)

• **CI/CD Platform:** Azure DevOps

• **Source Control:** Git (via Azure Repos)

• **Build and Release Pipelines:** Azure Pipelines

• **Deployment Environment:** Azure App Service (or VMs)

1. Project Setup & Initialization

- i. Create a Git Repository
- ii. Initialize a new repository in Azure Repos for version control.
- iii. Clone the repository locally using git clone.
- iv. Set Up Project Structure

2. Frontend Development (React.js)

- i. Initialize React App
- ii. Key Frontend Components
- iii. Quiz List Page (Displays available quizzes)
- iv. Quiz Page (Displays questions & options)
- v. Results Page (Shows score & feedback)
- vi. Integrate API Calls
- vii. Use axios or fetch to connect with the backend.

- viii. Styling
- ix. Use CSS Modules or TailwindCSS for responsive design.

3. Backend Development (Node.js)

- i. Initialize Node.js Project
- ii. API Endpoints
- iii. GET /quizzes \rightarrow Fetch all quizzes
- iv. GET /quiz/:id → Get a specific quiz
- v. POST /submit → Submit quiz answers & calculate score
- vi. Database Integration (MongoDB)
- vii. Define a Quiz Schema (questions, options, correct answers).
- viii. Use Mongoose for database operations.
- ix. Test API
- x. Use Postman or Thunder Client to verify endpoints.

4. Database Setup

- i. Choose a Database
- ii. MongoDB Atlas (Cloud-based) or Azure Cosmos DB.
- iii. Configure Connection
- iv. Store DB credentials in environment variables.

5. CI/CD Pipeline (Azure DevOps)

A. Continuous Integration (CI) Pipeline

- i. Create azure-pipelines.yml
- ii. Run Tests
- iii. Add unit tests (Jest for React, Mocha/Chai for Node.js).

B. Continuous Deployment (CD) Pipeline

- i. Deploy to Azure App Service
- ii. Configure Azure Pipelines to deploy:
- iii. Frontend → Static Web App
- iv. Backend → Azure App Service
- v. Set Up Environment Variables
- vi. Store secrets (DB connection strings) in Azure Key Vault.

6. Deployment & Monitoring

- i. Manual Testing
- ii. Verify UI, API, and database interactions.
- iii. Automated Monitoring (Optional)
- iv. Use Azure Application Insights for error tracking.
- v. Post-Deployment Checks

| | vi. | Ensure the app is accessible via the deployed URL. |
|---|--------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| 1 | RESU | п.т. |
| - | Thus t | he application was successfully implemented. |
| - | | |
| | | |
| | | |
| | | |

EX NO:12

TESTING

AIM:

To implement testing in azure.

Testing Methodology:

Following Agile Testing, we conducted functional and exploratory tests at the end of each sprint. Tests were written collaboratively and executed as part of Continuous Integration. Each feature was verified with clear test scenarios and expected outcomes.

| Test ID | Test Title | Precondition s | Test Steps | Expected Result | Actual Result | Statu s |
|------------|----------------------------|--|--|---|------------------|------------|
| TC0 1 | User Registration | App deployed; Registration page accessible | 1. Open the app 2. Navigate to registration 3. Enter valid user details 4. Click "Sign Up" | User account created, redirected to login page | As expecte d | Pass |
| TC0 2 | User Login | Registered user exists | 1. Go to login page 2. Enter valid username and password 3. Click "Login" | User is redirected to dashboard | As expecte d | Pass |
| TC0 3 | Invalid Login | Registered user exists | 1. Go to login page 2. Enter incorrect credentials 3. Click "Login" | Error message displayed: "Invalid username or password" | As expecte d | Pass |
| TC0 4 | Create New Quiz (Admin) | Logged in as Admin | 1. Login as Admin 2. Go to "Create Quiz" 3. Enter quiz details and questions 4. Click "Save" | New quiz is saved and listed under quiz dashboard | As expecte d | Pass |

| TC0 5 | Attempt Quiz (User) | Quiz exists; User logged in | Login as User Click on a quiz Answer all questions Submit quiz | Quiz is submitted, score is calculated and displayed | As expecte d | Pass |
|----------|--|-----------------------------------|---|--|--------------|------|
| TC0 6 | View Quiz Results | Quiz attempt completed | Login Navigate to "My Results" Click on a past quiz | User can see past results with question breakdown | As expecte d | Pass |
| TC0 7 | Timer Functionality | Quiz with timer enabled | 1. Start a quiz 2. Wait till timer runs out without submission | Quiz auto- submits and result is shown | As expecte d | Pass |
| TC0 8 | Access Admin Panel (Unauthorize d User) | Logged in as normal user | 1. Login as regular user 2. Try accessing /admin or Admin menu | Access denied or redirected with "Unauthorized " message | As expecte d | Pass |
| TC0 9 | Dashboard Performance Load | Multiple users logged in | 1. Simulate 20+ users logging in 2. Monitor dashboard responsivenes s | Dashboard remains responsive, no crashes | As expecte d | Pass |
| TC1 0 | Logout Functionality | User is logged in | 1. Click "Logout" on any page | Session ends, redirected to login screen | As expecte d | Pass |

PROCEDURE:

1. Setting Up Test Plans Step 1: Access Test Plans

Go to Azure DevOps \rightarrow Test Plans (under "Test Management").

Ensure you have the Basic + Test Plans license (required for manual testing).

Step 2: Create a Test Plan

Click + New Test Plan.

Enter:

Name: Quiz Master - Regression Test Suite

Area Path: Select your project area (e.g., QuizMaster\Testing).

Iteration: Assign to a sprint (e.g., Sprint 2).

2. Define Test Suites

Test Suites organize test cases into logical groups (e.g., by feature, priority).

Step 3: Add Test Suites

Static Suite (Fixed set of test cases)

Example: Login Functionality, Quiz Submission. Requirement-based Suite (Linked to User Stories) Example: As a user, I should be able to submit a quiz.

Query-based Suite (Dynamic, based on filters).

3. Create Test Cases

Test cases define step-by-step validation for features.

Step 4: Add Test Cases

Click + New Test Case under a suite.

Fill in:

Title: Verify quiz submission with correct answers.

Steps:

Action Expected Result

Select correct answers Score increases

Click "Submit" Results page displays

Assign Priority (1–4) and State (Design, Ready, Closed).

Step 5: Link to User Stories/Bugs

Use the Links tab to associate test cases with:

User Stories (e.g., US-101: Quiz Submission).

Bugs (if reproducing an issue).

4. Execute Test Cases

Step 6: Run Manual Tests

Open the Test Plan \rightarrow Execute.

Select a test case \rightarrow Run.

Use the Test Runner to:

Mark steps as Pass/Fail.

Add comments or attachments (screenshots).

File a Bug directly if a test fails.

Step 7: Automated Test Integration

Link automated tests (e.g., Selenium) to test cases:

In the Associated Automation tab, add the test method name.

5. Track Progress & Report

Step 8: Monitor Test Results

Dashboard Widgets:

Test Failure Analysis (Pipelines \rightarrow Tests).


Test Plan Progress (Burndown charts).


Queries: Filter by Failed Tests or Active Bugs.

Step 9: Export/Share Reports

Export to Excel or generate Power BI dashboards.

TEST PLANS IN AZURE:





RESULT:

Thus testing is implemented in azure.

EX NO: 13

DEPLOYMENT

AIM:

To implement the CI/CD pipeline in azure.

PROCEDURE:

1. Classic Release Pipeline (GUI-based)

Step 1: Create a New Release Pipeline

Navigate to Pipelines \rightarrow Releases.

Click New Pipeline (or New \rightarrow New Release Pipeline).

Step 2: Add an Artifact Source

Source Type: Build (Linked to your CI pipeline).

Project: Select your project.

Source (Build Pipeline): Choose the CI pipeline that produces the build artifact.

Default Version: Latest (or specify a branch).

Step 3: Define Stages (Environments)

Example Stages:

 $Dev \rightarrow Test \rightarrow Staging \rightarrow Production$

Click Add Stage and select a template (e.g., Azure App Service Deployment).

Step 4: Configure Deployment Tasks

Example Task: Deploy to Azure App Service

yaml

- task: AzureWebApp@1

inputs:

```
azureSubscription: '<your-azure-connection>'
  appType: 'webApp'
  appName: '<your-app-name>'
  package: '$(System.DefaultWorkingDirectory)/**/*.zip'
Step 5: Connect Azure Subscription
Go to Project Settings \rightarrow Service Connections.
Click New Service Connection → Azure Resource Manager (ARM).
Enter Azure credentials (Service Principal or Managed Identity).
Step 6: Enable Continuous Deployment Trigger
In the Artifacts section, click the Lightning Bolt (5) icon.
Toggle Enable Continuous Deployment Trigger.
Optionally, add branch filters (e.g., main).
Step 7: Save & Run the Release Pipeline
Click Save and manually trigger a release or wait for a new CI build.
2. YAML-based Continuous Delivery
Step 1: Define CD in azure-pipelines.yml
yaml
trigger:
 - main
stages:
```

```
- stage: DeployToDev
  displayName: 'Deploy to Dev'
  jobs:
   - deployment: DeployWebApp
    environment: 'dev'
    strategy:
     runOnce:
       deploy:
        steps:
         - task: AzureWebApp@1
          inputs:
           azureSubscription: '<your-azure-connection>'
           appType: 'webApp'
           appName: '<your-dev-app-name>'
           package: '$(Pipeline.Workspace)/**/*.zip'
Step 2: Add Multi-Stage Deployment (Optional)
yaml
 - stage: DeployToProd
  displayName: 'Deploy to Production'
  dependsOn: DeployToDev
  condition: succeeded()
  jobs:
   - deployment: DeployProd
    environment: 'prod'
    strategy:
```

runOnce:

deploy:

steps:

- task: AzureWebApp@1

inputs:

azureSubscription: '<your-azure-connection>'

appType: 'webApp'


appName: '<your-prod-app-name>'


package: '\$(Pipeline.Workspace)/**/*.zip'


Step 3: Commit & Monitor Pipeline

Push changes to trigger the CD pipeline.

Track deployments in Pipelines → Environments.







RESULT:

Thus CI/CD pipeline is implemented successfully.

