

## **Module-1(HTML)**

### **1) Are the HTML tags and elements the same thing?**

Tags are the building blocks of an html page but elements consist of both the opening and closing tags along with the content they enclose.

### **2) What are tags and attributes in HTML?**

- **Tags** : If you write something like that in HTML `<h1> </h1>` this called tag.
- **Attribute** : if you write tags like `<a href=" " > </a>` So in this like href is attribute and a is tag.

### **3) What are void elements in HTML?**

If any tag don't have closing tag then it is void elements in HTML like `<br> <hr>` etc.

### **4) What are HTML Entities?**

If you have to put any symbols or any special characters in html that you can't put easily then you have to use html entities that provides you many special characters and symbols like

**&lt;** means `<` or **&amp;** means `&`.

### **5) What are different types of lists in HTML?**

- **Ordered list**  
`<ol>`  
`<li></li>`  
`</ol>`
- **Unordered list**  
`<ul>`  
`<li></li>`  
`</ul>`
- **Description list**  
`<dl>`  
`<dt></dt>`  
`<dd></dd>`  
`</dl>`

### **6) What is the 'class' attribute in HTML?**

The class attribute in HTML is used to specify one or more class names for an HTML element like `<p class="box"> </p>`

You can use class name box for your CSS or anything else for your project

**7) What is the difference between the 'id' attribute and the 'class' attribute of HTML elements?**

**ID :** We use id for a specific and unique id.

`<p id="box"> </p>`

**Class :** We use class for grouping anything in html.

`<p class="boxx"> </p>`

**8) What are the various formatting tags in HTML?**

- **<b>**: Makes the text bold.
- **<i>**: Makes the text italic.
- **<u>**: Underlines the text.
- **<pre>**: Defines preformatted text.

**9) How is Cell Padding different from Cell Spacing?**

Cell padding is given space between the cell border and cell content instead of give space between the cell like if we use cell Padding then they give space in that specific cell but if we use cell spacing then they give space in between two cells.

**10) How can we club two or more rows or columns into a single row or column in an HTML table?**

If you have to merge two rows then you have to use **rowspan** and if you have to merge two columns then you have to use **colspan**.

**11) What is the difference between a block-level element and an inline element?**

- Block level element always starts from a new line.  
Always take whole line for contain.  
**Ex.** Div, p, H tags, etc.
- Inline element never starts from new line.  
Only takes necessary space as they want.  
**Ex.** Span, a, etc.

**12) How to create a Hyperlink in HTML?**

Use A tag for create hyperlink in html with href attribute

**Ex.** `<a href="www.xyz.com"> click here </a>`

**13) What is the use of an iframe tag?**

We use ifream for show any external website in our website.

**Ex.** `<ifream src="www.xyz.com"></ifream>`

**14) What is the use of a span tag? Explain with example?**

We use span tag as an inline tag and the main work of span tag is give style by CSS for any inline contains.

**Ex.** `<p> this is <span>a span</span> tag</p>`

### 15) How to insert a picture into a background image of a web page?

You can insert a background image like

```
<style>
.box{
Background-image : url(enter your image link);
}
</style>
```

### 16) How are active links different from normal links?

Active links are dynamic links that change based on user interaction.

**Ex.** <a href = "www.xyz.com" onclick = "alert ('whats uppp') "> click here </a>

### 17) What are the different tags to separate sections of text?

- **br** tag
- **p** tag
- **blockquote** tag etc.

### 18) What is SVG?

Meaning of SVG is Scalable Vector Graphics so it's a xml based vector image format used for defining dimensional graphics.

### 19) What is difference between HTML and XHTML?

- HTML is the standard language for creating web pages and XHTML is the strict version of HTML
- It's more flexible and accepting various coding error but XHTML is adhere to XML rules and regulations

### 20) What are logical and physical tags in HTML?

- Logical tag : Logical tags provide semantic meaning to the text.

**Ex.** Strong tag

Abbr tag

Pre tag etc.

- physical tag : physical tags control the visual appearance of the text.

**Ex.** B tag

u tag

I tag etc.