

Lab Exercise 3 – August 2021

Programme	: BTech	Semester	:	FS 2021-22
Course Title	Houndations of Data Analytics	Code	:	3505
		Class Nbr(s)	:	CH2020211001158
Faculty(s)	: Dr. B. Radhika Selvamani	Slot		L33+L34
Date	: 16/8/2021			

Data Frames and Data Tables in R

Question A

Q.No.	Question Description	Marks
	Find attached the poker hand details of a card game in the attached csv file. It has 11 columns. The attribute details are given below. Read this .csv file as a data frame.	
	Attribute Information:	
	1) S1 "Suit of card #1" Ordinal (1-4) representing {Hearts, Spades, Diamonds, Clubs}	
	2) C1 "Rank of card #1" Numerical (1-13) representing (Ace, 2, 3,, Queen, King)	
	3) S2 "Suit of card #2" Ordinal (1-4) representing {Hearts, Spades, Diamonds, Clubs}	
	4) C2 "Rank of card #2" Numerical (1-13) representing (Ace, 2, 3,, Queen, King)	
1.	5) S3 "Suit of card #3" Ordinal (1-4) representing {Hearts, Spades, Diamonds, Clubs}	
	6) C3 "Rank of card #3" Numerical (1-13) representing (Ace, 2, 3,, Queen, King)	
	7) S4 "Suit of card #4" Ordinal (1-4) representing {Hearts, Spades, Diamonds, Clubs}	
	8) C4 "Rank of card #4" Numerical (1-13) representing (Ace, 2, 3,, Queen, King)	
	9) S5 "Suit of card #5" Ordinal (1-4) representing {Hearts, Spades, Diamonds, Clubs}	
	10) C5 "Rank of card 5" Numerical (1-13) representing (Ace, 2, 3,, Queen, King)	
	11) CLASS "Poker Hand" Ordinal (0-9)	
	0: Nothing in hand; not a recognized poker hand	

1: One pair; one pair of equal ranks within five cards 2: Two pairs; two pairs of equal ranks within five cards 3: Three of a kind; three equal ranks within five cards 4: Straight; five cards, sequentially ranked with no gaps 5: Flush; five cards with the same suit 6: Full house; pair + different rank three of a kind 7: Four of a kind; four equal ranks within five cards	
8: Straight flush; straight + flush 9: Royal flush; {Ace, King, Queen, Jack, Ten} + flush	
Create a new data frame from the given .csv file where the 1st, 3 rd , 5 th , 7 th ang 9 th columns are factors with the levels "Heart, Spade, Diamond, Club" for values {1,2,3,4} Display the data frame.	
Convert the last column into a factor where the numbers are labelled as below 0: Nothing in hand; not a recognized poker hand 1: One pair; one pair of equal ranks within five cards 2: Two pairs; two pairs of equal ranks within five cards 3: Three of a kind; three equal ranks within five cards 4: Straight; five cards, sequentially ranked with no gaps 5: Flush; five cards with the same suit 6: Full house; pair + different rank three of a kind 7: Four of a kind; four equal ranks within five cards 8: Straight flush; straight + flush 9: Royal flush; {Ace, King, Queen, Jack, Ten} + flush Display the data frame	
c Display all the Three of a kind cards.	
d. Display all cards which are "Nothing in Hand" or One Pair or Two Pairs	