





























Lakshmi Easy Fit dual duty Pulleys

		Pitch Dia(P)	No. of Grooves	Bush No.	Max bore	Pully Type	F	K	L	M	Outside Dia
For use with Asection belts											
 1	 5	67	1	1108	28	1	20		22	2	72.5
		2	1108	28	6	35	13	22			
 2	 6	71	1	1108	28	1	20		22	2	76.5
		2	1108	28	6	35	13	22			
		3	1108	28	6	50	28	22			
 3	 7	75	1	1108	28	1	20		22	2	80.5
		2	1108	28	6	35	13	22			
		3	1210	32	6	50	25	25			
 4	 8	80	1	1108	28	1	20		22	2	85.5
		2	1108	28	6	35	13	22			
		3	1210	32	6	50	25	25			
		4	1215	32	6	65	27	38			
		5	1215	32	6	80	42	38			
 1	 5	85	1	1108	28	1	20		22	2	90.5
		2	1108	28	6	35	13	22			
		3	1210	32	6	50	25	25			
		4	1215	32	6	65	27	38			
		5	1215	32	6	80	42	38			
 2	 6	90	1	1108	28	1	20		22	2	95.5
		2	1108	28	6	35	13	22			
		3	1610	42	6	50	25	25			
		4	1615	42	3	65	13.5	38	13.5		
		5	1615	42	3	80	21	38	21		
For use with ASPA section belts											
 3	 7	95	1	1210	32	1	20		25	5	100.5
		2	1610	42	6	35	10	25			
		3	1610	42	6	50	25	25			
		4	1615	42	3	65	13.5	38	13.5		
		5	1615	42	3	80	21	38	21		
 4	 8	100	1	1610	42	1	20		25	5	105.5
		2	1610	42	6	35	10	25			
		3	1610	42	6	50	25	25			
		4	1615	42	6	65	27	38			
		5	1615	42	6	80	42	38			
		6	1615	42	3	95	28.5	38	28.5		

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE

Lakshmi Easy Fit dual duty Pulleys













For use with A/SPA section belts

		Pitch Dia(P)	No. of Grooves	Bush No.	Max.Bore	Pully Type	F	K	L	M	Outside Dia
 1	 5	106	1	1610	42	1	20		25	5	111.5
			2	1610	42	6	35	10	25		
			3	1610	42	6	50	25	25		
			4	1615	42	6	65	27	38		
			5	2012	50	6	80	48	32		
			6	2012	50	3	95	31.5	32	31.5	
 2	 6	112	1	1610	42	1	20		25	5	117.5
			2	1610	42	6	35	10	25		
			3	2012	50	6	50	18	32		
			4	2012	50	6	65	33	32		
			5	2012	50	6	80	48	32		
			6	2012	50	6	95	63	32		
 3	 7	118	1	1610	42	1	20		25	5	123.5
			2	1610	42	6	35	10	25		
			3	2012	50	6	50	18	32		
			4	2012	50	6	65	33	32		
			5	2012	50	6	80	48	32		
			6	2012	50	6	95	63	32		
 4	 8	125	1	1610	42	1	20		25	5	130.5
			2	1610	42	2	35		25	10	
			3	2012	50	2	50		32	18	
			4	2012	50	2	65		32	33	
			5	2012	50	2	80		32	48	
			6	2012	50	3	95	31.5	32	31.5	
 132	 140	132	1	1610	42	1	20		25	5	137.5
			2	1610	42	2	35		25	10	
			3	2012	50	2	50		32	18	
			4	2517	60	2	65		45	20	
			5	2517	60	2	80		45	35	
			6	2517	60	3	95	25	45	25	
 140	 140	140	1	1610	42	1	20		25	5	145.5
			2	2012	50	6	35	3	32		
			3	2517	60	2	50		45	5	
			4	2517	60	2	65		45	20	
			5	2517	60	2	80		45	35	
			6	2517	60	3	95	25	45	25	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE

Lakshmi Easy Fit dual duty Pulleys















For use with A/SPA section belts

		Pitch Dia(P)	No. of Grooves	Bush No.	Max.Bore	Pully Type	F	K	L	M	Outside Dia
 1	 5	150	1	1610	42	1	20		25	5	155.5
			2	2012	50	6	35	3	32		
			3	2517	60	2	50		45	5	
			4	2517	60	2	65		45	20	
			5	2517	60	2	80		45	35	
			6	2517	60	3	95	25	45	25	
 2	 6	160	1	1610	42	1	20		25	5	165.5
			2	2012	50	6	35	3	32		
			3	2517	60	2	50		45	5	
			4	2517	60	2	65		45	20	
			5	2517	60	2	80		45	35	
			6	2517	60	3	95	25	45	25	
 3	 7	170	1	1610	42	1	20		25	5	175.5
			2	2012	50	6	35	3	32		
			3	2517	60	2	50		45	5	
			4	2517	60	2	65		45	20	
			5	2517	60	2	80		45	35	
			6	2517	60	3	95	25	45	25	
 4	 8	180	1	1610	42	1	20		25	5	185.5
			2	2012	50	2	35		32	3	
			3	2517	60	2	50		45	5	
			4	2517	60	2	65		45	20	
			5	3020	75	2	80		51	29	
			6	3020	75	3	95	22	51	22	
 190	 200	190	1	2012	50	1	20		32	12	195.5
			2	2012	50	2	35		32	3	
			3	2517	60	2	50		45	5	
			4	3020	75	2	65		51	14	
			5	3020	75	2	80		51	29	
			6	3020	75	3	95	22	51	22	
 200	 200	200	1	2012	50	1	20		32	12	205.5
			2	2517	60	8	35		45	10	
			3	2517	60	3	50	2.5	45	2.5	
			4	3020	75	2	65		51	14	
			5	3020	75	2	80		51	29	
			6	3020	75	3	95	22	51	22	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE

Lakshmi Easy Fit dual duty Pulleys









For use with A/SPA section belts

		Pitch Dia(P)	No. of Grooves	Bush No.	Max.Bore	Pully Type	F	K	L	M	Outside Dia
 1	 5	212	1	2012	50	1	20		32	12	217.5
			2	2517	60	8	35		45	10	
			3	2517	60	2	50		45	5	
			4	3020	75	2	65		51	14	
			5	3020	75	2	80		51	29	
			6	3020	75	3	95	22	51	22	
 2	 6	224	1	2012	50	1	20		32	12	229.5
			2	2517	60	8	35		45	10	
			3	2517	60	2	50		45	5	
			4	3020	75	2	65		51	14	
			5	3020	75	2	80		51	29	
			6	3020	75	3	95	22	51	22	
 3	 7	236	1	2012	50	1	20		32	12	241.5
			2	2517	60	8	35		45	10	
			3	2517	60	2	50		45	5	
			4	3020	75	2	65		51	14	
			5	3020	75	2	80		51	29	
			6	3020	75	3	95	22	51	22	
 4	 8	250	1	2012	50	1	20		32	12	255.5
			2	2517	60	8	35		45	10	
			3	2517	60	7	50	2.5	45	2.5	
			4	3020	75	7	65	7	51	7	
			5	3020	75	7	80	14.5	51	14.5	
			6	3020	75	7	95	22	51	22	
 5	 6	265	1	2012	50	1	20		32	12	270.5
			2	2517	60	8	35		45	10	
			3	2517	60	7	50	2.5	45	2.5	
			4	3020	75	7	65	7	51	7	
			5	3020	75	7	80	14.5	51	14.5	
			6	3020	75	7	95	22	51	22	
 7	 8	280	1	2012	50	1	20		32	12	285.5
			2	2517	60	8	35		45	10	
			3	2517	60	7	50		45	5	
			4	3020	75	7	65	7	51	7	
			5	3535	90	8	80		89	9	
			6	3535	90	7	95		89	6	
 9	 10	300	1	2012	50	1	20		32	12	305.5
			2	2517	60	8	35		45	10	
			3	2517	60	7	50		45	5	
			4	3020	75	7	65	7	51	7	
			5	3535	90	8	80		89	9	
			6	3535	90	7	95		89	6	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE

Lakshmi Easy Fit dual duty Pulleys





For use with A/SPA section belts

		Pitch Dia(P)	No. of Grooves	Bush No.	Max.Bore	Pully Type	F	K	L	M	Outside Dia
 1	 5	315	1	2012	50	1	20		32	12	320.5
			2	2517	60	4	35		45	10	
			3	3020	75	8	50	0.5	51	0.5	
			4	3020	75	7	65	7	51	7	
			5	3535	90	8	80	4.5	89	4.5	
			6	3535	90	7	95		89	6	
 2	 6	335	1	2012	50	1	20		32	12	340.5
			2	2517	60	4	35		45	10	
			3	3020	75	8	50		51	1	
			4	3020	75	7	65	7	51	7	
			5	3535	90	8	80		89	9	
			6	3535	90	7	95		89	6	
 3	 7	355	1	2012	50	1	20		32	12	360.5
			2	2517	60	4	35		45	10	
			3	3020	75	4	50		51	1	
			4	3020	75	5	65	7	51	7	
			5	3535	90	4	80		89	9	
			6	3535	90	5	95		89	6	
 4	 8	375	1	2012	50	1	20		32	12	380.5
			2	2517	60	4	35		45	10	
			3	3020	75	4	50		51	1	
			4	3020	75	5	65	7	51	7	
			5	3535	90	4	80		89	9	
			6	3535	90	5	95		89	6	
		400	1	2012	50	4	20		32	12	405.5
			2	2517	60	4	35		45	10	
			3	3020	75	4	50	0.5	51	0.5	
			4	3020	75	5	65	7	51	7	
			5	3535	90	4	80	4.5	89	4.5	
			6	3535	90	5	95		89	6	
		425	1	2012	50	4	20		32	12	430.5
			2	2517	60	4	35		45	10	
			3	3020	75	4	50		51	1	
			4	3020	75	5	65	7	51	7	
			5	3535	90	4	80		89	9	
			6	3535	90	5	95		89	6	
		450	1	2012	50	4	20		32	12	455.5
			2	2517	60	4	35		45	10	
			3	3020	75	4	50		51	1	
			4	3020	75	5	65	7	51	7	
			5	3535	90	4	80		89	9	
			6	3535	90	5	95		89	6	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE

Lakshmi Easy Fit dual duty Pulleys

For use with A/SPA section belts

		Pitch Dia(P)	No. of Grooves	Bush No.	Max.Bore	Pully Type	F	K	L	M	Outside Dia
	5	475	1	2012	50	4	20		32	12	480.5
			2	2517	60	4	35		45	10	
			3	3020	75	4	50		51	1	
			4	3020	75	5	65	7	51	7	
			5	3535	90	4	80		89	9	
			6	3535	90	5	95		89	6	
	6	500	1	2517	60	4	20		45	25	505.5
			2	2517	60	4	35		45	10	
			3	3020	75	4	50	0.5	51	0.5	
			4	3020	75	5	65	7	51	7	
			5	3535	90	4	80	4.5	89	4.5	
			6	3535	90	5	95		89	6	
	7	530	1	2517	60	4	20		45	25	535.5
			2	2517	60	4	35		45	10	
			3	3020	75	4	50		51	1	
			4	3020	75	5	65	7	51	7	
			5	3535	90	4	80	4.5	89	4.5	
			6	3535	90	5	95		89	6	
	8	560	1	3020	75	4	20		51	31	565.5
			2	3020	75	4	35		51	16	
			3	3020	75	4	50		51	1	
			4	3535	90	4	65	7	89	7	
			5	3535	90	4	80		89	9	
			6	3535	90	5	95		89	6	
		630	1	3020	75	4	20		51	31	635.5
			2	3020	75	4	35		51	16	
			3	3020	75	4	50	0.5	51	0.5	
			4	3535	90	4	65	12	89	12	
			5	3535	90	4	80	4.5	89	4.5	
			6	4040	100	4	95		102	7	
		710	3	3020	75	4	50		51	1	715.5
			4	3535	90	4	65	12	89	12	
			5	3535	90	4	80		89	9	
			6	4040	100	4	95		102	7	
		800	3	3535	90	4	50	19.5	89	19.5	805.5
			4	3535	90	4	65	12	89	12	
			5	4040	100	4	80	11	102	11	
			6	4040	100	4	95	3.5	102	3.5	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE