



Lakshmi Easy Fit dual duty Pulleys



For use with 'B' Section Belts									
Pitch Dia (P)	No. of Grooves	Bush	Max. Bore	Pully Type	F	K	L	M	Outside Dia
100	1	1610	42	1	25		25		107
	2	1610	42	6	44	19	25		
	3	1610	42	6	63	38	25		
106	1	1610	42	1	25		25		113
	2	1610	42	6	44	19	25		
	3	1610	42	6	63	38	25		
112	1	1610	42	1	25		25		119
	2	1610	42	2	44	19	25		
	3	1610	42	2	63	38	25		
118	1	1610	42	1	25		25		125
	2	1610	42	2	44		25	19	
	3	1610	42	2	63		25	38	
125	1	1610	42	1	25		25		132
	2	1610	42	6	44	19	25		
	3	1610	42	6	63	38	25		
	4	2012	50	3	82	25	32	25	
	5	2012	50	3	101	34.5	32	34.5	
	6	2012	50	3	120	44	32	44	
132	1	1610	42	1	25		25		139
	2	1610	42	6	44	19	25		
	3	1610	42	6	63	38	25		
	4	2012	50	3	82	25	32	25	
	5	2012	50	2	101		32	69	
	6	2012	50	3	120	44	32	44	
140	1	1610	42	1	25	25			147
	2	1610	42	6	44	19	25		
	3	1610	42	6	63	38	25		
	4	2012	50	3	82	25	32	25	
	5	2012	50	2	101		32	69	
	6	2517	60	3	120	37.5	45	37.5	
150	1	1610	42	1	25		25		157
	2	1610	42	6	44	19	25		
	3	2012	50	6	63	31	32		
	4	2012	50	3	82	25	32	25	
	5	2517	60	2	101		45	56	
	6	2517	60	2	120		45	75	
	8	2517	60	3	158	56.5	45	56.5	
	For use with 'B'/SPB Section Belts								
160	1	1610	42	1	25		25		167
	2	2012	50	6	44	12	32		
	3	2517	60	6	63	18	45		
	4	2517	60	3	82	18.5	45	18.5	
	5	2517	60	3	101	28	45	28	
	6	2517	60	2	120		45	75	
	8	3020	75	3	158	53.5	51	53.5	



FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE



Lakshmi Easy Fit dual duty Pulleys

For use with B/SPB section belts

			
1		5	

			
2		6	

			
3		7	









			
4		8	

Pitch Dia (P)	No. of Grooves	Bush	Max. Bore	Pull y	F	K	L	M	Outside Dia
170	1	1610	42	1	25		25		177
	2	2012	50	6	44	12	32		
	3	2517	60	6	63	18	45		
	4	2517	60	3	82	18.5	45	18.5	
	5	3020	75	3	101	25	51	25	
	6	3020	75	2	120		51	69	
	8	3030	75	3	158	41	76	41	
180	1	1610	42	1	25		25		187
	2	2012	50	6	44	12	32		
	3	2517	60	6	63	18	45		
	4	2517	60	3	82	18.5	45	18.5	
	5	3020	75	3	101	25	51	25	
	6	3020	75	2	120		51	75	
	8	3030	75	3	158	41	76	41	
190	1	2012	50	1	25		32	7	197
	2	2517	60	1	44		45	1	
	3	2517	60	6	63	18	45		
	4	2517	60	3	82	18.5	45	18.5	
	5	3020	75	3	101	25	51	25	
	6	3020	75	2	120		51	69	
	8	3030	75	3	158	41	76	41	
200	1	2012	50	1	25		32	7	207
	2	2517	60	1	44		45	1	
	3	2517	60	2	63		45	18	
	4	3020	75	2	82		51	31	
	5	3020	75	2	101		51	50	
	6	3020	75	2	120		51	69	
	8	3535	90	3	158	34.5	89	34.5	
212	1	2012	50	1	25		32	7	219
	2	2517	60	1	44		45	1	
	3	2517	60	2	63		45	18	
	4	3020	75	2	82		51	31	
	5	3020	75	2	101		51	50	
	6	3020	75	2	120		51	69	
	8	3535	90	3	158	34.5	89	34.5	
224	1	2012	50	1	25		32	7	231
	2	2517	60	1	44		45	1	
	3	2517	60	2	63		45	18	
	4	3020	75	2	82		51	31	
	5	3020	75	2	101		51	50	
	6	3020	75	2	120		51	69	
	8	3535	90	3	158	34.5	89	34.5	
	10	3535	90	3	196	53.5	89	53.5	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE

Lakshmi Easy Fit dual duty Pulleys













For use with B/SPB section belts

		Pitch Dia (P)	No. of Grooves	Bush	Max. Bore	Pull y	F	K	L	M	Outside Dia
 1	 5	236	1	2012	50	1	25		32	7	243
			2	2517	60	1	44		45	1	
			3	2517	60	2	63		45	18	
			4	3020	75	2	82		51	31	
			5	3020	75	2	101		51	50	
			6	3020	75	2	120		51	69	
			8	3535	90	3	158	34.5	89	34.5	
			10	3535	90	3	196	53.5	89	53.5	
 2	 6	250	1	2012	50	1	25		32	7	257
			2	2517	60	8	44		45		
			3	3020	75	2	63		51	12	
			4	3020	75	2	82		51	31	
			5	3020	75	2	101		51	50	
			6	3020	75	2	120		51	69	
			8	3535	90	3	158	34.5	89	34.5	
			10	3535	90	3	196	53.5	89	53.5	
 3	 7	265	1	2012	50	1	25		32	7	272
			2	2517	60	8	44		45		
			3	3020	75	7	63	6	51	6	
			4	3020	75	7	82	15.5	51	15.5	
			5	3535	90	7	101	6	89	6	
			6	3535	90	7	120	15.5	89	15.5	
			8	3535	90	3	158	34.5	89	34.5	
			10	3535	90	3	196	53.5	89	53.5	
 4	 8	280	1	2012	50	1	25		32	7	287
			2	2517	60	8	44		45	1	
			3	3020	75	7	63	6	51	6	
			4	3020	75	7	82	15.5	51	15.5	
			5	3535	90	7	101	6	89	6	
			6	3535	90	7	120	15.5	89	15.5	
			8	3535	90	7	158	34.5	89	34.5	
			10	3535	90	7	196	53.5	89	53.5	
		300	1	2012	50	1	25		32	7	307
			2	2517	60	8	44		45	1	
			3	3020	75	7	63	6	51	6	
			4	3535	90	8	82		89	7	
			5	3535	90	7	101	6	89	6	
			6	3535	90	7	120	15.5	89	15.5	
			8	3535	90	7	158	34.5	89	35	
			10	3535	90	7	196	53.5	89	53.5	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE

Lakshmi Easy Fit dual duty Pulleys













For use with B/SPB section belts

		Pitch Dia (P)	No. of Grooves	Bush	Max. Bore	Pull Y	F	K	L	M	Outside Dia
 1	 5	315	1	2012	50	1	25		32	7	322
			2	2517	60	8	44		45	1	
			3	3020	75	7	63	6	51	6	
			4	3535	90	8	82	3.5	89	3.5	
			5	3535	90	7	101	6	89	6	
			6	3535	90	7	120	15.5	89	15.5	
			8	3535	90	7	158	34.5	89	34.5	
			10	3535	90	7	196	53.5	89	53.5	
 2	 6	335	2	2517	60	8	44		45	1	342
			3	3020	75	7	63	6	51	6	
			4	3535	90	8	82	3.5	89	3.5	
			5	3535	90	7	101	6	89	6	
			6	3535	90	7	120	15.5	89	15.5	
			8	3535	90	7	158	34.5	89	34.5	
			10	4040	100	7	196	47	102	47	
 3	 7	355	2	3020	75	4	44	3.5	51	3.5	362
			3	3020	75	5	63	6	51	6	
			4	3535	90	8	82	3.5	89	3.5	
			5	3535	90	7	101	6	89	6	
			6	3535	90	7	120	15.5	89	15.5	
			8	3535	90	7	158	34.5	89	34.5	
			10	4040	100	7	196	47	102	47	
 4	 8	375	2	3020	75	4	44	3.5	51	3.5	382
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	3535	90	5	101	6	89	6	
			6	3535	90	5	120	15.5	89	15.5	
			8	4040	100	5	158	28	102	28	
			10	4040	100	5	196	47	102	47	
 400	 425	400	2	3020	75	4	44	3.5	51	3.5	407
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	3535	90	5	101	6	89	6	
			6	3535	90	5	120	15.5	89	15.5	
			8	4040	100	5	158	28	102	28	
			10	4040	100	5	196	47	102	47	
 425	 432	425	2	3020	75	4	44	3.5	51	3.5	432
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	3535	90	5	101	6	89	6	
			6	3535	90	5	120	15.5	89	15.5	
			8	4040	100	5	158	28	102	28	
			10	4040	100	5	196	47	102	47	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE

Lakshmi Easy Fit dual duty Pulleys















For use with B/SPB section belts

		Pitch Dia (P)	No. of Grooves	Bush	Max. Bore	Pully Type	F	K	L	M	Outside Dia
 1	 5	450	2	3020	75	4	44	3.5	51	3.5	457
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	3535	90	5	101	6	89	6	
			6	4040	100	5	120	9	102	9	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	41	
 2	 6	475	2	3020	75	4	44	3.5	51	3.5	482
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	3535	90	5	101	6	89	6	
			6	4040	100	5	120	9	102	9	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	41	
 3	 7	500	2	3020	75	4	44	3.5	51	3.5	507
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	3535	90	5	101	6	89	6	
			6	4040	100	5	120	9	102	9	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	4 1.0	
 4	 8	530	2	3020	75	4	44	3.5	51	3.5	537
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	4040	100	4	101	0.5	102	0.5	
			6	4040	100	5	120	9	102	9	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	4 1.0	
 4	 8	560	2	3020	75	4	44	3.5	51	3.5	567
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	4040	100	4	101	0.5	102	0.5	
			6	4040	100	5	120	9	102	9	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	41	
 4	 8	600	2	3020	75	4	44	3.5	51	3.5	607
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	4040	100	4	101	0.5	102	0.5	
			6	4040	100	5	120	9	102	9	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	4 1.0	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE

Lakshmi Easy Fit dual duty Pulleys

For use with B/SPB section belts

		Pitch Dia (P)	No. of Grooves	Bush	Max. Bore	Pully Type	F	K	L	M	Outside Dia
 1	 5	630	2	3030	75	4	44	16	76	16	637
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	4040	100	4	101	0.5	102	0.5	
			6	4040	100	5	120	9	102	9	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	41	
 2	 6	710	2	3030	75	4	44	16	76	16	717
			3	3535	90	4	63	13	89	13	
			4	3535	90	4	82	3.5	89	3.5	
			5	4040	100	4	101	0.5	102	0.5	
			6	4545	110	5	120	3	114	3	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	41	
 3	 7	762	2	3030	75	4	44	16	76	16	769
			3	3535	90	4	63	13	89	13	
			4	4040	100	4	82	10	102	10	
			5	4040	100	4	101	0.5	102	0.5	
			6	4545	110	5	120	3	114	3	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	41	
 4	 8	800	2	3030	75	4	44	16	76	16	807
			3	3535	90	4	63	13	89	13	
			4	4040	100	4	82	10	102	10	
			5	4040	100	4	101	0.5	102	0.5	
			6	4545	110	5	120	3	114	3	
			8	4545	110	5	158	22	114	22	
			10	4545	110	5	196	41	114	41	
 4	 8	900	3	3535	90	4	63	13	89	13	907
			4	4040	100	4	82	10	102	10	
			5	4545	110	4	101	6.5	114	6.5	
			6	4545	110	5	120	3	114	3	
			8	4545	110	5	158	22	114	22	
			10	5050	125	5	196	34.5	127	34.5	
			10	5050	125	5	196	34.5	127	34.5	
 4	 8	1000	3	4040	100	4	63	19.5	102	19.5	1007
			4	4040	100	4	82	10	102	10	
			5	4545	110	4	101	6.5	114	6.5	
			6	4545	110	5	120	3	114	3	
			8	5050	125	5	158	15.5	127	15.5	
			10	5050	125	5	196	34.5	127	34.5	
			10	5050	125	5	196	34.5	127	34.5	
 4	 8	1250	3	4040	100	4	63	19.5	102	19.5	1257
			4	4040	100	4	82	10	102	10	
			5	4545	110	4	101	6.5	114	6.5	
			6	5050	125	4	120	3.5	127	3.5	
			8	5050	125	5	158	15.5	127	15.5	
			10	5050	125	5	196	34.5	127	34.5	
			10	5050	125	5	196	34.5	127	34.5	

FOR MAXIMUM BORES REFER LAKSHMI EASYFIT BUSH CATALOGUE