

PIZZA SALES REPORT

A. KPI's

01. Total Revenue:

```
SELECT SUM(total_price) as total_revenue  
FROM pizza_salse;
```

Output:

	total_revenue numeric 
1	817609.80

02. Total Order:

```
SELECT COUNT(DISTINCT order_id) as total_order  
FROM pizza_salse;
```

Output:

	total_order bigint 
1	21334

03. Average Order Value:

```
SELECT ROUND(SUM(total_price) / COUNT(DISTINCT order_id),2) as avg_order_value  
FROM pizza_salse;
```

Output:

	avg_order_value numeric 
1	38.32

04. Total Pizzas Sold:

```
SELECT SUM(quantity) as total_pizzas_sold  
FROM pizza_salse;
```

Output:

	total_pizzas_sold bigint 
1	49558

05. Average Pizzas per Order:

```
SELECT ROUND(ROUND(SUM(quantity),2) / ROUND(COUNT(DISTINCT order_id),2),2) as  
avg_pizzas_per_order  
FROM pizza_salse;
```

Output:

	avg_pizzas_per_order numeric
1	2.32

ANALYSIS

01. Monthly Trend for Total Revenue:

```
SELECT TO_CHAR(order_date,'MONTH') as month, SUM(total_price) as total_revenue  
FROM pizza_salse  
GROUP BY TO_CHAR(order_date,'MONTH');
```

Output:

	month text	total_revenue numeric
1	MAY	71238.25
2	NOVEMB...	70374.60
3	MARCH	70385.10
4	OCTOBER	64027.60
5	SEPTEMB...	64180.05
6	FEBRUARY	65159.60
7	JULY	72557.90
8	AUGUST	68262.25
9	JUNE	68209.95
10	APRIL	68736.80
11	JANUARY	69776.55
Total rows: 12		Query complete

02. Daily Trend for Total Order:

```
SELECT TO_CHAR(order_date,'DAY') as day , COUNT(DISTINCT order_id) as total_order  
FROM pizza_salse  
GROUP BY TO_CHAR(order_date,'DAY');
```

Output:

	day text	total_order bigint
1	FRIDAY	3158
2	MONDAY	2972
3	SATURDAY	2624
4	SUNDAY	2793
5	THURSDAY	3535
6	TUESDAY	3024
7	WEDNESD...	3238

03. Percentage of Sales by Pizza Category:

```
SELECT pizza_category, SUM(total_price) as total_revenue,
ROUND(SUM(total_price)*100/ (SELECT SUM(total_price) FROM pizza_salse),2) as percentage
FROM pizza_salse
GROUP BY pizza_category;
```

Output:

	pizza_category character varying (10)	total_revenue numeric	percentage numeric
1	Supreme	208131.00	25.46
2	Chicken	195848.50	23.95
3	Veggie	193645.20	23.68
4	Classic	219985.10	26.91

04. Percentage of Sales by Pizza Size:

```
SELECT pizza_size, SUM(total_price) as total_revenue,
ROUND(SUM(total_price)*100/ (SELECT SUM(total_price) FROM pizza_salse),2) as percentage
FROM pizza_salse
GROUP BY pizza_size;
```

Output:

	pizza_size character varying (10)	total_revenue numeric	percentage numeric
1	S	177978.25	21.77
2	XXL	1006.60	0.12
3	XL	14076.00	1.72
4	M	249333.50	30.50
5	L	375215.45	45.89

05. Total Pizzas Sold by Pizza Size and Category:

```
SELECT pizza_size, SUM(quantity) as total_pizza_sold
FROM pizza_salse
GROUP BY pizza_size;
```

Output:

	pizza_size character varying (10) 🔒	total_pizza_sold bigint 🔒
1	S	14395
2	XXL	28
3	XL	552
4	M	15632
5	L	18951

```
SELECT pizza_category, SUM(quantity) as total_pizza_sold
FROM pizza_salse
GROUP BY pizza_category;
```

Output:

	pizza_category character varying (10) 🔒	total_pizza_sold bigint 🔒
1	Supreme	11983
2	Chicken	11046
3	Veggie	11646
4	Classic	14883

06. Revenue by Pizza name:

```
SELECT pizza_name, SUM(total_price) as revenue
FROM pizza_salse
GROUP BY pizza_name
ORDER BY revenue DESC
LIMIT 10;
```

Output:

	pizza_name text 🔒	revenue numeric 🔒
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Piz...	42730.50
3	The California Chicken Piz...	41388.75
4	The Classic Deluxe Pizza	38164.50
5	The Spicy Italian Pizza	34818.75

TOP & BOTTOM ANALYSIS

01. Top Pizza by Revenue:

```
SELECT pizza_name, SUM(total_price) as revenue
FROM pizza_salse
GROUP BY pizza_name
ORDER BY revenue DESC
LIMIT 5;
```

Output:

	pizza_name text	revenue numeric
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Piz...	42730.50
3	The California Chicken Piz...	41388.75
4	The Classic Deluxe Pizza	38164.50
5	The Spicy Italian Pizza	34818.75

02. Worst Pizza by Revenue:

```
SELECT pizza_name, SUM(total_price) as revenue
FROM pizza_salse
GROUP BY pizza_name
ORDER BY revenue ASC
LIMIT 5;
```

Output:

	pizza_name text	revenue numeric
1	The Brie Carre Pizza	11588.50
2	The Green Garden Pizza	13943.75
3	The Spinach Supreme Piz...	15277.75
4	The Mediterranean Pizza	15360.50
5	The Spinach Pesto Pizza	15562.75

03. Top Pizza by Orders:

```
SELECT pizza_name, COUNT(DISTINCT order_id) as total_order
FROM pizza_salse
GROUP BY pizza_name
ORDER BY total_order DESC
LIMIT 5;
```

Output:

	pizza_name text	total_order bigint
1	The Classic Deluxe Pizza	2328
2	The Hawaiian Pizza	2280
3	The Pepperoni Pizza	2278
4	The Barbecue Chicken Piz...	2271
5	The Thai Chicken Pizza	2225

04. Worst Pizza by Orders:

```
SELECT pizza_name, COUNT(DISTINCT order_id) as total_order
FROM pizza_salse
GROUP BY pizza_name
ORDER BY total_order ASC
LIMIT 5;
```

Output:

	pizza_name text	total_order bigint
1	The Brie Carre Pizza	480
2	The Mediterranean Pizza	912
3	The Calabrese Pizza	918
4	The Spinach Supreme Piz...	918
5	The Chicken Pesto Pizza	938

05. Top Pizza by Quantity Sold:

```
SELECT pizza_name, SUM(quantity) as total_Quantity_Sold
FROM pizza_salse
GROUP BY pizza_name
ORDER BY total_Quantity_Sold DESC
LIMIT 5;
```

Output:

	pizza_name text	total_quantity_sold bigint
1	The Classic Deluxe Pizza	2452
2	The Barbecue Chicken Piz...	2430
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

06. Worst Pizza by Quantity Sold:

```
SELECT pizza_name, SUM(quantity) as total_Quantity_Sold
FROM pizza_salse
GROUP BY pizza_name
ORDER BY total_Quantity_Sold ASC
LIMIT 5;
```

Output:

	pizza_name text	total_quantity_sold bigint
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Piz...	950
5	The Soppressata Pizza	960

Dashboard Using Power BI

Finally created pizza sales performance interactive dashboard using Power bi, Power query and DAX .

