

Lab 19: End-to-End DevOps Pipeline (Basic Level)

Author: Dr. Sandeep Kumar Sharma

Level: Beginner

Platform: Ubuntu Linux + GitHub + Maven + Docker + Terraform + Ansible + Azure

Prerequisite: Basic Linux, Git, Docker, Terraform, Ansible

Learning Objective

Participants will learn:

- How an end-to-end DevOps pipeline works
 - How code moves from developer to production
 - How different DevOps tools connect
 - Basic CI/CD flow
 - Infrastructure + Application automation
-

Learning Outcome

After completing this lab, participants will:

- Understand complete DevOps lifecycle
 - Build a simple DevOps pipeline
 - Deploy a live application
 - Understand tool integration
-

Pipeline Architecture

```
Developer
  ↓
GitHub
  ↓
Maven (Build)
  ↓
Docker (Image)
  ↓
Terraform (Infra)
  ↓
Ansible (Config + Deploy)
```

↓
Live Application

Project Overview

We will build:

- Hello Java application
- Build with Maven
- Create Docker image
- Create VM using Terraform
- Configure VM using Ansible
- Run Docker container
- Access live app in browser

Step 1: Create Hello Java Application

Create project

```
mkdir hello-devops  
cd hello-devops
```

Create structure:

```
src/main/java/com/example/
```

Create file:

```
nano src/main/java/com/example/HelloApp.java
```

```
package com.example;  
  
public class HelloApp {  
    public static void main(String[] args) {  
        System.out.println("Hello DevOps World");  
    }  
}
```

Step 2: Create Maven pom.xml

```
nano pom.xml
```

```
<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://
maven.apache.org/xsd/maven-4.0.0.xsd">
  <modelVersion>4.0.0</modelVersion>
  <groupId>com.example</groupId>
  <artifactId>hello-devops</artifactId>
  <version>1.0</version>
  <packaging>jar</packaging>
</project>
```

Build:

```
mvn clean package
```

Step 3: Create Dockerfile

```
nano Dockerfile
```

```
FROM openjdk:11-jre-slim
WORKDIR /app
COPY target/hello-devops-1.0.jar app.jar
CMD ["java", "-jar", "app.jar"]
```

Build image:

```
docker build -t hello-devops:1.0 .
```

Run locally:

```
docker run hello-devops:1.0
```

Step 4: Infrastructure with Terraform (Basic VM)

Create folder:

```
mkdir terraform  
cd terraform
```

Create `main.tf`:

```
provider "azurerm" {  
  features {}  
}  
  
resource "azurerm_resource_group" "rg" {  
  name     = "rg-devops-pipeline"  
  location = "East US"  
}
```

```
terraform init  
terraform apply
```

Step 5: Ansible for Configuration

Create inventory:

```
nano inventory
```

```
[app]  
<vm-public-ip>
```

Create playbook:

```
nano deploy.yml
```

```
- hosts: app
  become: yes
  tasks:
    - name: Install Docker
      apt:
        name: docker.io
        state: present
        update_cache: yes

    - name: Start Docker
      service:
        name: docker
        state: started

    - name: Copy Docker Image
      shell: docker load < hello-devops.tar

    - name: Run Container
      shell: docker run -d -p 8080:8080 hello-devops:1.0
```

Step 6: Deploy Application

```
ansible-playbook -i inventory deploy.yml
```

Step 7: Access Live Application

Browser:

```
http://<vm-public-ip>:8080
```

Output:

```
Hello DevOps World
```

End-to-End Flow

Code → Build → Image → Infra → Config → Deploy → Live App

Tools Used

- GitHub
 - Maven
 - Docker
 - Terraform
 - Ansible
 - Azure
-

Cleanup

- Stop container
 - Destroy VM
 - Terraform destroy
-

Learning Summary

This lab demonstrates:

- DevOps lifecycle
 - Toolchain integration
 - Automation mindset
 - Infrastructure + Application automation
 - Real DevOps workflow
-

"DevOps is not a toolchain. DevOps is flow, automation, and culture."