

Event ID

An event ID is a value that is used to identify a unique error condition that was detected by the Storwize V7000. An event ID is used internally in the cluster to identify the error.

Excluded condition

The excluded condition is a status condition. It describes an MDisk that the IBM Storwize V7000 decided is no longer sufficiently reliable to be managed by the cluster. The user must issue a command to include the MDisk in the cluster-managed storage.

Extent

An extent is a fixed-size unit of data that is used to manage the mapping of data between MDisks and volumes. The size of the extent can range 16 MB - 8 GB.

External storage

External storage refers to MDisks that are SCSI logical units that are presented by storage systems that are attached to and managed by the clustered system.

Failback

Failback is the restoration of an appliance to its initial configuration after the detection and repair of a failed network or component.

Failover

Failover is an automatic operation that switches to a redundant or standby system or node in a software, hardware, or network interruption. See also Failback.

Feature activation code

An alphanumeric code that activates a licensed function on a product.

Fibre Channel port logins

FC port logins refer to the number of hosts that can see any one V7000 port. The IBM Storwize V7000 has a maximum limit per node port of FC logins that are allowed.

Field-replaceable unit

Field-replaceable units (FRUs) are individual parts that are replaced entirely when any one of the unit's components fails. They are held as spares by the IBM service organization.

FlashCopy

FlashCopy refers to a point-in-time copy where a virtual copy of a volume is created. The target volume maintains the contents of the volume at the point in time when the copy was established. Any subsequent write operations to the source volume are not reflected on the target volume.

FlashCopy mapping

A FlashCopy mapping is a continuous space on a direct-access storage volume that is occupied by or reserved for a particular data set, data space, or file.

FlashCopy relationship

See FlashCopy mapping.