

Table 14: Logistic regression analysis of the association of individual somatic depressive symptoms (dichotomous) with serum pyridoxal 5'-phosphate in women (n=1,489)

	Somatic Depression Symptoms							
	Sleeping problems		Fatigue		Abnormal appetite		Psychomotor abnormalities	
	OR (95% CI)	p-value	OR (95% CI)	p-value	OR (95% CI)	p-value	OR (95% CI)	p-value
Unadjusted Model								
PLP <20nmol/L	2.82 (1.68, 4.72)	<0.001	1.96 (1.33, 2.90)	0.001	2.94 (1.68, 5.13)	<0.001	2.63 (1.04, 6.65)	0.04
PLP 20-29.9	1.45 (0.89, 2.37)	0.13	1.24 (0.73, 2.11)	0.42	1.53 (0.86, 2.72)	0.14	0.71 (0.27, 1.83)	0.46
PLP ≥30 nmol/L	ref		ref		ref		ref	
Adjusted Model								
PLP <20nmol/L	1.60 (0.52, 4.90)	0.40	0.96 (0.58, 1.58)	0.85	0.79 (0.25, 2.57)	0.69	2.02 (0.45, 9.09)	0.35
PLP 20-29.9	1.10 (0.63, 1.94)	0.73	0.68 (0.31, 1.48)	0.32	1.11 (0.60, 2.07)	0.73	0.21 (0.03, 1.34)	0.10
PLP ≥30 nmol/L	ref		ref		ref		ref	

Adjusted model includes age, ethnicity, smoking, oral contraceptive use, sleep duration, physical activity, body mass index, CRP and mutually adjusted for the sum of the remaining depression items.