



Atividade 7

Passar no teste:




The screenshot shows the VS Code editor with a file named `alerta.js` open. The code defines a function `classificarAlerta(nivel)` that returns 'Crítico', 'Alto', or 'Moderado' based on the input level. Below the function, there are three Jest tests: `test('alerta crítico se nível maior que 80', ...)`, `test('alerta alto se nível entre 51 e 80', ...)`, and `test('alerta moderado se nível até 50', ...)`. The terminal at the bottom shows the command `npm test` being executed, and the output indicates that all tests passed successfully. The test results show 3 tests passed, 0 failed, and 0 skipped, with a total time of 0.709s.

Simular erro:



The screenshot shows the VS Code editor with the same `alerta.js` file. The code is identical to the previous screenshot. However, the terminal output shows that the test `test('alerta crítico se nível maior que 80', ...)` failed. The error message is `expect(received).toBe(expected) // Object.is equality`, indicating that the actual result did not match the expected result. The test results show 1 failed, 2 passed, and 0 skipped, with a total time of 0.463s.


Cobertura de teste:



The screenshot shows the VS Code editor with the same `alerta.js` file. The terminal output shows the command `npm test -- --coverage` being executed. The output includes the test results and a coverage report. The coverage report shows that the file `alerta.js` has 100% coverage for all lines, with 100% coverage for all files. The test results show 1 failed, 2 passed, and 0 skipped, with a total time of 0.407s.

Para fazer a cobertura criei um arquivo alerta fora da pasta test:





Test audit security:

