



## SOUND WASTEWATER TREATMENT FOR YOUR HOMES

Solutions for wastewater treatment in sparsely populated areas

4th of October, Warsaw, Poland

Poland's situation in wastewater management in sparsely populated areas

Prof. Ryszard Błażejewski, Poznań University of Life Sciences, Poland



## Outline




- Population in Polish rural areas
- % served by centralized sewerage
- Individual systems
- Emptying of holding tanks
- Treatment technologies
- Summary





# Population in Polish rural areas

- 15 mln inhabitants
- On average 125-891 inhabitants in a village



# Polish villages in statistics

Total number: 42,835 + 14 K hamlets.

## **Division by sizes:**


- Small villages < 300 p. (ca. 40% of the total number)
  - mainly in central Poland;
- Medium size villages: 300 500 p. (ca. 40%);
- Large villages > 500 p. (20%) south of Poland.

25% of villages is sparsely populated (mean distance between homesteads > 100 m), but on-site systems are recommended already at population density < 25 p./ha.



# % of rural population served by centralized sewerage systems (on avg. 25% in 2010 and 40% in 2015)

(www.monitorui.podkarpackie.pl 2011)



### LUDNOŚĆ KORZYSTAJĄCA Z OCZYSZCZALNI ŚCIEKÓW W LATACH 2000–2015 POPULATION CONNECTED TO WASTEWATER TREATMENT PLANTS IN 2000–2015






**VillageWaters** 

#### Household devices for liquid waste disposal in Poland in 2015










# Number of holding tanks and household WWTPs in Poland



Source: Central Statistical Office 2016





# **Emptying of holding tanks**

- 23 mln m<sup>3</sup> in the year 2015
- 8 mln p.\*0.05 m $^3$ /p. day \* 365 days/y-r = 146 mln m $^3$ /y-r

- Leaky holding tanks;
- Grey market?





## Treated wastewater quality conditions



(according to Polish legislation for  $Qd < 5 \text{ m}^3/d$ )

Parameter	Max. value mg/dm³	ST + SAS
Biochemical oxygen demand (BOD <sub>5</sub> )	40	Reduction in ST ≥ 20%
Chemical oxygen demand (COD)	150	-
Total suspended solids	50	Reduction in ST ≥ 50%
Total nitrogen	30	-
Total phosphorous	5	-





# Treatment technologies

- Septic tank + soil adsorption system (majority)
- Septic tank + Extended aeration AS
- Extended aeration AS
- AS + floating biomass carriers
- Trickling filters
- Constructed wetlands (Vertical flow)



## Summary



- Emptying of holding tanks is not fully controlled and should be improved;
- Due to sparsely populated villages the market of the small WWTP can grow by ca. 400-600 tho. plants in the next 20 years;
- There is a need to point out the best and relatively cheap solutions (our goal!).







Thanks for your attention.