

UNIVERSITY OF SCIENCE AND TECHNOLOGY OF HANOI  
DEPARTMENT OF INFORMATION AND COMMUNICATION TECHNOLOGY



# BACHELOR THESIS

By  
Phung Dam Tien Si - 23BI14384

Title:  
Design and Implementation of a Full-Stack  
Web-Based Recruitment Platform for Students and  
Employers

External Supervisor: Eng. Dinh Viet Ha

Internal Supervisor: Prof. Dr. Giang Anh Tuan

**Hanoi, June - 2026**

To whom it may concern,

I, ..... (supervisor's name), certify that the thesis/ internship report of Mr/Ms. .... (student's name) is qualified to be presented in the Internship Jury 2025-2026.

Hanoi, <date>

**Supervisor's signature**

# Acknowledgements

I would like to express my sincere gratitude to Mr. Dinh Viet Ha for his guidance, patience and mentorship throughout my internship. His support have greatly contributed to the completion of this project and my professional development.

I would also like to extend my sincere appreciation to SAVA META Technology Joint Stock Company for providing me with the opportunity to undertake my internship in a professional and supportive working environment.

Finally, I would like to thank everyone who has supported, encouraged, and accompanied me throughout my academic journey and personal development. Their encouragement has been a constant source of motivation during the completion of this thesis.

# Contents

|          |                                          |           |
|----------|------------------------------------------|-----------|
| <b>1</b> | <b>Introduction</b>                      | <b>1</b>  |
| 1.1      | Background . . . . .                     | 1         |
| 1.2      | Problem Statement . . . . .              | 1         |
| 1.3      | Aim, Objectives and Scope . . . . .      | 1         |
| 1.4      | Methodology . . . . .                    | 2         |
| 1.5      | Thesis Organization . . . . .            | 2         |
| <b>2</b> | <b>System Analysis</b>                   | <b>3</b>  |
| 2.1      | Proposed System . . . . .                | 3         |
| 2.2      | Functional Requirement . . . . .         | 4         |
| 2.3      | Non-Functional Requirement . . . . .     | 4         |
| 2.4      | Use Case Analysis . . . . .              | 5         |
| 2.4.1    | Shared Use Cases . . . . .               | 5         |
| 2.4.2    | Specialized Use Cases . . . . .          | 6         |
| 2.5      | Use Case Specification . . . . .         | 9         |
| 2.5.1    | Job Seeker: Apply for Job . . . . .      | 10        |
| 2.5.2    | Employer: Publish Job Posting . . . . .  | 12        |
| 2.5.3    | Employer: Review Application . . . . .   | 14        |
| <b>3</b> | <b>System Design</b>                     | <b>16</b> |
| 3.1      | Design Overview . . . . .                | 16        |
| 3.2      | System Architecture . . . . .            | 17        |
| 3.2.1    | System Context . . . . .                 | 17        |
| 3.2.2    | Container View . . . . .                 | 17        |
| 3.2.3    | Component View: Frontend . . . . .       | 19        |
| 3.2.4    | Component View: Backend . . . . .        | 20        |
| 3.3      | Database Design . . . . .                | 22        |
| 3.3.1    | Entity Relationship Overview . . . . .   | 22        |
| 3.3.2    | Company and Job Posting . . . . .        | 23        |
| 3.3.3    | Job Application . . . . .                | 23        |
| 3.4      | Backend Design . . . . .                 | 24        |
| 3.4.1    | Backend Project Structure . . . . .      | 25        |
| 3.4.2    | Shared Backend Components . . . . .      | 26        |
| 3.4.3    | Job Application Module . . . . .         | 26        |
| 3.4.4    | Employer Job Management Module . . . . . | 27        |
| 3.5      | Frontend Design . . . . .                | 29        |
| 3.5.1    | Job Application UI . . . . .             | 29        |
| 3.5.2    | Employer Job Management UI . . . . .     | 29        |

|          |                                                           |           |
|----------|-----------------------------------------------------------|-----------|
| 3.6      | Summary . . . . .                                         | 30        |
| <b>4</b> | <b>Implementation</b>                                     | <b>31</b> |
| 4.1      | Overview . . . . .                                        | 31        |
| 4.1.1    | Request Pipeline . . . . .                                | 31        |
| 4.1.2    | Error Handling . . . . .                                  | 32        |
| 4.2      | Backend Implementation . . . . .                          | 32        |
| 4.2.1    | Job Application Module . . . . .                          | 32        |
| 4.2.2    | Employer Job Management Module . . . . .                  | 33        |
| 4.2.3    | Remaining Modules . . . . .                               | 34        |
| 4.3      | Frontend Implementation . . . . .                         | 35        |
| 4.3.1    | Job Application UI . . . . .                              | 35        |
| 4.3.2    | Employer Job Management UI . . . . .                      | 35        |
| 4.4      | Summary . . . . .                                         | 36        |
| <b>5</b> | <b>Testing</b>                                            | <b>37</b> |
| <b>6</b> | <b>Conclusion</b>                                         | <b>38</b> |
| 6.1      | Summary . . . . .                                         | 38        |
| 6.2      | Limitations . . . . .                                     | 38        |
| 6.3      | Future Work . . . . .                                     | 39        |
| <b>A</b> | <b>Supplementary Use Case Specifications</b>              | <b>41</b> |
| A.1      | Guest: Login . . . . .                                    | 41        |
| A.2      | Authenticated User: Update Personal Information . . . . . | 42        |
| A.3      | Back Office Worker: Approve Job Posting . . . . .         | 43        |
| <b>B</b> | <b>Supplementary Entity Relationship Groups</b>           | <b>45</b> |
| B.1      | Auth and Account . . . . .                                | 45        |
| B.2      | Profile and CV Management . . . . .                       | 46        |
| B.3      | Administration and Audit . . . . .                        | 46        |
| <b>C</b> | <b>Supplementary Module Designs</b>                       | <b>48</b> |
| C.1      | Authentication Module . . . . .                           | 48        |
| C.2      | Profile Management Module . . . . .                       | 49        |
| C.3      | Resume Management Module . . . . .                        | 50        |
| C.4      | Job Discovery Module . . . . .                            | 50        |
| C.5      | Back Office Module . . . . .                              | 51        |
| <b>D</b> | <b>Sequence Diagrams</b>                                  | <b>53</b> |
| D.1      | Job Application . . . . .                                 | 54        |
| D.2      | Employer Job Management . . . . .                         | 56        |
| D.3      | Authentication and Profile . . . . .                      | 61        |
| D.4      | Public . . . . .                                          | 65        |
| D.5      | Back Office . . . . .                                     | 67        |

# List of Figures

|      |                                                                |    |
|------|----------------------------------------------------------------|----|
| 2.1  | Guest Use Case Diagram. . . . .                                | 6  |
| 2.2  | Authenticated User Use Case Diagram. . . . .                   | 6  |
| 2.3  | Job Seeker Use Case Diagram. . . . .                           | 7  |
| 2.4  | Employer Use Case Diagram. . . . .                             | 8  |
| 2.5  | Back Office Worker Use Case Diagram. . . . .                   | 8  |
|      |                                                                |    |
| 3.1  | System Context Diagram. . . . .                                | 17 |
| 3.2  | Container Diagram. . . . .                                     | 18 |
| 3.3  | Frontend Component Diagram. . . . .                            | 19 |
| 3.4  | Backend Component Diagram. . . . .                             | 21 |
| 3.5  | Entity Relationship Diagram. . . . .                           | 22 |
| 3.6  | Company and Job Posting Entity Relationship Diagram. . . . .   | 23 |
| 3.7  | Job Application Entity Relationship Diagram. . . . .           | 24 |
| 3.8  | Job Application Module Class Diagram. . . . .                  | 27 |
| 3.9  | Company Profile Management Class Diagram. . . . .              | 28 |
| 3.10 | Job Posting Management Class Diagram. . . . .                  | 28 |
| 3.11 | Employer Application Management Class Diagram. . . . .         | 28 |
|      |                                                                |    |
| B.1  | Auth and Account Entity Relationship Diagram. . . . .          | 45 |
| B.2  | Profile and CV Management Entity Relationship Diagram. . . . . | 46 |
| B.3  | Administration and Audit Entity Relationship Diagram. . . . .  | 47 |
|      |                                                                |    |
| C.1  | Authentication Module Class Diagram. . . . .                   | 48 |
| C.2  | Profile Management Module Class Diagram. . . . .               | 49 |
| C.3  | Resume Management Module Class Diagram. . . . .                | 50 |
| C.4  | Public Class Diagram. . . . .                                  | 51 |
| C.5  | Back Office Class Diagram. . . . .                             | 52 |
|      |                                                                |    |
| D.1  | Sequence Diagram: Apply for Jobs. . . . .                      | 54 |
| D.2  | Sequence Diagram: Track Applications. . . . .                  | 55 |
| D.3  | Sequence Diagram: Cancel Applications. . . . .                 | 55 |
| D.4  | Sequence Diagram: Create Company Profile. . . . .              | 56 |
| D.5  | Sequence Diagram: Create Job Posting. . . . .                  | 57 |
| D.6  | Sequence Diagram: Edit Job Posting. . . . .                    | 58 |
| D.7  | Sequence Diagram: Close Job Posting. . . . .                   | 59 |
| D.8  | Sequence Diagram: Delete Job Posting. . . . .                  | 60 |
| D.9  | Sequence Diagram: Review Application. . . . .                  | 61 |
| D.10 | Sequence Diagram: Register. . . . .                            | 61 |
| D.11 | Sequence Diagram: Login. . . . .                               | 62 |

|                                                             |    |
|-------------------------------------------------------------|----|
| D.12 Sequence Diagram: Forgot Password. . . . .             | 62 |
| D.13 Sequence Diagram: Update Personal Information. . . . . | 63 |
| D.14 Sequence Diagram: Update Job Preferences. . . . .      | 63 |
| D.15 Sequence Diagram: Change Avatar. . . . .               | 64 |
| D.16 Sequence Diagram: Change Password. . . . .             | 64 |
| D.17 Sequence Diagram: Upload CV. . . . .                   | 65 |
| D.18 Sequence Diagram: Search Jobs. . . . .                 | 65 |
| D.19 Sequence Diagram: View Company Profile. . . . .        | 66 |
| D.20 Sequence Diagram: Get Job Postings List. . . . .       | 67 |
| D.21 Sequence Diagram: Get Job Posting Detail. . . . .      | 67 |
| D.22 Sequence Diagram: Approve Job. . . . .                 | 68 |
| D.23 Sequence Diagram: Reject Job. . . . .                  | 69 |
| D.24 Sequence Diagram: Delete Job. . . . .                  | 70 |

# List of Tables

|     |                                                              |    |
|-----|--------------------------------------------------------------|----|
| 2.1 | Summary of Functional Requirements. . . . .                  | 4  |
| 2.2 | Summary of Non-Functional Requirements. . . . .              | 5  |
| 2.3 | Use Case Specification: Apply for Job. . . . .               | 10 |
| 2.4 | Use Case Specification: Publish Job Posting. . . . .         | 12 |
| 2.5 | Use Case Specification: Review Application. . . . .          | 14 |
| 3.1 | Design Principles and Rationale. . . . .                     | 16 |
| 3.2 | Backend Project Structure. . . . .                           | 25 |
| 4.1 | HTTP Status Code Conventions. . . . .                        | 32 |
| 4.2 | Job Application Endpoints. . . . .                           | 32 |
| 4.3 | Job Posting Endpoints. . . . .                               | 33 |
| 4.4 | Employer Application Review Endpoints. . . . .               | 34 |
| A.1 | Use Case Specification: Login. . . . .                       | 41 |
| A.2 | Use Case Specification: Update Personal Information. . . . . | 43 |
| A.3 | Use Case Specification: Approve Job Posting. . . . .         | 43 |

# Abbreviations

|       |                                    |
|-------|------------------------------------|
| API   | Application Programming Interface  |
| CORS  | Cross-Origin Resource Sharing      |
| CRUD  | Create, Read, Update, and Delete   |
| CV    | Curriculum Vitae                   |
| DTO   | Data Transfer Object               |
| ERD   | Entity Relationship Diagram        |
| FK    | Foreign Key                        |
| HTTP  | Hypertext Transfer Protocol        |
| HTTPS | Hypertext Transfer Protocol Secure |
| IDE   | Integrated Development Environment |
| JSON  | JavaScript Object Notation         |
| JWT   | JSON Web Token                     |
| MVC   | Model-View-Controller              |
| ORM   | Object Relational Mapping          |
| PK    | Primary Key                        |
| RBAC  | Role-Based Access Control          |
| REST  | Representational State Transfer    |
| SDLC  | Software Development Life Cycle    |
| SPA   | Single-Page Application            |
| SQL   | Structured Query Language          |
| UI    | User Interface                     |
| UML   | Unified Modeling Language          |
| URL   | Uniform Resource Locator           |
| UUID  | Universally Unique Identifier      |
| UX    | User Experience                    |
| WDLC  | Web Development Life Cycle         |

# Chapter 1

## Introduction

### 1.1 Background

Traditionally, hiring used to run on paper. Job seekers printed resumes and delivered them in person or by post, and employers advertised openings in newspapers and reviewed applications by hand.

With the rapid growth of Internet technologies, the recruitment process has transformed as online recruitment platforms appear: employers now publish vacancies and candidates apply electronically. This digital transformation has reduced geographical barriers and accelerated communication between employers and candidates.

### 1.2 Problem Statement

The new approach brings its own friction. Each recruitment site has its own search interface, its own resume format, and its own application flow. A candidate who wants to reach more than one pool of jobs must recreate essentially the same profile and resume on every platform, then visit each one separately to check whether an application has progressed. The more platforms a job seeker uses, the more duplicated effort the search costs.

Employers face similar challenge in reverse. Publishing a posting is only the first step; they still have to collect applications, read resumes, record decisions, and keep those records straight. Without a single place that ties postings, applications, and decisions together, the employer ends up stitching information across tools, recreating the inefficiency the platform was supposed to remove.

### 1.3 Aim, Objectives and Scope

The thesis aims to analyze the design and implementation of such centralized system: a platform where job seekers search jobs, maintain a profile, upload a resume, apply, and track their applications, and where employers manage company information, publish postings, and review applicants through one interface.

The implemented system consist of several functional modules. This thesis will discuss two modules as its primary focus. The supporting modules are built and described, but only briefly.

## 1.4 Methodology

Development was driven by use case documentation rather than a single fixed process. Work was decomposed into use case groups - profile, resume, job application, employer, and so on - and each group passed through the same small loop. First the use cases of the group were documented with their specifications and diagrams. Then the grouping was implemented, backend first and frontend after. Wherever implementation surfaced a use case that had not been anticipated in the documentation, the loop ran again: the new use case was implemented if it was needed immediately, and was always written back into the documentation so that the analysis in Chapter 2 and the implementation in Chapter 4 would stay consistent with each other.

## 1.5 Thesis Organization

The remainder of the thesis follows the loop above. Chapter 2 analyzes the requirements: actors, the functional and non-functional requirements, and the use cases of the featured modules. Chapter 3 turns those requirements into design, covering the system architecture, the database schema, and the module-level design. Chapter 4 describes how the design was implemented, and Chapter 5 summarizes verification. Chapter 6 closes with the results and limitations of the project.

# Chapter 2

## System Analysis

The challenges described in Chapter 1 motivate a centralized online recruitment platform.

### 2.1 Proposed System

The system's functionality is split into clear modules by business responsibility:

- Job Discovery: allows guests to search active job postings and view company profiles.
- Authentication: covers registration, login, logout, and password recovery.
- Profile Management: lets users maintain personal information, job preferences, avatar, and account password.
- Resume Management: lets job seekers upload and delete resumes used in applications.
- Job Application: lets a job seeker apply to an active posting, track submitted applications, and withdraw them while still eligible.
- Employer Job Management: lets an employer manage a company profile, run the full lifecycle of a job posting, and review the applications a posting receives.
- Administration: supports moderating job postings and managing users and logs.

Because the platform stores personal data and lets users modify shared records, access is controlled. Registration and login protect each user's account, and role-based permissions decide what each user may do.

This thesis develops the platform in full but examines two flows in depth: the Job Application flow on the job seeker's side and the Employer Job Management flow on the employer's side. These two flows form the round trip of a recruitment event - a job seeker submits an application, and an employer reviews it - and are therefore used to illustrate the analysis, design, and implementation in the remaining chapters.

## 2.2 Functional Requirement

Functional requirements define what the platform must do for its stakeholders. They are organized into modules based on business responsibility, as summarized in Table 2.1.

Table 2.1: Summary of Functional Requirements.

| Module                  | Description                                                                                                          |
|-------------------------|----------------------------------------------------------------------------------------------------------------------|
| Authentication          | Supports user registration, login, logout, and password recovery to ensure secure access to the system.              |
| User Profile Management | Allows job seekers to maintain personal information, update job preferences, and manage uploaded resumes.            |
| Job Discovery           | Provides browsing, searching, filtering, and viewing of available job postings.                                      |
| Job Application         | Enables job seekers to submit applications, withdraw applications before processing, and monitor application status. |
| Company Management      | Allows employers to create and maintain company information presented to prospective applicants.                     |
| Job Posting Management  | Allows employers to create, edit, publish, close, and manage job postings throughout their recruitment life-cycle.   |
| Recruitment Management  | Supports employers in reviewing submitted applications and updating the recruitment status of candidates.            |
| Administration          | Allows administrators to manage user accounts, moderate job postings, and maintain overall platform integrity.       |

## 2.3 Non-Functional Requirement

Non-functional requirements describe the quality attributes the platform must satisfy, such as security, performance, usability, reliability, maintainability, and compatibility. Table 2.2 summarizes the main ones considered during design.

Table 2.2: Summary of Non-Functional Requirements.

| Category        | Description                                                                                                                                                                                               |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Security        | The system shall authenticate users before granting access to protected resources and enforce role-based authorization. Sensitive credentials shall be securely stored using password hashing techniques. |
| Performance     | The system shall provide responsive access to common operations such as browsing job postings, submitting applications, and managing recruitment information.                                             |
| Usability       | The system shall provide a responsive web interface with consistent navigation, clear validation messages, and an intuitive user experience for all supported roles.                                      |
| Reliability     | The system shall ensure data consistency through proper validation, controlled data modification, and appropriate error handling mechanisms.                                                              |
| Maintainability | The system shall adopt a modular architecture with clearly separated components to simplify future maintenance and feature extension.                                                                     |
| Compatibility   | The system shall support modern desktop web browsers without requiring additional client-side software installation.                                                                                      |

## 2.4 Use Case Analysis

Use case analysis models how users interact with the platform and shows the functional scope from each user role’s perspective.

### 2.4.1 Shared Use Cases

To keep the model compact, the actors are organized with UML generalization. Visitors and signed-in users are represented by the Guest actor and Authenticated User actor respectively.

#### Guest Use Cases

As shown in Figure 2.1, guests can browse job postings, view company information, and register. These public functions give visitors access to the platform without requiring an account.




Figure 2.1: Guest Use Case Diagram.

## Authenticated User Use Cases

Figure 2.2 covers the functions common to all signed-in users: managing account information, changing the password, and logging out. Business-specific functions are introduced through the specialized actors in the next section.




Figure 2.2: Authenticated User Use Case Diagram.

### 2.4.2 Specialized Use Cases

The following subsections describe the use cases associated with each specialized actor. The Job Seeker and Employer actors correspond to the two modules examined in detail in this thesis, while the Back Office Worker supports the platform's administrative and moderation functions.

## Job Seeker Use Cases

The Job Seeker is the main user on the demand side of the platform: this actor looks for jobs, manages their resume, and participates in recruitment through job applications.




Figure 2.3: Job Seeker Use Case Diagram.

Figure 2.3 shows the Job Seeker's capabilities, including the CV Management and Application packages. The three application-related use cases: Applying, tracking, and withdrawing form the Job Application functionality examined in this thesis.

## Employer Use Cases

The Employer represents the organizations and recruiters who publish job postings and evaluate applicants.




Figure 2.4: Employer Use Case Diagram.

Figure 2.4 shows the Employer’s capabilities, including Company Profile Management, Job Management, and Application Management. These use cases collectively support the complete recruitment lifecycle on the employer’s side, from creating a company profile and managing job postings to reviewing and updating the status of received applications. This functionality constitutes the Employer Job Management module examined in this thesis.

### Back Office Worker Use Cases

The Back Office Worker, consist of Employer and System Administrator, represents internal personnel responsible for maintaining platform integrity and ensuring that the recruitment platform operates correctly.




Figure 2.5: Back Office Worker Use Case Diagram.

Figure 2.5 show the Back Office Worker’s capabilities, including Platform Moderation and User Management. These use cases highlight the supervisory tasks of the back office worker, from managing user’s status, moderating job postings, and overseeing important system events through logs.

## **2.5 Use Case Specification**

The use case diagrams above give an overview of the system’s functional scope. This section specifies the main use cases of the two featured modules in detail.

### 2.5.1 Job Seeker: Apply for Job

This subsection provides a detailed specification of the Apply for Job use case identified in the Job Application module.

Table 2.3: Use Case Specification: Apply for Job.

| Field                 | Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Use Case ID           | UC-JS-01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Use Case Name         | Apply for Job                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Primary Actor         | Job Seeker                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Goal                  | Submit a job application to an employer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Description           | Allows a Job Seeker to submit an application for a published job posting.                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Preconditions         | <ul style="list-style-type: none"><li>• Job Seeker is authenticated.</li><li>• The job posting is open for applications.</li><li>• Job Seeker has an uploaded resume.</li></ul>                                                                                                                                                                                                                                                                                                                                          |
| Trigger               | The Job Seeker selects the <b>Apply</b> option on a job posting.                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Main Success Scenario | <ol style="list-style-type: none"><li>1. Job Seeker views the job posting.</li><li>2. Job Seeker selects Apply.</li><li>3. System displays the application form and the job summary.</li><li>4. Job Seeker selects a resume.</li><li>5. Job Seeker submits the application.</li><li>6. System validates that the job is active, the resume belongs to the user, and no duplicate application exists.</li><li>7. System records the application as <b>SUBMITTED</b>.</li><li>8. System confirms the submission.</li></ol> |

Table 2.3 (Continued)

| Field             | Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Alternative Flows | <p><b>A1. No resume uploaded</b></p> <ol style="list-style-type: none"> <li>1. System asks the Job Seeker to upload a resume first.</li> </ol> <p><b>A2. Already applied</b></p> <ol style="list-style-type: none"> <li>1. System rejects the submission.</li> <li>2. System informs the Job Seeker that an application already exists.</li> </ol> <p><b>A3. Posting no longer active</b></p> <ol style="list-style-type: none"> <li>1. System rejects the submission.</li> <li>2. System informs the Job Seeker that the posting is no longer available.</li> </ol> |
| Postconditions    | <ul style="list-style-type: none"> <li>• A new application with status SUBMITTED is created.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## 2.5.2 Employer: Publish Job Posting

This subsection provides a detailed specification of the Publish Job Posting use case identified in the Employer Job Management module.

Table 2.4: Use Case Specification: Publish Job Posting.

| Field                 | Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Use Case ID           | UC-EMP-01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Use Case Name         | Publish Job Posting                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Primary Actor         | Employer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Goal                  | Publish a job posting for potential applicants.                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Description           | Allows an Employer to create and publish a new job posting.                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Preconditions         | <ul style="list-style-type: none"><li>• Employer is authenticated.</li><li>• Employer has a registered company profile.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                       |
| Trigger               | Employer selects the <b>Post a Job</b> function.                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Main Success Scenario | <ol style="list-style-type: none"><li>1. Employer fills in the job title, description, requirements, location, employment type, and deadline.</li><li>2. Employer submits the posting.</li><li>3. System validates the input and checks that the deadline is in the future.</li><li>4. System assigns the employer's company to the posting.</li><li>5. System creates the posting with status <b>PENDING_APPROVAL</b>.</li><li>6. System confirms the creation and shows the posting in the employer's list.</li></ol> |
| Alternative Flows     | <p><b>A1. No company profile</b></p> <ol style="list-style-type: none"><li>1. System requires the Employer to create a company profile first.</li></ol> <p><b>A2. Invalid input</b></p> <ol style="list-style-type: none"><li>1. System identifies the invalid fields.</li><li>2. Employer corrects and resubmits.</li></ol>                                                                                                                                                                                            |

Table 2.4 (Continued)

| Field          | Specification                                                                                                                                                                           |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Postconditions | <ul style="list-style-type: none"><li>• A job posting with status <code>PENDING_APPROVAL</code> is stored.</li><li>• The posting is hidden from public search until approved.</li></ul> |

### 2.5.3 Employer: Review Application

This subsection provides a detailed specification of the Review Application use case identified in the Employer Job Management module.

Table 2.5: Use Case Specification: Review Application.

| Field                 | Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Use Case ID           | UC-EMP-06, UC-EMP-07, UC-EMP-08                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Use Case Name         | Review Application                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Primary Actor         | Employer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Goal                  | Review the applications a posting received and update their status.                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Description           | Allows an Employer to view the applications submitted to a posting and move each one through the review pipeline.                                                                                                                                                                                                                                                                                                                                                                                                              |
| Preconditions         | <ul style="list-style-type: none"><li>• Employer is authenticated.</li><li>• The posting belongs to the employer's company.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                          |
| Trigger               | Employer opens the application list of a job posting.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Main Success Scenario | <ol style="list-style-type: none"><li>1. Employer selects a job posting.</li><li>2. System lists the applications with candidate name, resume, and status.</li><li>3. Employer opens an application's detail.</li><li>4. Employer marks the application <code>UNDER_REVIEW</code>.</li><li>5. Employer decides to accept or reject the application, with an optional reason on rejection.</li><li>6. System updates the application to <code>ACCEPTED</code> or <code>REJECTED</code> and records the decision time.</li></ol> |
| Alternative Flows     | <p><b>A1. Application withdrawn</b></p> <ol style="list-style-type: none"><li>1. System blocks further processing of the application.</li></ol> <p><b>A2. Application already decided</b></p> <ol style="list-style-type: none"><li>1. System rejects the status change.</li></ol> <p><b>A3. Application not under review</b></p> <ol style="list-style-type: none"><li>1. System only allows accept or reject on applications that are <code>UNDER_REVIEW</code>.</li></ol>                                                   |

Table 2.5 (Continued)

| Field                 | Specification                                                                                                                               |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Postconditions</b> | <ul style="list-style-type: none"> <li>• The application is <b>ACCEPTED</b> or <b>REJECTED</b>, with the decision time recorded.</li> </ul> |

# Chapter 3

## System Design

### 3.1 Design Overview

This chapter presents the technical design of the proposed system based on the requirements identified in Chapter 2. It describes the system architecture, database design, backend structure, and frontend organization that form the blueprint for the implementation discussed in Chapter 4.

The design follows a small set of guiding principles, each addressing one or more non-functional requirements identified previously. Table 3.1 summarizes these principles and their rationale.

Table 3.1: Design Principles and Rationale.

| Principle                       | Rationale                                                                                                                                                                           |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Layered Architecture            | Separates presentation, API, business logic, and data access concerns, improving maintainability and testability.                                                                   |
| Feature-Oriented Modular Design | Organizes code by business domain (e.g., Job, Application) rather than by technical type, keeping related logic together and easing future extension.                               |
| Thin Controller, Rich Service   | Controllers handle only request/response concerns; business logic and validation reside in services, reducing duplication and improving reusability.                                |
| Security by Design              | Authentication and authorization are consistently enforced to protect restricted resources, while credentials are securely stored using industry-standard cryptographic techniques. |
| Data Integrity                  | Relational constraints, foreign keys, and database integrity rules ensure data consistency and prevent invalid relationships.                                                       |

These principles are applied consistently across all modules of the system. They are illustrated in detail for the two featured modules, Job Application and Employer Job Management; the design of the remaining modules is documented in the appendix.

The remainder of this chapter is organized as follows. Section 3.2 presents the system architecture, including the C4-based container view. Section 3.3 details the

database design and entity-relationship model for the featured modules. Section 3.4 describes the backend design, including the layered structure and module organization. Section 3.5 covers the frontend design. Section 3.6 summarizes the chapter.

## 3.2 System Architecture

The system architecture is documented using the C4 model, which describes a software system at progressively narrower levels of zoom: Context, Container, and Component. This progression matches the layered, modular design principles established in Section 3.1, letting each stakeholder read only the level of detail relevant to them.

### 3.2.1 System Context

The System Context diagram identifies the system's boundary and its interactions with external actors, without describing internal structure.




Figure 3.1: System Context Diagram.

As shown in Figure 3.1, three actors interact with the platform: the Job Seeker browses and applies for jobs, the Employer publishes and manages job postings, and the System Administrator moderates users and platform content. These actors correspond to the roles established in Chapter 2.

### 3.2.2 Container View

The Container diagram decomposes the system into its major deployable units and shows how they communicate.




Figure 3.2: Container Diagram.

As illustrated in Figure 3.2, the system consists of three containers:

- The **Frontend Web App** is a React single-page application that renders the user interface.
- The **Backend API** is a Node.js/Express service, built with TypeScript and Prisma ORM, that implements all business logic and exposes it as a REST API.
- The **Database** is a PostgreSQL instance that persists user accounts, job postings, applications, and other platform data.

The Frontend communicates with the Backend over HTTPS using JSON, and the Backend communicates with the Database using SQL through Prisma.

### 3.2.3 Component View: Frontend

The Frontend component diagram decomposes the Frontend Web App container into its internal building blocks.




Figure 3.3: Frontend Component Diagram.

As shown in Figure 3.3, the frontend is organized around role-oriented feature components:

- The **Job Seeker Application UI** supports job application submission and status tracking.

- The **Profile Management UI** manages personal information, avatar, and resumes.
- The **Employer Job Management UI** supports company and job posting management.
- The **Authentication UI** handles login, registration, and role-based redirection.
- The **Job Discovery UI** supports job browsing and company profile viewing.

All feature components reuse a common Shared UI Components library and communicate with the backend exclusively through a centralized API Client, which handles HTTP requests, authentication tokens, and response parsing.

### 3.2.4 Component View: Backend

The Backend component diagram decomposes the Backend API container into functional components that implement the platform's business capabilities.




Figure 3.4: Backend Component Diagram.

As illustrated in Figure 3.4, the backend is organized into role-oriented business components:

- The **Application Management** components support the job seeker's workflow of applying and tracking.
- The **Job Posting** and **Employer Application Management** components provide employers with job publishing and application review capabilities.

- The **Administration/Moderation** component enables platform administrators to manage users and job postings.

Common functionality is centralized in shared infrastructure components. The Authentication component manages user registration, login, and authorization using JWT-based authentication, while the Mailing Service handles email notifications. File assets are stored through the File Storage component.

All business components interact with the PostgreSQL database through the shared **Prisma Client**, ensuring a consistent data access mechanism across the application.

### 3.3 Database Design

The database design defines how the system's persistent data is organized and managed. It identifies the main business entities, their relationships, and the constraints that ensure data consistency. The design follows the principles introduced in Section 3.1, particularly data integrity, by using a normalized relational schema with clearly defined primary and foreign key relationships.

#### 3.3.1 Entity Relationship Overview

Figure 3.5 presents an overview of the complete database schema used by the platform. To improve readability, the overview diagram includes the primary entities, key attributes, and relationships while omitting system-generated fields such as timestamps and audit metadata.




Figure 3.5: Entity Relationship Diagram.

The remainder of this section details the entity groups that back the two featured modules - the company and job posting domain and the job application domain. The entities supporting the remaining modules are described in the appendix.






Figure 3.7: Job Application Entity Relationship Diagram.

A job seeker may upload multiple resumes and submit multiple applications, but each resume and each application belongs to exactly one job seeker. Each application is submitted for exactly one job posting, while a job posting may receive any number of applications. A resume may be attached to multiple applications, but each application references exactly one resume. The application's status attribute - **SUBMITTED**, **UNDER\_REVIEW**, **ACCEPTED**, **REJECTED**, and **WITHDRAWN** - records where the application stands in the review process, and a unique constraint on the user-job pair prevents a candidate from applying to the same posting twice.

### 3.4 Backend Design

This section details the internal design of the Backend API container introduced in Section 3.2. It first describes the project structure and shared infrastructure common to

all modules, then presents the two featured business modules following the same template: an introduction, a class diagram, and a design explanation. The class diagrams of the remaining modules are presented in the appendix.

### 3.4.1 Backend Project Structure

The backend source code is organized as follows:

```
src
├── app.ts
├── server.ts
├── authentication.ts
├── api-external
├── api-internal
├── api-shared
├── email
├── generated
├── lib
├── security
└── utils
```

Table 3.2 summarizes the purpose of each top-level entry.

Table 3.2: Backend Project Structure.

| Entry             | Purpose                                                                                                                                                                                          |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| app.ts, server.ts | Wire the Express application: register global middleware and the generated routes, and bootstrap the HTTP server.                                                                                |
| authentication.ts | Implements <code>expressAuthentication</code> for tsoa: verifies the JWT on protected routes and rejects banned accounts.                                                                        |
| api-external      | Implements business modules that expose application functionality to external users through RESTful APIs.                                                                                        |
| api-internal      | Implements internal modules that support administrative and platform management operations.                                                                                                      |
| api-shared        | Provides reusable guards and logic shared across multiple business domains to reduce duplication.                                                                                                |
| email             | Wraps the mail transport and holds transactional email templates.                                                                                                                                |
| generated         | Contains files generated by tsoa during the build and should not be modified manually.                                                                                                           |
| lib               | Maintains shared library instances and application-wide configurations used by multiple modules.                                                                                                 |
| security          | Defines the <code>CurrentUser</code> type that carries the authenticated user's identifier and role into services.                                                                               |
| utils             | Provides general-purpose utilities such as <code>HttpError</code> , <code>PasswordHasher</code> , <code>JwtService</code> , <code>ResetTokenUtils</code> , and <code>FileStorageService</code> . |

### 3.4.2 Shared Backend Components

A small set of reusable infrastructure components is shared across all business modules, avoiding duplication and ensuring consistent behavior.

- **JWT Authentication:** issues and verifies signed JSON Web Tokens carrying the user's identifier and role, and is enforced through the `expressAuthentication` hook on protected routes.
- **Role Guards:** helpers such as `assertJobSeeker` and `assertEmployer` reject requests from users who lack the required role, applied as the first step of every service method.
- **HttpError:** a uniform error type carrying an HTTP status and message, translated into the proper JSON error response.
- **Prisma Client:** the generated ORM client, instantiated once in `lib/prisma.ts` and imported by services for all database access.
- **File Storage:** abstracts file persistence behind a common interface, used for avatar and resume uploads.
- **Email Service:** wraps NodeMailer to send transactional emails, such as password reset notifications.
- **PasswordHasher and ResetTokenUtils:** wrap BCrypt and token generation for credential handling and password recovery.

### 3.4.3 Job Application Module

The Job Application Module lets job seekers apply to active job postings using one of their resumes, view their own submitted applications, and withdraw an application while it is still eligible. It resides in `api-external`, and every endpoint requires both a valid JWT and the `JOB_SEEKER` role.

#### Class Diagram

Figure 3.8 presents the class diagram of the Job Application Module.




Figure 3.8: Job Application Module Class Diagram.

## Design Explanation

Following the thin controller, rich service principle, ApplicationController exposes three REST endpoints and delegates each directly to a matching method on ApplicationService, without containing business logic itself. ApplicationService depends on the shared PrismaClient, which queries the User, Job, Resume, and Application entities whose relationships are detailed in Figure 3.7.

Every ApplicationService method begins with the same guard: the caller must hold the `JOB_SEEKER` role, otherwise the request is rejected. Beyond this shared guard, each method implements one use case:

- `applyJob` verifies that the referenced job exists and is **ACTIVE**, that the referenced resume exists and belongs to the caller, and that no prior application exists for the same job and user pair, before creating the application with an initial status of **SUBMITTED**.
- `getMyApplications` returns all applications submitted by the caller, joining through the related job and company to return a flattened summary alongside each application's status and submission date.
- `withdrawApplication` verifies that the application belongs to the caller and is still in **SUBMITTED** status, rejecting the request once it has moved further along the review process, then updates its status to **WITHDRAWN** and records the withdrawal timestamp.

### 3.4.4 Employer Job Management Module

The Employer Job Management Module covers the capabilities exposed to employers: managing their company profile, managing the lifecycle of their job postings, and reviewing submitted applications. Together with the Job Application Module, it forms the complete round trip of a recruitment event studied in this thesis.

## Class Diagram

Figures 3.9, 3.10, and 3.11 present the class diagrams of the Employer Job Management Module.




Figure 3.9: Company Profile Management Class Diagram.




Figure 3.10: Job Posting Management Class Diagram.




Figure 3.11: Employer Application Management Class Diagram.

## Design Explanation

Across all three diagrams, each Controller delegates directly to a matching Service method, with no business logic in the controller itself, and each Service depends on the shared PrismaClient and the `assertEmployer` role guard.

**Company Profile Management:** `EmployerCompanyController` exposes `createCompany`, `getCompany`, and `updateCompany`, delegated to `EmployerCompanyService`. An employer owns at most one company, so none of these operations take a company identifier; the owning employer is instead resolved from the authenticated user.

**Job Posting Management:** `JobManagementController` exposes the full lifecycle of a job posting: `createJob`, `getEmployerJobs`, `getEmployerJob`, `updateJob`, `closeJob`, `reopenJob`, and `deleteJob`, delegated to `JobManagementService`. The Job status attribute includes `PENDING_APPROVAL` and `REJECTED`, reflecting that newly created and edited postings are subject to moderation before becoming publicly visible.

**Application Review:** `EmployerApplicationController` exposes `getJobApplications`, `getJobApplicationDetail`, `putApplicationUnderReview`, and `updateApplicationStatus`, delegated to `EmployerApplicationService`. This complements the `SUBMITTED` and `WITHDRAWN` transitions initiated by the job seeker: here, the employer moves an application through the remaining `UNDER_REVIEW`, `ACCEPTED`, and `REJECTED` statuses.

## 3.5 Frontend Design

The frontend is a React single-page application. Pages are grouped in feature folders that mirror the backend module structure, so a feature can be traced end to end. Reusable UI is separated into `ui-shared/`. Routing is role-based: `RequireAuth` guards wrap route groups so that a Job Seeker-only area and an Employer-only area are rendered only for the matching role. All API calls go through a client generated from the backend's OpenAPI specification, so the request and response types used by the pages always match the backend contract.

### 3.5.1 Job Application UI

The Job Application UI consists of two pages. The apply page, `ApplyJobPage` at `/jobs/:jobId/apply`, loads the chosen posting and the user's resumes, presents the job summary together with a `ResumeSelector`, and submits the selected resume. The submit errors are handled by HTTP status: a 409 reports that the user already applied, a 401 prompts re-login, and a 403 reports that only job seekers can apply. The tracking page, `MyApplicationsPage` at `/applications`, lists the user's applications through `ApplicationCard` components that show the posting, company, status badge, and submission date. Withdrawing an application is confirmed through a shared `ConfirmationDialog`; on success the card status is updated locally to `WITHDRAWN`.

### 3.5.2 Employer Job Management UI

The Employer Job Management UI covers two pages. `PostJobPage` at `/employer/jobs/new` collects a posting through `JobPostingForm`, which validates each field and converts the chosen calendar date into an ISO deadline at the end of that day via the shared deadline helper. `MyJobPostingsPage` at `/employer/jobs` lists the employer's postings with a `JobStatusBadge`; close, re-open, and delete actions each require confirmation in a `ConfirmationDialog` and the list is refreshed after the mutation. The company profile page, `MyCompanyPage`, manages the employer's company. The application review

screens that use the employer application review endpoints are still in progress at the time of writing.

## 3.6 Summary

This chapter presented the technical design of the platform. The system follows a layered, feature-oriented architecture split into a React frontend, a Node.js/Express API, and a PostgreSQL database. The database design centered on the entity groups that serve the two featured modules: company and job posting, and job application. The backend design introduced the project structure, the shared infrastructure components, and the class-level design of the Job Application and Employer Job Management modules. The frontend design described the page structure for both featured modules. The next chapter describes how this design was realized in code.

# Chapter 4

## Implementation

### 4.1 Overview

The design in Chapter 3 is implemented as a pnpm monorepo with two applications. The backend, `apps/api`, is a Node.js/Express service written in TypeScript: it uses Prisma for database access and `tsoa` to generate both the OpenAPI specification and the route handlers from annotated controllers. The frontend, `apps/web`, is a React single-page application built with Vite and TypeScript. It uses the generated OpenAPI client for all API calls, Tailwind CSS with `shadcn/ui` components for styling, and React Router for navigation.

The two applications exchange data exclusively over REST: the API exposes JSON endpoints and the web client calls them through generated functions whose request and response types match the backend DTOs. Because the client is regenerated from the backend's OpenAPI specification, a change to a response type on the server is reflected in the client at the next build instead of drifting silently.

#### 4.1.1 Request Pipeline

Every request follows the same path through the backend:

HTTP request

- > `generated/routes.ts` (tsoa-generated route table)
- > `Controller` (tsoa decorators; routing + status codes)
- > `Service` (business rules; owns all Prisma access)
- > `Prisma Client` (SQL)
- > `PostgreSQL`

`tsoa` reads the `@Route`, `@Get`/`@Post`/`@Patch`, and `@Security` decorators on each controller and emits `routes.ts` plus `swagger.json`. The `@Security("jwt", [role])` decorator marks an endpoint as protected and declares the required scope; at runtime, `tsoa` calls `expressAuthentication`, implemented in `authentication.ts`, which verifies the JWT, rejects banned accounts, and attaches the authenticated user as `currentUser` on the request. The service then re-checks the role itself as defense in depth.

### 4.1.2 Error Handling

Services raise a uniform `HttpError(status, message)`; a global error handler converts it into a JSON response, while validation performed by `tsoa` on the incoming body is answered automatically. The status codes used throughout the API are summarized in Table 4.1.

Table 4.1: HTTP Status Code Conventions.

| Code | Meaning                                                                                |
|------|----------------------------------------------------------------------------------------|
| 400  | Validation failure, unmet precondition, or illegal status transition.                  |
| 401  | Missing or invalid access token.                                                       |
| 403  | Wrong role, banned account, or request on a resource the caller does not own.          |
| 404  | Resource does not exist or must not be revealed to the caller.                         |
| 409  | The resource is already in the requested state (for example, a duplicate application). |

## 4.2 Backend Implementation

### 4.2.1 Job Application Module

The module lives in `api-external/job-application/` and exposes the endpoints in Table 4.2, all protected with the `JOB_SEEKER` scope.

Table 4.2: Job Application Endpoints.

| Endpoint                                       | Purpose                                                      |
|------------------------------------------------|--------------------------------------------------------------|
| POST <code>/applications</code>                | Submit an application for a job using a chosen resume.       |
| GET <code>/applications/my</code>              | List the caller's applications with job and company summary. |
| PATCH <code>/applications/{id}/withdraw</code> | Withdraw a submitted application.                            |

**applyJob** The core of the module is the `applyJob` method, which guards every business rule from the use case specification before any row is written.

#### SEQUENCE DIAGRAM HERE

The duplicate check relies on the composite unique constraint `userId_jobId` defined on the `Application` table, which makes the one-application-per-job rule enforceable at the database level as well as in the service.

**getMyApplications** This method returns only the caller's applications.

**withdrawApplication** Withdrawal verifies ownership and then checks that the application is still in `SUBMITTED` status. An application that has moved into review, been decided, or already been withdrawn cannot be withdrawn again. On success the status is set to `WITHDRAWN` and the `withdrawnAt` timestamp is recorded; the row itself is kept for the job seeker's history.

## 4.2.2 Employer Job Management Module

This module spans three folders in `api-external`: `employer-company/`, `employer-job-management/`, and `employer-application-management/`, all protected with the `EMPLOYER` scope.

### Company Profile

The company controller is mounted at `/employer/company` and provides `POST` (create), `GET` (view my company), and `PATCH` (update). Because an employer owns at most one company, no company identifier is ever sent by the client: the service looks the company up by `ownerEmployerId`, resolved from `currentUser`. The owner is therefore taken from the authenticated token, never from the request body.

### Job Posting Lifecycle

The endpoints in Table 4.3 implement the full lifecycle of a job posting. Every mutating method first loads the posting through a shared helper that both checks existence and confirms the caller created it, answering `404` when the posting does not exist and `403` when the caller is not its owner.

Table 4.3: Job Posting Endpoints.

| Endpoint                                      | Purpose                                                      |
|-----------------------------------------------|--------------------------------------------------------------|
| <code>GET /employer/jobs</code>               | List the employer's postings, newest first.                  |
| <code>GET /employer/jobs/{id}</code>          | Detail of one owned posting.                                 |
| <code>POST /employer/jobs</code>              | Create a posting (status <code>PENDING_APPROVAL</code> ).    |
| <code>PATCH /employer/jobs/{id}</code>        | Edit a posting; resets it to <code>PENDING_APPROVAL</code> . |
| <code>PATCH /employer/jobs/{id}/close</code>  | Close an <code>ACTIVE</code> posting.                        |
| <code>PATCH /employer/jobs/{id}/reopen</code> | Re-open a <code>CLOSED</code> posting.                       |
| <code>PATCH /employer/jobs/{id}/delete</code> | Soft-delete a posting.                                       |

**Input validation** Before creating or editing a posting, the service trims and validates every required field: the title and location are capped at 255 characters and the description and requirements at 10000. The deadline is parsed as a date and must lie in the future. A company profile must already exist, because the posting's `companyId` is resolved from the employer's own company, not provided by the client.

**Status transitions** Each lifecycle action is a guarded state transition. Only an `ACTIVE` posting can be closed; only a `CLOSED` posting can be re-opened, and only if its deadline is still in the future; editing is allowed for every status except `DELETED` and `EXPIRED`. Deleting is a soft delete: the status is set to `DELETED` and a `deletedAt` timestamp is recorded, so the record and its applications are preserved for history. Whenever a posting is edited or re-opened, its status returns to `PENDING_APPROVAL`.

and the moderation timestamps (`approvedAt`, `rejectedAt`, `rejectionReason`) are cleared, so a previously rejected posting does not appear to be rejected again.

## Employer Application Review

The endpoints in Table 4.4 close the loop on the application flow: the employer sees what the job seeker submitted and moves it towards a decision.

Table 4.4: Employer Application Review Endpoints.

| Endpoint                                       | Purpose                                                    |
|------------------------------------------------|------------------------------------------------------------|
| GET /employer/jobs/{id}/applications           | List applications received by a posting.                   |
| GET /employer/applications/{id}                | Full detail of one application (candidate and resume).     |
| PATCH /employer/applications/{id}/under-review | Move <code>SUBMITTED</code> to <code>UNDER_REVIEW</code> . |
| PATCH /employer/applications/{id}/status       | Accept or reject an application under review.              |

The application list and the detail both verify that the application belongs to a job posting owned by the employer before returning data. The two state-moving methods apply the same status gates: an already `WITHDRAWN`, `ACCEPTED`, or `REJECTED` application cannot be changed again, under-review requires the current status `SUBMITTED`, and accept/reject requires the current status `UNDER_REVIEW`. On rejection an optional reason is trimmed, capped at 1000 characters, and stored in `rejectionReason`; the decision time is recorded in `decidedAt`.

### 4.2.3 Remaining Modules

The remaining modules follow the same controller - service pattern, but are covered here briefly.

**Authentication** `AuthService` implements registration, login, logout, password reset requests, and password reset. Passwords are hashed with `BCrypt` before storage and compared at login; a banned account is rejected at login and by the `JWT` middleware on every protected request. Password reset tokens are hashed before being stored, carry an expiration, and are single-use; the reset email is sent through the email service.

**Profile** `ProfileService` lets a user read their profile and job preferences, update them with partial-update semantics (an omitted field is left unchanged, an explicit `null` clears it), change the avatar with file type and size checks, and change the password after verifying the current one.

**Resume** `ResumeService` lists, uploads, and deletes resumes. Uploads accept only PDF, DOC, and DOCX files up to 5 MB, stored through the file storage abstraction. A resume referenced by an existing application is soft-deleted so old applications keep a valid reference; otherwise it is removed entirely.

**Job Discovery** `JobDiscoveryService` powers public job search and job detail. Search restricts results to `ACTIVE` postings and matches an optional keyword against the job title or company name and an optional location against the job location or company city and district; the public company profile endpoints expose company details and their active postings.

**Back Office Moderation** The `api-internal/job-moderation/` module implements the moderation operations for administrators as part of the internal API. `JobModerationController` is mounted at `/admin/jobs` and protected with the `ADMIN` scope; it lists and inspects pending postings, approves a posting so it becomes `ACTIVE`, rejects it with an optional reason, and deletes it. The user interface of the internal application is still under development.

## 4.3 Frontend Implementation

This section describes how the two featured modules are realized in the React frontend.

### 4.3.1 Job Application UI

**Apply page** `ApplyJobPage (/jobs/:jobId/apply)` loads the posting and the user's resumes on mount. The page shows the job summary and a `ResumeSelector`; the first available resume is preselected. On submit it calls the `applyJobs` API and maps errors by status: a 409 explains that the user already applied, a 401 that the session expired, and a 403 that the role is not allowed. A success state replaces the form with a confirmation and links to the applications page.

**Tracking page** `MyApplicationsPage (/applications)` fetches the user's applications and renders one `ApplicationCard` per row, showing the posting, company, status badge, and application date. Withdrawal runs through a shared `ConfirmationDialog`; after the API succeeds, the card's status is updated locally to `WITHDRAWN` without refetching the whole list.

### 4.3.2 Employer Job Management UI

**Post a job** `PostJobPage (/employer/jobs/new)` collects the posting through `JobPostingForm`: title, description, requirements, location, a segmented employment-type control, and a deadline date picker. The deadline picker only allows dates from tomorrow onward, and on submit the helper `toDeadlineIso` converts the chosen calendar date into an ISO timestamp at the end of that day in the employer's local time zone, matching the backend rule that a deadline must be strictly in the future. After submission the page returns to the list, where the new posting is visible in `PENDING_APPROVAL`.

**My job postings** `MyJobPostingsPage (/employer/jobs)` lists the employer's postings from newest to oldest through `JobPostingCard`, which shows the summary fields and a `JobStatusBadge`. The close, re-open, and delete actions each require confirmation in a `ConfirmationDialog` with copy that reflects the real consequence of the action; on success the list is refreshed so the card reflects the new status.

## 4.4 Summary

The platform was implemented as a two-application monorepo. The backend follows the controller-service architecture established in the design chapter: `tsoa` provides routing and the OpenAPI contract, services own all business rules, and Prisma provides typed database access. The two featured modules were implemented in full - the job seeker can apply, track, and withdraw applications, while the employer can manage a company, run the lifecycle of a job posting, and review its applications - and the remaining modules follow the same pattern, with the moderation backend complete and its interface still under development. The frontend mirrors the backend with role-guarded pages and a generated, typed API client.

# Chapter 5

## Testing

# Chapter 6

## Conclusion

### 6.1 Summary

This thesis designed and implemented an online recruitment platform that brings job seeking and hiring into a single system. The work centered on two flows. On the job seeker's side, the Job Application module lets a candidate apply for an active posting using one of their resumes, track each application through its lifecycle, and withdraw an application that has not yet been decided. On the employer's side, the Employer Job Management module lets an employer maintain a company profile, publish and manage job postings through their lifecycle, and review the applications each posting receives until a decision is recorded. Around these, the platform provides authentication with role-based access control, personal profiles and resume management, public job search, and back-office moderation.

The system was built as a pnpm monorepo with two applications. The backend, `apps/api`, is an Express service written in TypeScript: `tsoa` generates the OpenAPI contract and the route handlers from annotated controllers, `services` own every business rule, and `Prisma` provides typed database access. The frontend, `apps/web`, is a React application whose typed API client is generated from that same contract, so the two sides can never drift in the shape of the data they exchange. The two featured modules are described in full, and all supporting modules follow the same controller - service pattern.

The project met its stated objectives. The iterative loop described in the introduction kept the documentation honest: every use case that surfaced during implementation was written back into the analysis, so the design and the code never fell out of step.

### 6.2 Limitations

Due to time and knowledge constraints, the final product presents several limitations:

- The platform is a prototype run as two local applications. It has not been deployed, and it has not been exercised under real-scale traffic or by real users.
- The thesis details two of the modules; the remaining modules are built and described, but only briefly.

## 6.3 Future Work

The limitations above point to the most natural directions for future work:

- Notify users when something changes - job seekers when an application status updates, employers when a posting is moderated.
- Add a direct communication channel between employers and applicants inside the platform.
- Prepare the platform for deployment and scale: containerization, load balancing, and caching of search results.
- Build a mobile application.

# Bibliography

# Appendix A

## Supplementary Use Case Specifications

### A.1 Guest: Login

Table A.1: Use Case Specification: Login.

| Field         | Specification                                                                                                                           |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Use Case ID   | UC-AUTH-02                                                                                                                              |
| Use Case Name | Login                                                                                                                                   |
| Primary Actor | Guest                                                                                                                                   |
| Description   | Allows a guest to authenticate using registered credentials and become an authenticated user.                                           |
| Goal          | Authenticate a registered user and grant access to protected system functions.                                                          |
| Preconditions | <ul style="list-style-type: none"><li>• The user has a registered account.</li><li>• The user is not currently authenticated.</li></ul> |
| Trigger       | The user clicks "Log In" button from the website's header                                                                               |

Table A.1 (Continued)

| Field                        | Specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Main Success Scenario</b> | <ol style="list-style-type: none"> <li>1. Guest selects "Login".</li> <li>2. System displays the login form.</li> <li>3. Guest enters email and password.</li> <li>4. Guest submits the login form.</li> <li>5. System validates the submitted credentials.</li> <li>6. System authenticates the user.</li> <li>7. System establishes an authenticated session.</li> <li>8. System redirects the user to the authenticated home-page.</li> <li>9. System displays a successful login message.</li> </ol>                                                                                                                                                                |
| <b>Alternative Flows</b>     | <p><b>A1. Invalid credentials</b></p> <ol style="list-style-type: none"> <li>1. The system reports the error "Invalid email or password".</li> </ol> <p><b>A2. Invalid email address</b></p> <ol style="list-style-type: none"> <li>1. The system reports the error "Invalid email".</li> </ol> <p><b>A3. Missing required input fields</b></p> <ol style="list-style-type: none"> <li>1. The system reports the error "Please fill out required fields".</li> </ol> <p><b>A4. Account is suspended</b></p> <ol style="list-style-type: none"> <li>1. System denies authentication.</li> <li>2. System informs the user that the account has been suspended.</li> </ol> |
| <b>Postconditions</b>        | <ul style="list-style-type: none"> <li>• The user is successfully authenticated.</li> <li>• The user gains access to functions available to authenticated users.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## A.2 Authenticated User: Update Personal Information

Table A.2: Use Case Specification: Update Personal Information.

| Field                 | Specification                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Use Case ID           | UC-PROFILE-01                                                                                                                                                                                                                                                                                                                                                                   |
| Use Case Name         | Update Personal Information                                                                                                                                                                                                                                                                                                                                                     |
| Primary Actor         | Authenticated User                                                                                                                                                                                                                                                                                                                                                              |
| Goal                  | Maintain accurate personal information within the platform.                                                                                                                                                                                                                                                                                                                     |
| Description           | Allows an authenticated user to update personal profile information.                                                                                                                                                                                                                                                                                                            |
| Preconditions         | <ul style="list-style-type: none"> <li>• User is authenticated.</li> </ul>                                                                                                                                                                                                                                                                                                      |
| Trigger               | The user selects the Profile page.                                                                                                                                                                                                                                                                                                                                              |
| Main Success Scenario | <ol style="list-style-type: none"> <li>1. User opens the profile page.</li> <li>2. System displays current profile information.</li> <li>3. User edits profile information.</li> <li>4. User submits the changes.</li> <li>5. System validates the submitted information.</li> <li>6. System updates the profile.</li> <li>7. System confirms the successful update.</li> </ol> |
| Alternative Flows     | <b>A1. Invalid input</b> <ol style="list-style-type: none"> <li>1. System highlights invalid fields.</li> <li>2. User corrects the information.</li> </ol>                                                                                                                                                                                                                      |
| Postconditions        | <ul style="list-style-type: none"> <li>• Updated profile information is stored.</li> </ul>                                                                                                                                                                                                                                                                                      |

### A.3 Back Office Worker: Approve Job Posting

Table A.3: Use Case Specification: Approve Job Posting.

| Field         | Specification       |
|---------------|---------------------|
| Use Case ID   | UC-ADMIN-01         |
| Use Case Name | Approve Job Posting |
| Primary Actor | Back Office Worker  |

Table A.3 (Continued)

| Field                        | Specification                                                                                                                                                                                                                                                                                                                        |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Goal</b>                  | Review and approve job postings before they become publicly available.                                                                                                                                                                                                                                                               |
| <b>Description</b>           | Allows a Back Office Worker to review submitted job postings and determine whether they comply with platform policies.                                                                                                                                                                                                               |
| <b>Preconditions</b>         | <ul style="list-style-type: none"> <li>• Back Office Worker is authenticated.</li> <li>• A job posting is awaiting approval.</li> </ul>                                                                                                                                                                                              |
| <b>Trigger</b>               | Administrator opens the pending job posting list.                                                                                                                                                                                                                                                                                    |
| <b>Main Success Scenario</b> | <ol style="list-style-type: none"> <li>1. Back Office Worker reviews the job posting.</li> <li>2. Back Office Worker verifies the submitted information.</li> <li>3. Back Office Worker approves the posting.</li> <li>4. System updates the posting status.</li> <li>5. System makes the job posting publicly available.</li> </ol> |
| <b>Alternative Flows</b>     | <b>A1. Job posting rejected</b> <ol style="list-style-type: none"> <li>1. Administrator rejects the posting.</li> <li>2. System records the decision.</li> <li>3. System notifies the Employer.</li> </ol>                                                                                                                           |
| <b>Postconditions</b>        | <ul style="list-style-type: none"> <li>• The job posting is approved or rejected.</li> </ul>                                                                                                                                                                                                                                         |

# Appendix B

## Supplementary Entity Relationship Groups

The entity relationship groups that support the remaining modules are detailed here for reference.

### B.1 Auth and Account

Figure B.1 details the entities involved in authentication and account recovery.




Figure B.1: Auth and Account Entity Relationship Diagram.

Each role may be assigned to any number of users, while every user is assigned

exactly one role. A user may request multiple password reset tokens over time, but each token belongs to exactly one user.

## B.2 Profile and CV Management

Figure B.2 details the entities involved in managing a user’s profile, job preferences, and resumes.




Figure B.2: Profile and CV Management Entity Relationship Diagram.

Each user has at most one profile and at most one job preference record, both enforced through a unique foreign key, forming one-to-one relationships. A user may upload multiple resumes, but each resume belongs to exactly one user.

## B.3 Administration and Audit

Figure B.3 details the entities involved in role assignment and system activity logging.




Figure B.3: Administration and Audit Entity Relationship Diagram.

As with the Auth and Account group, each role may be assigned to any number of users, while every user is assigned exactly one role. A user may perform any number of logged actions, and each log entry optionally references the user who performed it, since some actions may be attributed to the system itself rather than a specific user.

# Appendix C

## Supplementary Module Designs

This chapter collects the class-level design of the modules that are not featured in the main body. Each module follows the same controller–service pattern described in Chapter 3; as with the featured modules, each Controller delegates directly to its Service, which owns all business logic and Prisma access.

### C.1 Authentication Module

The Authentication Module implements user registration, login, logout, and password recovery. It resides in `api-external`, since these operations are invoked directly by external clients, and is the module other modules depend on for issuing and validating access tokens.

Figure C.1 presents the class diagram of the Authentication Module.




Figure C.1: Authentication Module Class Diagram.

AuthController exposes the authentication endpoints and delegates each directly to a matching method on AuthService. AuthService depends on the shared utility components: PasswordHasher, ResetTokenUtils, EmailService, and Prisma Client. Each

AuthService method implements one authentication use case. register validates that the email is not already in use, assigns the default `JOB_SEEKER` role, and stores the hashed password. login verifies the submitted password against the stored hash, rejects banned accounts, and issues a signed JWT containing the user's identifier and role. logout returns a simple confirmation message, since JWTs are stateless and token discarding is handled by the frontend. requestPasswordReset issues a hashed, time-limited reset token and emails the corresponding raw token to the user; the same response is returned whether or not the account exists, so the email address is not revealed. resetPassword validates the submitted token against the stored hash and expiration, then updates the password and marks the token as used within a single transaction. validateResetToken lets the frontend check whether a reset token is still valid without consuming it.

## C.2 Profile Management Module

The Profile Management Module lets authenticated users view and update their personal profile, job search preferences, avatar, and account password. It resides in `api-external` and depends on the JWT middleware to identify the requesting user on every operation.

Figure C.2 presents the class diagram of the Profile Management Module.




Figure C.2: Profile Management Module Class Diagram.

ProfileController delegates each of its endpoints directly to a method on ProfileService. ProfileService depends on PasswordHasher, FileStorageService, and Prisma Client. getMyProfile and getJobPreference return the authenticated user's records, selecting only fields safe for display. updatePersonalInformation and updateJobPreference use an upsert operation, creating the record on first use and updating it thereafter; updateJobPreference additionally distinguishes an omitted field (left unchanged) from a field explicitly set to `null` (cleared). changeAvatar validates the uploaded file's type and size before storing it. changePassword verifies the submitted current password, rejects the request if the new password is identical to the old one, and otherwise hashes and stores the new password.

## C.3 Resume Management Module

The Resume Management Module lets job seekers list, upload, and delete their resumes, which are later selected when submitting job applications. It resides in `api-external` and depends on the JWT middleware.

Figure C.3 presents the class diagram of the Resume Management Module.




Figure C.3: Resume Management Module Class Diagram.

`ResumeController` delegates its endpoints to `ResumeService`, which depends on `FileStorageService` and `Prisma Client`. `getMyResumes` returns the authenticated user's non-deleted resumes, ordered from newest to oldest. `uploadResume` validates that a title and file are provided, rejects files larger than 5 MB or of an unsupported type (only PDF, DOC, and DOCX are accepted), stores the file through `FileStorageService`, then creates the resume record. `deleteResume` verifies that the resume exists, is not already deleted, and belongs to the requesting user, then checks whether it is referenced by any application. If it is, the resume is soft-deleted so existing applications retain a valid reference; otherwise it is hard-deleted from both the database and file storage.

## C.4 Job Discovery Module

The Job Discovery Module lets guests and authenticated users search active job postings and view their details. Unlike the previous modules, its endpoints are not protected by the JWT middleware, since job browsing is a public capability. It also includes the public-facing company profile and active job listing endpoints operated by `CompanyController` and `CompanyService`.

Figure C.4 presents the Public class diagram, which covers both the job discovery and company profile viewing capabilities.




Figure C.4: Public Class Diagram.

JobDiscoveryService depends on the shared Prisma Client, which queries the Job and Company entities. searchJobs restricts results to **ACTIVE** jobs and accepts an optional keyword and location, either of which may be provided independently or together. An empty string is treated as not provided, each value is capped at 255 characters, and the keyword matches against the job title or company name while the location matches against the job location or the company's city and district, case-insensitively. Neither is required: if no keyword is given, all active jobs are returned, and a query that matches nothing returns an empty list rather than an error. getJobDetail returns the full detail of a single active job by identifier, with a 404 error if the job does not exist or is not currently active.

## C.5 Back Office Module

The Back Office module is hosted under `api-internal`. Figure C.5 presents its class diagram.




Figure C.5: Back Office Class Diagram.

# Appendix D

## Sequence Diagrams

This chapter collects the sequence diagrams of the platform's use cases as reference material. They illustrate the interaction between the actor, the frontend, and the backend service for each flow, and supplement the design discussion in Chapter 3 and the implementation discussion in Chapter 4.

## D.1 Job Application




Figure D.1: Sequence Diagram: Apply for Jobs.




Figure D.2: Sequence Diagram: Track Applications.




Figure D.3: Sequence Diagram: Cancel Applications.

## D.2 Employer Job Management




Figure D.4: Sequence Diagram: Create Company Profile.




Figure D.5: Sequence Diagram: Create Job Posting.




Figure D.6: Sequence Diagram: Edit Job Posting.




Figure D.7: Sequence Diagram: Close Job Posting.




Figure D.8: Sequence Diagram: Delete Job Posting.




Figure D.9: Sequence Diagram: Review Application.

## D.3 Authentication and Profile




Figure D.10: Sequence Diagram: Register.




Figure D.11: Sequence Diagram: Login.




Figure D.12: Sequence Diagram: Forgot Password.




Figure D.13: Sequence Diagram: Update Personal Information.




Figure D.14: Sequence Diagram: Update Job Preferences.




Figure D.15: Sequence Diagram: Change Avatar.




Figure D.16: Sequence Diagram: Change Password.




Figure D.17: Sequence Diagram: Upload CV.

## D.4 Public




Figure D.18: Sequence Diagram: Search Jobs.




Figure D.19: Sequence Diagram: View Company Profile.

## D.5 Back Office




Figure D.20: Sequence Diagram: Get Job Postings List.




Figure D.21: Sequence Diagram: Get Job Posting Detail.




Figure D.22: Sequence Diagram: Approve Job.




Figure D.23: Sequence Diagram: Reject Job.




Figure D.24: Sequence Diagram: Delete Job.