## Introduction: Fibonacci Numbers I

#### Daniel Kane

Department of Computer Science and Engineering University of California, San Diego

## Algorithmic Toolbox Data Structures and Algorithms

#### Learning Objectives

- Understand the definition of the Fibonacci numbers.
- Show that Fibonacci numbers become very large.

#### Definition


$$F_n = \begin{cases} 0, & n = 0, \\ 1, & n = 1, \\ F_{n-1} + F_{n-2}, & n > 1. \end{cases}$$

#### Definition

$$F_n = \begin{cases} 0, & n = 0, \\ 1, & n = 1, \\ F_{n-1} + F_{n-2}, & n > 1. \end{cases}$$

 $0, 1, 1, 2, 3, 5, 8, 13, 21, 34, \dots$ 

# Developed to Study Rabbit Populations



#### Lemma

$$F_n \ge 2^{n/2}$$
 for  $n \ge 6$ .

#### Lemma

$$F_n \ge 2^{n/2}$$
 for  $n \ge 6$ .

#### Proof

By induction

#### Lemma

$$F_n \ge 2^{n/2}$$
 for  $n \ge 6$ .

#### Proof

By induction

Base case: n = 6, 7 (by direct computation).

#### Lemma

$$F_n \ge 2^{n/2} \text{ for } n \ge 6.$$

#### Proof

By induction

Base case: n = 6, 7 (by direct computation). Inductive step:

$$F_n = F_{n-1} + F_{n-2} \ge 2^{(n-1)/2} + 2^{(n-2)/2} \ge 2 \cdot 2^{(n-2)/2} = 2^{n/2}.$$

#### Formula

#### **Theorem**

$$F_n = \frac{1}{\sqrt{5}} \left( \left( \frac{1+\sqrt{5}}{2} \right)^n - \left( \frac{1-\sqrt{5}}{2} \right)^n \right).$$

$$F_{20} = 6765$$

$$F_{20} = 6765$$
  
 $F_{50} = 12586269025$ 

$$F_{20} = 6765$$
 $F_{50} = 12586269025$ 
 $F_{100} = 354224848179261915075$ 

```
F_{20} = 6765
F_{50} = 12586269025
F_{100} = 354224848179261915075
F_{500} = 1394232245616978801397243828
        7040728395007025658769730726
        4108962948325571622863290691
        557658876222521294125
```

## Computing Fibonacci numbers

#### Compute $F_n$

Input: An integer  $n \geq 0$ .

Output:  $F_n$ .