

NULL functions

Question : 1

```
SELECT employee_id
       name
       COALESCE (Salary, 0) AS salary-with-default.
FROM employees;
```

employee-id	name	salary-with-default
1	Alice	5000
2	Bob	0
3	Charlie	7000
4	Dana	0

Question : 2

```
SELECT employee_id
       name
       COALESCE (department, 'Not Assigned') AS department_name
```

employee-id	name	department_name
1	Alice	HR
2	Bob	IT
3	Charlie	Not Assigned
4	Dana	Finance

Question : 3

```
SELECT order-id
       customer-id
FROM Orders
WHERE customerid IS NULL
```

order-id	customer-id
103	NULL

Question : 4

```
SELECT order_id,  
       customer_id  
       COALESCE (delivery_date, 'Pending') AS delivery_status  
FROM Orders;
```

order_id	customer_id	delivery_status
101	201	2024-12-01
102	202	Pending
103	NULL	2024-12-03

Question : 5

```
SELECT student_id  
       name  
       COALESCE (grade, 0) AS final_grade  
FROM students;
```

student_id	name	final_grade
1	Ethan	85
2	Maya	0
3	Olivia	90

Question : 6

```
SELECT COUNT (*) AS not_graded_count  
FROM students  
WHERE grade IS NULL;
```

not_graded_count
1

Question : 7

```
SELECT product_id  
       name,  
       price - COALESCE (discount, 0) AS final_price  
FROM Products;
```

product_id	name	final_price
501	Keyboard	25
502	Mouse	10
503	Monitor	100

Question : 8

```
SELECT COUNT (*) AS missing_email_count  
FROM Customers  
WHERE email IS NULL;
```

missing_email_count
2

Question : 9

```
SELECT customer_id,  
       name,  
       COALESCE(email, 'No Email') AS email_display  
FROM Customers;
```

customer_id	name	email_display
1	Lindo	No Email
2	Joseph	joseph@mail.com
3	Niq	No email

Question : 10

```
SELECT payment_id,  
       COALESCE(method, 'unknown') AS method_display,  
       status  
FROM Payments;
```

payment_id	method_display	status
301	Credit	NULL
302	PayPal	Success
303	Unknown	Failed

Question : 11

```
SELECT item_id,  
       item_name,  
       COALESCE(quantity, 0) AS quantity_checked  
FROM Inventory;
```

item_id	item_name	quantity_checked
1	Pen	0
2	Notebook	150
3	Eraser	0

Question : 12

```
SELECT emp_id,  
       COALESCE (bonus, commission) AS first-available-reward  
FROM employees_extra;
```

emp_id	first-available-reward
1	300
2	100
3	NULL

Question : 13

```
SELECT COUNT (*) AS no-room-count  
FROM classes  
WHERE room IS NULL
```

no-room-count
2

Question : 14

```
SELECT student_id,  
       date,  
       COALESCE (status, 'Not Marked') AS attendance-status  
FROM Attendance;
```

student_id	date	attendance-status
1	2025-04-01	Not marked
2	2025-04-01	Present
3	2025-04-01	Absent

Question : 15

```
SELECT account_id,  
       COALESCE (account-type, 'Unknown') AS type-display,  
       COALESCE (balance, 0) AS balance-checked
```

account_id	type-display	balance-checked
A1	Savings	0
A2	Current	5000
A3	Unknown	2000

Question : 19

```
SELECT user_id  
       COALESCE (theme, 'Light') AS theme_set,  
       COALESCE (language, 'English') AS language_set,  
       COALESCE (timezone, 'UTC') AS timezone_set  
FROM Users_Settings;
```

user_id	theme_set	language_set	time-zone-set
1	Light	English	UTC
2	Dark	English	UTC+1
3	Light	English	UTC

Question : 20

```
SELECT record_id,  
       machine_id,  
       COALESCE (issue, 'Unknown Issue') AS issue_log  
       COALESCE (technician, 'Not Assigned') AS technician_name  
FROM Maintenance;
```

record_id	machine_id	issue_log	technician_name
1	M101	Overheating	Not Assigned
2	M102	Unknown issue	Not Assigned
3	M103	Samoned	Alex