




Experian Financial SnapShot Service

Integration API Specification

Version 1.3





Contents

1.	Change Control	2
2.	Definitions	2
3.	Introduction.....	2
4.	Web Service	3
5.	Workflow diagram.....	3
6.	Service Input	4
6.1	Input Definitions	4
7.	Service Output	9
8.	Data Retention	22
9.	Want Categories	23
10.	Error Codes and Descriptions	25



1. Change Control

Version	Date	Status	Change Description
1.0	8/6/2023	Created	Draft document created
1.1	25/09/2023	Updated	Dual Consent, Data Retention, PDF Statement, Critical Errors updated
1.2	18/03/2024	Updated	Include Rest input and output result examples and want categories, Identity Type updated with Company and Month's added (3 to 6 month etc)
1.3	22/08/2025	Update	Added Authentication to spec Added Want Processed Transactions Added want provider journey events

2. Definitions

Term	Description
Json	JavaScript Object Notation
XML	Extensible markup language

3. Introduction

This document serves as technical guide to allow 3rd parties to access Experian FinSnap API by means of SOAP Service passed through a secure HTTPS tunnel.

The aim of this document is to define the Soap services that will be required to exchanging data to and from Experian.

Note that this is not a free service and all transactions must be considered billable. To activate the service please contact Experian Integration for more information.

Description:

The FinSnap API collects Bank transactional data outside of the Experian environment. This service allows our clients to make informed decisions quicker with information that is easily accessible and accurate.



4. Web Service

The URL's below can be used to obtain more information regarding the SOAP interface.

Connection details	URL
UAT Server	SOAP: https://apis-uat.experian.co.za/FinSnapService
	REST: https://apis-uat.experian.co.za:9443/FinSnapService
Live Server	SOAP: https://apis.experian.co.za/FinSnapService?wsdl
	REST: https://apis.experian.co.za:9443/FinSnapService?wsdl


Service Endpoint Methods

The table below shows a list of all the endpoints used in the system

Field Name	Data Type
RequestNewFinSnap	This function can be used to submit the request to our 3 rd Party Provider to do a transaction.
RequestFinSnapResult	This function can be used to collect the results
PingServer	This function can be used to test if the service is up.

5. Workflow diagram

The workflow diagram below is an example of the flow of the data within the system





6. Service Input

6.1 Input Definitions

The matrix below defines the input parameter function.

Please use Basic Authentication for the Service: basic access authentication is a method for an HTTP user agent to provide a user name and password when making a request.

In basic HTTP authentication, a request contains a header field in the form of Authorization: Basic <credentials>, where credentials is the Base64 encoding of ID and password joined by a single colon.

6.1.1 RequestNewFinSnap Method:

Field Name	Data Type	Max Length	Required	Description/Example
RequestNewFinSnapParams	-	-	Y	Overall request root.
RequestSystemParams	-	-	Y	Root for System details.
Version	DECIMAL	4.2	Y	Version of the input request. Current version = 1.0
Originating Application	TEXT	20	Y	Name of the originating application.
Originating Environment	TEXT	20	Y	Identifies the originating environment e.g. UAT, PRODUCTION
Client Reference	TEXT	64	Y	Free format echo text field. Could be UUID. Client Reference
Request Time	DATE TIME	20	Y	Format: YYYY-MM-DDThh:mm:ss
Search Criteria	-	-	Y	Root for search data
Identity Number	Alphanumeric	13	Y	South African ID Number or passport on person being searched on.



				Note: Identity is dictated by the Identity type below.
Identity Type	Alphanumeric	8	Y	Identity Number type. *SA ID Validation will only apply when SID was selected as Identity type. *COMPANY Validation will only apply when COMPANY was selected as Identity type Numeric only remove the slashes
Client Consent	Alphanumeric	1	Y	Whether Consent was given for transaction to continue & to use data for analytical purposes (Dual purpose consent) Y/N
Want Category	Alphanumeric	1	Y	Whether Category must be returned. Y/N Billed Extra for Y
Want Statements	Alphanumeric	1	N	Whether Statements PDF must be returned. Y/N
Months	Numeric	1	N	How many months of statement data to get when data is from BankConnect direct bank call not via BankStatement
Want Processed Transactions	Alphanumeric	1	N	Whether raw processed transactions must be returned. Y/N



Request Example:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:api="http://api.experian.co.za/">
  <soapenv:Header/>
  <soapenv:Body>
    <api:RequestNewFinSnap>
      <SystemSettings>
        <Version>1.0</Version>
        <OriginatingApplication>SOPAUI</OriginatingApplication>
        <OriginatingEnvironment>LOCAL</OriginatingEnvironment>
        <ClientReference>216f98ddb3e64b6f82b91ea1e7008500</ClientReference>
        <RequestTime>2023-05-25T15:12:10</RequestTime>
      </SystemSettings>
      <SearchCriteria>
        <IdentityNumber>2903245665081</IdentityNumber>
        <IdentityType>SID</IdentityType>
        <ClientConsent>Y</ClientConsent>
        <WantCategory>N</WantCategory>
        <WantStatements>N</WantStatements>
        <Months>12</Months>
        <WantProcessedTransactions>Y</WantProcessedTransactions>
      </SearchCriteria>
    </api:RequestNewFinSnap>
  </soapenv:Body>
</soapenv:Envelope>
```



JSON Success Input Example HTTP 200

```
{
  "system_settings": {
    "version": "1.0",
    "originating_application": "Postman",
    "originating_environment": "LOCAL",
    "client_reference": "216f98ddb3e64b6f82b91ea1e7008500",
    "request_time": "2023-05-25T15:12:10"
  },
  "search_criteria": {
    "identity_number": "86021XXXXXXXX",
    "identity_type": "SID",
    "client_consent": "Y",
    "want_category": "N",
    "want_statements": "N",
    "months": 12,
    "want_processed_transactions": "Y"
  }
}
```

6.1.2 RequestFinSnapResult Method:

Field Name	Data Type	Max Length	Required	Description/Example
Request FinSnap Result Params	-	-	Y	Overall request root.
Request System Params	-	-	Y	Root for System details.
Version	DECIMAL	4.2	Y	Version of the input request. Current version = 1.0
Originating Application	TEXT	20	Y	Name of the originating application.
Originating Environment	TEXT	20	Y	Identifies the originating environment e.g. UAT, PRODUCTION
Client Reference	TEXT	64	Y	Free format echo text field. Could be UUID. Client Reference



Request Time	DATE TIME	20	Y	Format: YYYY-MM-DDThh:mm:ss
Search Criteria	-	-	Y	Root for search data
transaction id	Alphanumeric	20	Y	Unique Transaction ID for result
want provider journey events	Alphanumeric	1	N	If the provider journey events should return Y/N

XML Input Example:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:api="http://api.experian.co.za/">
  <soapenv:Header/>
  <soapenv:Body>
    <api:RequestFinSnapResult>
      <SystemSettings>
        <Version>1.0</Version>
        <OriginatingApplication>SOAPUI</OriginatingApplication>
        <OriginatingEnvironment>LOCAL</OriginatingEnvironment>
        <ClientReference>1</ClientReference>
        <RequestTime>2023-05-24T15:14:10</RequestTime>
      </SystemSettings>
      <SearchCriteria>
        <TransactionId>12249383390435947241</TransactionId>
        <WantProviderJourneyEvents>Y</WantProviderJourneyEvents>
      </SearchCriteria>
    </api:RequestFinSnapResult>
  </soapenv:Body>
</soapenv:Envelope>
```



JSON Success Input Example HTTP 200

```
{
  "system_settings": {
    "version": "1.0",
    "originating_application": "Postman",
    "originating_environment": "LOCAL",
    "client_reference": "1",
    "request_time": "2023-05-24T15:14:10"
  },
  "search_criteria": {
    "transaction_id": "12249383390435947241",
    "want_provider_journey_events": "Y"
  }
}
```

7. Service Output

The matrix below defines the output for the service in the case of a successful service call.

7.1 Response Definition for RequestNewFinSnapResponse:

Field Name	Data Type	Max Length	Required	Description/Example
Bureau Response	-	-	Y	Overall request root.
Response Status	Alphanumeric	7	Y	Either a Success or Failure
Error Code	Alphanumeric	7	N	Error code when transaction failed
Error Description	Alphanumeric	30	N	Error message when transaction failed
ReturnData	-	-	N	Root for Return Data.
Transaction Id	Numeric	20	Y	Unique Transaction ID for result
Redirect Url	Alphanumeric	-	Y	URL for the client to use to fill in banking info
Date Created	Alphanumeric	25	Y	Date of the request



Transaction Stats	-	-	Y	Root for Transaction Stats
Received Time	Alphanumeric	20	Y	Format: YYYY-MM-DDThh:mm:ss
Response Time	Alphanumeric	20	Y	Format: YYYY-MM-DDThh:mm:ss
System UUID	Alphanumeric	36	Y	A System UUID for transaction

Response Example:

```

<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  <SOAP-ENV:Header/>
  <S:Body xmlns:ns2="http://api.experian.co.za/">
    <ns2:RequestNewFinSnapResponse>
      <BureauResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <ResponseStatus>Success</ResponseStatus>
        <ErrorCode xsi:nil="true"/>
        <ErrorDescription xsi:nil="true"/>
        <TransactionStats>
          <ReceivedTime>2023-05-25T15:13:36</ReceivedTime>
          <ResponseTime>2023-05-25T15:13:37</ResponseTime>
          <SystemUUID>08074330-98da-4e63-9eff-06fbd7dfa132</SystemUUID>
        </TransactionStats>
        <ReturnData>
          <TransactionId>12249383390435947241</TransactionId>
          <RedirectUrl>https://experian.connect.tryfetch.me/session?uid=UID_HERE</RedirectUrl>
          <DateCreated>2023-05-25 15:13:37:777</DateCreated>
        </ReturnData>
      </BureauResponse>
    </ns2:RequestNewFinSnapResponse>
  </S:Body>
</S:Envelope>

```



JSON Success Output Example HTTP 200

```
{
  "response_status": "Success",
  "transaction_stats": {
    "received_time": "2023-06-07T09:21:20",
    "response_time": "2023-06-07T09:21:26",
    "system_uuid": "0019cc21-207d-4094-9677-1ac3fa1bf4ce"
  },
  "return_data": {
    "transaction_id": 17636819381803865309,
    "redirect_url": "https://experian.connect.tryfetch.me/session?uid=WJHSncYE0XXXXXXXXXXXXXXXXXXXXX",
    "date_created": "2023-06-07 09:21:26:630"
  }
}
```

Error Response Example:

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Header/>
  <S:Body xmlns:ns2="http://api.experian.co.za/">
    <ns2:RequestFinSnapResultResponse>
      <BureauResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <ResponseStatus>Failure</ResponseStatus>
        <ErrorCode>FS_200</ErrorCode>
        <ErrorDescription>Input Request Malformed - cvc-type.3.1.3: The value '?' of element 'TransactionId' is not valid.</ErrorDescription>
        <TransactionStats>
          <ReceivedTime>2023-06-07T09:25:49</ReceivedTime>
          <ResponseTime>2023-06-07T09:25:49</ResponseTime>
          <SystemUUID>f3ae49df-b73c-41ed-9b4e-f09aea160915</SystemUUID>
        </TransactionStats>
        <ReturnData xsi:nil="true"/>
      </BureauResponse>
    </ns2:RequestFinSnapResultResponse>
  </S:Body>
</S:Envelope>
```



JSON Success Output Example HTTP 200

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Header/>
  <S:Body xmlns:ns2="http://api.experian.co.za/">
    <ns2:RequestFinSnapResultResponse>
      <BureauResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <ResponseStatus>Failure</ResponseStatus>
        <ErrorCode>FS_200</ErrorCode>
        <ErrorDescription>Input Request Malformed - cvc-type.3.1.3: The value '?' of element 'TransactionId' is not valid.</ErrorDescription>
        <TransactionStats>
          <ReceivedTime>2023-06-07T09:25:49</ReceivedTime>
          <ResponseTime>2023-06-07T09:25:49</ResponseTime>
          <SystemUUID>f3ae49df-b73c-41ed-9b4e-f09aea160915</SystemUUID>
        </TransactionStats>
        <ReturnData xsi:nil="true"/>
      </BureauResponse>
    </ns2:RequestFinSnapResultResponse>
  </S:Body>
</S:Envelope>
```

7.2 Output Definition for RequestFinSnapResultResponse:

Field Name	Data Type	Max Length	Required	Description/Example
Bureau Response	-	-	Y	Overall request root.
Response Status	Alphanumeric	7	Y	Either a Success or Failure
Transaction Stats	-	-	Y	Root for Transaction Stats
Received Time	Alphanumeric	20	Y	Format: YYYY-MM-DDThh:mm:ss
Response Time	Alphanumeric	20	Y	Format: YYYY-MM-DDThh:mm:ss
System UUID	Alphanumeric	36	Y	A System UUID for transaction
ReturnData	-	-	N	Root for Return Data.
Status	Alphanumeric	4	Y	Status of the transaction TSP - PENDING TSC - COMPLETED TSB - PROCESSING TST - TIMED_OUT (3rd



				Party Timed Out) TSN - NUKED
Fetch Data	-	-	N	Root for Fetch data
List of Fetch Accounts	-	-	N	Root for Fetch Accounts
Account Id	Alphanumeric	255	N	Unique identifier
Title	Alphanumeric	255	N	Account Title
Credit Line	Alphanumeric	10	N	Latest Overdraft Amount (R)
Available Balance	Alphanumeric	10	N	Available Balance (R)
Current Balance	Alphanumeric	10	N	Current Balance (R)
Currency	Alphanumeric	3	N	Currency Code (ISO 4217)
Bank	-	-	N	Root for Bank
Id	Alphanumeric	255	N	Unique identifier
Title	Alphanumeric	255	N	Bank Title
Alias	Alphanumeric	255	N	Bank Alias
Branch Code	Alphanumeric	6	N	Universal Branch Code
Country	Alphanumeric	3	N	Currency Code (ISO 4217)
Institution	Alphanumeric	255	N	Bank Institution Name
Public Url	Alphanumeric	255	N	Bank Public URL
List of Transaction	-	-	N	Root for Transaction
Account Id	Alphanumeric	255	N	Unique identifier
Full Title	Alphanumeric	255	N	Full Transaction Description
Title	Alphanumeric	255	N	Simple Transaction Description
Transaction Date	Alphanumeric	-	N	Transaction Date (YYYYMM-DD)



Amount	Numeric	-	N	Transaction Amount (R)
Service Fee	Numeric	10	N	Transaction Service Fee (R)
Currency	Alphanumeric	10	N	Currency Code (ISO 4217)
Transaction Type Id	Alphanumeric	-	N	NOT CURRENTLY USED
Category	-	-	N	Root for Category
Id	Alphanumeric	255	N	Category Id
Title	Alphanumeric	255	N	Category Title
List of Statements	-	-	N	Root for Category
Filename	Alphanumeric	-	N	
Hash	Alphanumeric	-	N	
Statement Date	Alphanumeric	-	N	
Raw Data	Alphanumeric	-	N	
Mime Type	Alphanumeric	-	N	
List of Provider Journey Events	-	-	N	Root for Provider Journey Events
Event	Alphanumeric	-	N	Raw provider event
Date Received	Alphanumeric	-	N	Format: YYYY-MM-DDThh:mm:ss
List of Data	-	-	N	Root for Data
Item	Alphanumeric	-	N	Additional data for a provider event



Response Example:

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Header/>
  <S:Body xmlns:ns2="http://api.experian.co.za/">
    <ns2:RequestFinSnapResultResponse>
      <BureauResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
        <ResponseStatus>Success</ResponseStatus>
        <ErrorCode xsi:nil="true"/>
        <ErrorDescription xsi:nil="true"/>
        <TransactionStats>
          <ReceivedTime>2023-09-21T12:10:52</ReceivedTime>
          <ResponseTime>2023-09-21T12:10:53</ResponseTime>
          <SystemUUID>51227cdc924600f0186e67c2c51e07fa</SystemUUID>
        </TransactionStats>
        <ReturnData>
          <TransactionId>11982330533170024461</TransactionId>
          <Status>TSC</Status>
          <FetchData>
            <FetchAccounts>
              <FetchAccount>
                <AccountId>6ebe76c9fb411be97b3b0d48b791a7c9</AccountId>
                <Title>John's Savings Account</Title>
                <CreditLine>0</CreditLine>
                <AvailableBalance>0</AvailableBalance>
                <CurrentBalance>0</CurrentBalance>
                <Currency>ZAR</Currency>
                <Source>BankConnect</Source>
                <Bank>
                  <Id>6149a25692ec3b681c1e6f92</Id>
                  <Title>Test Bank</Title>
                  <Alias>test</Alias>
                  <BranchCode>12345</BranchCode>
                  <Country>ZA</Country>
                  <Institution>tryfetch</Institution>
                  <PublicUrl>https://tryfetch.me</PublicUrl>
```




```
</Bank>
<Transactions>
  <Transaction>
    <AccountId>6ebe76c9fb411be97b3b0d48b791a7c9</AccountId>
    <FullTitle>Engen Petrol</FullTitle>
    <Title>Engen Petrol</Title>
    <TransactionDate>2023-08-01</TransactionDate>
    <Amount>-500</Amount>
    <ServiceFee>0</ServiceFee>
    <Currency>ZAR</Currency>
    <Category>
      <Id>2</Id>
      <Title>Automotive/Fuel</Title>
    </Category>
  </Transaction>
  <Transaction>
    <AccountId>6ebe76c9fb411be97b3b0d48b791a7c9</AccountId>
    <FullTitle>Woolworths</FullTitle>
    <Title>Woolworths</Title>
    <TransactionDate>2023-08-02</TransactionDate>
    <Amount>-236</Amount>
    <ServiceFee>0</ServiceFee>
    <Currency>ZAR</Currency>
    <Category>
      <Id>10</Id>
      <Title>Groceries</Title>
    </Category>
  </Transaction>
  <Transaction>
    <AccountId>6ebe76c9fb411be97b3b0d48b791a7c9</AccountId>
    <FullTitle>John Salary</FullTitle>
    <Title>John Salary</Title>
    <TransactionDate>2023-08-25</TransactionDate>
    <Amount>10000</Amount>
    <ServiceFee>0</ServiceFee>
    <Currency>ZAR</Currency>
```



```
<Category>
  <Id>29</Id>
  <Title>Salary/Regular Income</Title>
</Category>
</Transaction>
</Transactions>
<Statements>
  <Statement>
    <Filename>f40174d137b4adb748a13a8b4b7f2cd944d1d56a.pdf</Filename>
    <Hash>f3b599cefe95f287337f3b1c05d24ff6</Hash>
    <StatementDate>2023-09-01</StatementDate>
<RawData>JVBERi0xLjQKJeLjz9MKMSAwIG9iaia8PC9Db2xvciNwYWNIWy9JbmRleGVkL0Rldmlj
ZVJHQiAyNTUoJQbdr...</RawData>
    <MimeType>application/pdf</MimeType>
  </Statement>
</Statements>
</FetchAccount>
</FetchAccounts>
</FetchData>
<ProviderJourneyEvents>
  <ProviderJourneyEvent>
    <Event>Journey.CompletedEvent</Event>
    <DateReceived>2024-09-02 16:02:12:000</DateReceived>
  </ProviderJourneyEvent>
  <ProviderJourneyEvent>
    <Event>BankStatement.UploadErrorEvent</Event>
    <Data>
      <Item key="exception">SuspectedTamperedDocumentException</Item>
      <Item key="filename">FNB_Statement.pdf</Item>
      <Item key="error">This document may have been tampered with. Please review
manually.</Item>
      <Item key="category">bank_statement</Item>
    </Data>
    <DateReceived>2024-09-02 15:24:34:000</DateReceived>
  </ProviderJourneyEvent>
  <ProviderJourneyEvent>
```



```
<Event>BankStatement.TermsNotAcceptedEvent</Event>
<Data>
  <Item key="generated_at">2024-08-31 09:45:42</Item>
</Data>
<DateReceived>2024-09-02 15:19:14:000</DateReceived>
</ProviderJourneyEvent>
<ProviderJourneyEvent>
  <Event>Journey.StartedEvent</Event>
  <DateReceived>2024-09-02 14:19:34:000</DateReceived>
</ProviderJourneyEvent>
</ProviderJourneyEvents>
</ReturnData>
</BureauResponse>
</ns2:RequestFinSnapResultResponse>
</S:Body>
</S:Envelope>
```



JSON Success Output Example HTTP 200

```
{
  "response_status": "Success",
  "transaction_stats": {
    "received_time": "2023-09-21T12:07:57",
    "response_time": "2023-09-21T12:07:57",
    "system_uuid": "6890287f-0e50-49e0-b11e-696f4cdbed73"
  },
  "return_data": {
    "fetched_data": {
      "fetch_accounts": [
        {
          "account_id": "6ebe76c9fb411be97b3b0d48b791a7c9",
          "title": "John's Savings Account",
          "credit_line": "0",
          "available_balance": "0",
          "current_balance": "0",
          "currency": "ZAR",
          "bank": {
            "id": "6149a25692ec3b681c1e6f92",
            "title": "Test Bank",
            "alias": "test",
            "branch_code": 12345,
            "country": "ZA",
            "institution": "tryfetch",
            "public_url": "https://tryfetch.me"
          }
        }
      ],
      "transactions": [
        {
          "account_id": "6ebe76c9fb411be97b3b0d48b791a7c9",
          "full_title": "Engen Petrol",
          "title": "Engen Petrol",
          "transaction_date": "2023-08-01",
          "amount": -500,
          "service_fee": 0,
          "currency": "ZAR",
          "category": {
            "id": 2,
            "title": "Automotive/Fuel"
          }
        }
      ]
    }
  }
}
```



```
    },
    {
      "account_id": "6ebe76c9fb411be97b3b0d48b791a7c9",
      "full_title": "Woolworths",
      "title": "Woolworths",
      "transaction_date": "2023-08-02",
      "amount": -236,
      "service_fee": 0,
      "currency": "ZAR",
      "category": {
        "id": 10,
        "title": "Groceries"
      }
    },
    {
      "account_id": "6ebe76c9fb411be97b3b0d48b791a7c9",
      "full_title": "John Salary",
      "title": "John Salary",
      "transaction_date": "2023-08-25",
      "amount": 10000,
      "service_fee": 0,
      "currency": "ZAR",
      "category": {
        "id": 29,
        "title": "Salary/Regular Income"
      }
    }
  ],
  "statements": [
    {
      "filename": "f40174d137b4adb748a13a8b4b7f2cd944d1d56a.pdf",
      "hash": "f3b599cefe95f287337f3b1c05d24ff6",
      "statement_date": "2023-09-01",
      "raw_data": "JVBERi0xLjQKQeLjz9MKMSAwIG9iaA8PC9Ob2xvc1NwYWNlWy9JbmRleGVkL0Rldm1jZVJHQiAyNTUo....",
      "mime_type": "application/pdf"
    }
  ]
},
```



```
"provider_journey_events": [  
  {  
    "event": "BankStatement.UploadErrorEvent",  
    "data": {  
      "exception": "SuspectedTamperedDocumentException",  
      "filename": "FNB_Statement.pdf",  
      "error": "This document may have been tampered with. Please review manually.",  
      "category": "bank_statement"  
    },  
    "date_received": "2024-08-29 11:19:41:000"  
  },  
  {  
    "event": "Journey.CompletedEvent",  
    "date_received": "2024-06-21 10:40:07:102"  
  },  
  {  
    "event": "BankConnect.TermsAcceptedEvent",  
    "data": {  
      "generated_at": "2024-06-21 10:39:32"  
    },  
    "date_received": "2024-06-21 10:39:43:977"  
  },  
  {  
    "event": "BankConnect.RefreshErrorEvent",  
    "data": {  
      "error_msg": "Invalid Login Credentials",  
      "error_code": "IncorrectCredentialsException"  
    },  
    "date_received": "2024-06-21 10:39:25:305"  
  },  
  {  
    "event": "BankConnect.TermsAcceptedEvent",  
    "data": {  
      "generated_at": "2024-06-21 10:39:08"  
    },  
    "date_received": "2024-06-21 10:39:17:024"  
  },  
  {  
    "event": "Journey.TimedOutEvent",  
    "date_received": "2024-06-21 10:38:49:649"  
  },  
]
```



```
{
  {
    "event": "Journey.StartedEvent",
    "date_received": "2024-06-21 10:38:43:586"
  },
  {
    "event": "Journey.CompletedEvent",
    "date_received": "2024-06-21 10:08:03:914"
  },
  {
    "event": "Journey.CompletedEvent",
    "date_received": "2024-06-21 10:07:40:679"
  },
  {
    "event": "Journey.CompletedEvent",
    "date_received": "2024-06-21 09:51:02:890"
  },
  {
    "event": "BankConnect.TermsAcceptedEvent",
    "data": {
      "generated_at": "2024-06-21 09:44:55"
    },
    "date_received": "2024-06-21 09:45:04:074"
  },
  {
    "event": "Journey.TimedOutEvent",
    "date_received": "2024-06-21 09:44:33:215"
  },
  {
    "event": "Journey.StartedEvent",
    "date_received": "2024-06-21 09:44:25:996"
  }
]
},
"transaction_id": 11982330533170024461,
"status": "TSC",
"source": "BankConnect"
}
```

8. Data Retention

Raw Data	Request up to a year
PDF Statement	Request is only valid for 7 days



9. Want Categories

Want Categories
ATM/Cash Withdrawals
Automotive/Fuel
Business Miscellaneous
Cable/Satellite/Telecom
Charitable Giving
Check Payment
Clothing/Shoes
Credit Card Payments
Deposits
Education
Electronics/General Merchandise
Entertainment/Recreation
Expense Reimbursement
Gifts
Groceries
Healthcare/Medical
Home Improvement
Insurance
Interest Income



Investment/Retirement Income
Loans
Mortgages
Office Expenses
Other Expenses
Other Income
Personal/Family
Pets/Pet Care
Postage/Shipping
Refunds/Adjustments
Rent
Restaurants
Retirement Contributions
Rewards
Salary/Regular Income
Sales/Service Income
Savings
Securities Trades
Service Charges/Fees
Services/Supplies
Subscriptions/Renewals
Taxes
Transfers



Travel
Uncategorized
Utilities

10. Error Codes and Descriptions

Code	Description
Input Request Errors	
IMS_601	Not all variables are filled in
IMS_606	Username or Password is incorrect for this Branch
IMS_608	Branch not switched on for the service
FS_101	Not all string variables filled in
FS_102	Invalid version number supplied
FS_103	Originating Application length exceeds 20 characters
FS_104	Originating Environment length exceeds 20 characters
FS_105	Client Reference length exceeds 128 characters
FS_106	Place Holder
FS_107	Identity Number length exceeds 13 characters
FS_108	Identity Type can only be SID or PASSPORT
FS_110	Want flag can only be Y or N
Processing Errors	
FS_200	Input Request Malformed
FS_202	Transaction not found for requesting user



FS_204	Invalid SA ID number supplied
Critical Errors	
FS_801	Error communicating to provider
FS_802	Unexpected results from provider
FS_803	Error results from provider
FS_804	Provider not enabled in callback
FS_805	Provider session id not found
FS_806	Error in callback result from provider
FS_807	Missing params in callback post from provider
FS_808	Provider couldn't find the requested session id
FS_900 to FS_999	Internal System Error



Registered office address:
35 BallyClare Drive
Ballyoaks Office Park
Bryanston Ext 7
Johannesburg
www.experian.co.za