

Attract Studio: Animation and Illustration Reference

Overview and how Claude Code uses this reference

This is the single source of truth for every animation and visual asset in Attract Studio. Each item has an **ID**, a **place in the app**, a **trigger**, a **motion spec** and a **reduced-motion fallback**. Claude Code implements by ID, so a prompt can say "implement G-02 and G-03 on the case study tabs" and know exactly what is meant.

Setup

- Export this document as Markdown and save it in the repo at `/docs/animation-reference.md`.
- Every implemented animation gets a `data-anim="ID"` attribute on its root element and an entry in `/src/lib/motion/registry.ts` (ID, component, file, status). This lets Claude Code audit what is built and what is missing.
- Start with the Foundation prompt (P0) in the prompts section, then work through the series prompts in order.

ID series

Series	Meaning	Examples
G	Global UI behavior used across the app	Tabs, sheets, toasts, buttons, lists
AI	Moments where the AI is working or has produced something	Generation progress, refine diff, claim tracing
F	Feature screens used by the workspace owner	Dashboard, editor, publishing, billing, demos
C	Client-facing and public screens	Interview, e-signature, public case study pages
S	System states and special moments	Splash, empty states, errors, milestones, PWA
M	Mascot states (the magnet)	Idle, thinking, celebrating
ILL	Illustrations and other visual assets	Empty states, onboarding scenes, email headers

Table columns

- **Where:** the route or component that gets the animation. Routes follow the build plan.
- **Trigger:** what starts it.
- **Spec:** durations, easing and transform values. These are starting points to tune by feel.
- **Reduced motion:** what replaces the animation when the user prefers reduced motion. *Fade* means opacity only, *Static* means no movement, *Instant* means the state change with no transition.
- **P (priority):** 1 = ship first for the biggest premium feel, 2 = next, 3 = polish.

Suggested file structure

```
/src/lib/motion/          tokens.ts, springs.ts, variants.ts, registry.ts,
useReducedMotion.ts
/src/components/motion/  AnimatedTabs, PageTransition, Sheet, Toast,
AiProgress, SuccessCheck, ...
/src/components/mascot/  Mascot.tsx (state machine wrapper), states/
/src/assets/illustrations/ themed inline SVG components
/docs/animation-reference.md
```

Brand reminders that affect motion

- Palette: black #0A0A0A, paper #FAF9F9, signal orange #FF5A1F. Orange is used for shapes, progress and accents, never for small body text on light backgrounds.
- The logo idea is a magnet pulling things in, so "pulling toward" is the signature motion: dots, quotes and cards move toward a target with an accelerating ease.

Motion tokens and global rules

Define these once in `/src/lib/motion/tokens.ts` and use them everywhere. The values are starting points to tune by feel on a real device.

Durations

Token	Value	Used for
instant	90 ms	Press feedback
micro	140 ms	Hover, focus, toggles, popovers
standard	260 ms	Tab content, dialogs, toasts, cards
emphasis	480 ms	Success moments, publish, charts
onboarding	up to 800 ms	Onboarding and splash only
stagger	40 ms per item, max 8 items	Lists and grids

Easings

Name	Curve	Use
standard	cubic-bezier(0.22, 1, 0.36, 1)	Most enter animations (fast start, soft landing)
emphasized	cubic-bezier(0.65, 0, 0.35, 1)	Drawing strokes, progress, morphs
accelerate	cubic-bezier(0.55, 0, 0.85, 0.35)	The magnet pull and exits
decelerate	cubic-bezier(0.16, 1, 0.3, 1)	Elements arriving into place

Spring presets

Name	Stiffness	Damping	Use
gentle	120	20	Large surfaces, sheets, page morphs
default	300	30	Indicators, cards, reordering
snappy	500	35	Toggles, small controls
bouncy	400	18	Success badges, celebration (sparingly)

Global rules

- Animate **transform and opacity only**. Never animate width, height, top or left, except through the layout animation features of the motion library.
- Animations are **interruptible**: a new tap redirects the motion, it never queues behind it.
- No animation blocks input. Controls respond on the first frame.
- No animation longer than 600 ms outside onboarding and splash.

- Cap staggers at 8 items. Items beyond the cap appear together.
- Maximum three simultaneous animated regions in the viewport.
- Respect `prefers-reduced-motion` and an in-app **Reduce motion** setting. Every row below lists its fallback.
- No flashing faster than 3 times per second.
- Orange glow or highlight effects are subtle (opacity up to 0.25) and never loop forever on a screen the user is reading.
- Use `will-change` sparingly and only during an animation.

Route to animation map

Use this table to see which animation IDs belong on which screen. Routes follow the V1 build plan.

Screen or surface	Animation IDs
App shell (all /app routes)	G-01 to G-14, G-27, G-41, G-43, S-13, S-14
/onboarding	F-01 to F-03, G-17, G-18, G-31
/app/dashboard	F-04 to F-06, G-22, G-29, G-30, S-04
/app/requests and /app/requests/new	F-07 to F-11, G-22, G-25, G-32, G-39, G-47
/app/case-studies (list)	F-12, F-13, G-21, G-22
/app/case-studies/[id]/review	AI-03 to AI-08, AI-14, F-14, F-15
/app/case-studies/[id]/template	F-16 to F-19, G-21, G-35
/app/case-studies/[id]/edit	AI-09 to AI-13, F-20 to F-25, G-23, G-37
Approval request and publishing	F-26 to F-31, S-10, S-16
/i/[token] (client interview)	C-01 to C-10, AI-01, AI-02, G-17, G-31
/sign/[token] (approval and e-signature)	C-11 to C-16, S-16
Public case study pages and embed	C-17 to C-23, G-33, G-34
/verify and withdraw-consent pages	C-15, C-16
/app/referrals	F-32, F-33
Analytics views	F-34 to F-36, G-30
/app/finder	F-37, F-38

Screen or surface	Animation IDs
/app/settings/team	F-39, F-40, G-42
/app/settings/billing	F-41 to F-45, S-08, S-09
Integrations and automations	F-46 to F-49
Social publishing	F-50 to F-53, AI-12, AI-13
/app/demos/[id]/edit and demo player	F-54 to F-60, C-24
System-wide states	S-01 to S-20
PWA install and offline	S-01, S-07, S-11, S-12, S-13
Mascot everywhere it appears	M-01 to M-10

G series: global UI animations

These behaviors are shared by the whole app. Build them once as components or hooks and reuse them.

Navigation and overlays

ID	Animation	Where	Trigger	Spec	Reduced motion	P
G-01	Route transition	All /app route changes	Navigation	Desktop: 200 ms cross-fade plus 8 px y shift. Mobile: 280 ms push slide (x 24 px plus fade). List-to-detail uses a shared element (layoutId)	Fade 120 ms	1
G-02	Sliding tab indicator	Any tabs or segmented control	Tab change	Indicator moves by layout spring (default)	Instant move	1
G-03	Tab content transition	Tab panels	Tab change	Direction-aware: exit -10 px and fade 120 ms, enter +10 px and fade 260 ms. Scroll position is kept per tab	Fade only	1
G-04	Sidebar collapse and expand	Desktop sidebar	Toggle or Cmd+B	Width 248 to 72 px with snappy spring, labels fade 140 ms	Instant	2

ID	Animation	Where	Trigger	Spec	Reduced motion	P
G-05	Active nav pill glide	Sidebar and bottom bar	Route change	Shared layoutId pill with default spring	Instant	1
G-06	Bottom tab bar indicator and icon bounce	Mobile bottom tab bar	Tab tap	Indicator spring. Icon scale 1 to 1.15 to 1 over 240 ms	Instant	1
G-07	Command palette	Cmd+K overlay	Keyboard	Scale 0.96 to 1 and fade 200 ms, backdrop blur 0 to 12 px, results stagger 30 ms	Fade	2
G-08	Large title collapse	Page headers	Scroll	Scroll-linked: title scales 1 to 0.7 and moves into a sticky bar	Static small title	2
G-09	Header blur fade-in	Sticky headers	Scroll past 8 px	Background opacity 0 to 0.8 and hairline border fade, 140 ms	Instant	2
G-10	Dialog enter and exit	All modals	Open and close	Scale 0.96 to 1 and fade 260 ms. Exit 160 ms. Backdrop fades	Fade	1
G-11	Bottom sheet	Mobile pickers and forms (centered dialog on desktop)	Open, drag	Gentle spring slide-up, detents at 50 and 90 percent, drag with rubber-band, dismiss by velocity	Fade, no slide	1
G-12	Toast	Global notifications	Event	Slide and scale from edge with default spring, 4 s auto-dismiss with shrinking bar, swipe to dismiss	Fade	1
G-13	Popover and dropdown	Menus, selects	Open	Scale 0.95 to 1 from the anchor origin, 140 ms	Fade	1
G-14	Tooltip	Icons, truncated text	Hover or focus	Fade 140 ms plus 4 px shift, 300 ms delay	Fade	3
G-43	Context menu	Right click, long press	Open	Scale 0.96 from pointer, 140 ms. Items stagger 20 ms	Fade	3

Controls and lists

ID	Animation	Where	Trigger	Spec	Reduced motion	P
G-15	Button press	All buttons	Press	Scale 0.97 for 90 ms, spring back on release	None	1
G-16	Button loading to success	Send, publish, save actions	Async action	Label fades, ring spinner appears, success morphs to a check for 400 ms then returns	Text swap	1
G-17	Input focus and floating label	All forms	Focus	Focus ring grows 0 to 3 px in 140 ms. Label floats up 12 px and scales to 0.85	Instant	2
G-18	Validation shake and error slide	Forms	Invalid input	Shake x plus or minus 4 px three times in 280 ms. Error text slides down 8 px and fades in	Error text fades only	2
G-19	Toggle switch	Settings, automations	Toggle	Thumb moves with snappy spring. Track color crossfades 140 ms	Instant	2
G-20	Checkbox and radio draw	Consent, filters	Toggle	Check stroke draws in 180 ms (stroke-dashoffset). Box fill scales in	Instant	2
G-21	Card hover lift	Cards, gallery	Hover	Move up 2 px and brighten the border, 140 ms	None	2
G-22	List stagger entry	Lists and grids	Mount	Items fade up 12 px, 40 ms stagger, max 8 items	Fade	1
G-23	List reorder	Sections, scenes, requests	Drag or sort	Layout animation with default spring. Neighbors shift smoothly	Instant	2
G-24	Delete collapse	Rows and cards	Delete	Fade and height collapse, 260 ms	Fade	2
G-25	Swipe actions	Mobile list rows	Swipe	Row follows the finger, action revealed, spring back or commit	Actions in a menu	2
G-26	Pull to refresh with the magnet	Mobile lists	Pull down	Dots are pulled toward the magnet as pull distance grows. On release the magnet spins	Plain spinner	2
G-37	Drag and drop feedback	Editor, scenes	Grab and drop	Grab: scale 1.03 and shadow. Drop: settle with default spring	Instant	2

ID	Animation	Where	Trigger	Spec	Reduced motion	P
G-38	Accordion	FAQ, settings, claims lists	Toggle	Height animates to auto in 260 ms. Chevron rotates 90 degrees	Instant	2
G-39	Copy confirm	Copy link, embed snippet	Click	Icon morphs into a check for 1.5 s. Tooltip says Copied	Text swap	1
G-44	Segmented control hover	Toolbars	Hover	Hovered segment background fades in at 0.06 opacity, 140 ms	None	3
G-45	Search input expand	Headers	Focus	Input widens 160 to 320 px by layout animation, icon shifts	Instant	3
G-46	Filter chips	Lists and galleries	Select	Chip fills with orange tint 140 ms and scales 1 to 1.04 to 1	Instant	3
G-47	Table row hover and selection	Requests and leads tables	Hover, select	Hover tint fade 140 ms. Selection check draws, row tint steps in	Instant	3

Data, loading and decoration

ID	Animation	Where	Trigger	Spec	Reduced motion	P
G-27	Skeleton shimmer	All async content	Loading	Brand-tint pulse, opacity 0.5 to 0.9, 1.4 s loop	Static tint	1
G-48	Skeleton to content crossfade	All async content	Data arrives	Skeleton fades out while content fades in, 200 ms. No layout jump	Instant swap	1
G-28	Image blur-up	Screenshots, logos, thumbnails	Image load	Blur 12 px to 0 and fade, 300 ms	Fade	3
G-29	Number count-up	KPIs, usage, prices	Mount or in view	Count over 600 ms with ease-out, tabular figures	Final value	2
G-30	Chart draw-in	Line, bar and ring charts	Mount	Lines draw in 700 ms, bars grow 500 ms with stagger	Static chart	2
G-31	Progress bar and ring	Interviews, uploads, onboarding	Value change	Default spring or 300 ms emphasized ease	Instant	1

ID	Animation	Where	Trigger	Spec	Reduced motion	P
G-32	Status chip morph	Status badges everywhere	Status change	Color crossfade 200 ms plus scale 1 to 1.08 to 1	Instant	2
G-33	Scroll reveal	Public pages, marketing	Enter viewport	Fade up 16 px over 400 ms, once per element	Visible, no motion	2
G-34	Parallax hero	Public pages, marketing hero	Scroll	Layers move at 0.2 to 0.5 times scroll speed	None	3
G-35	Cursor glow	Gallery and feature cards (desktop)	Pointer move	Soft radial highlight (opacity up to 0.15) follows the cursor	None	3
G-36	Focus-visible ring	Keyboard focus	Tab key	Ring scales in 120 ms	Instant	2
G-40	Notification badge pop	Bell and tab badges	New item	Badge scale 0 to 1.2 to 1. Bell rotates plus or minus 12 degrees once	Badge appears	3
G-41	Theme switch	Light and dark mode	Toggle	250 ms color crossfade through CSS variables or a view transition	Instant	3
G-42	Avatar stack hover	Team lists	Hover	Avatars fan out 8 px, 140 ms	None	3

AI series: AI moments

These are the highest-impact animations in the product. They must be honest: the labels describe what the system is really doing, and they are announced to screen readers through an `aria-live` region. Never fake progress.

ID	Animation	Where	Trigger	Spec	Reduced motion	P
AI-01	Typing indicator	Client interview chat	Bot is generating a reply	Three dots in a bubble, spring wave 1.2 s loop, staggered 150 ms	Static three dots	1
AI-02	Streaming text reveal	Interview replies, AI drafts	Reply arrives	Words fade in at 20 to 40 ms per word. Input stays active	Show full text	1

ID	Animation	Where	Trigger	Spec	Reduced motion	P
AI-03	Generation progress narrative	/case-studies/[id]/review, generation start	Generate clicked	Narrated steps (Reading the interview, Finding the facts, Checking every number, Writing) light up in order. Active step has a small orange pulse. Each step reflects a real server stage	Steps change text only	1
AI-04	Quote pull (magnet)	Review screen during generation	Claims extracted	Quote snippets travel from the transcript pane to their page sections along an accelerate curve, 480 ms each, stagger 60 ms	Snippets appear in place	2
AI-05	Section-by-section page assembly	Review and preview	Draft generated	Skeleton page fills section by section, 200 ms crossfade each, top to bottom	Whole page fades in	1
AI-06	Claim chip snap-in	Review screen	Claim linked to a metric	Chip scales 0.9 to 1 with bouncy spring and attaches to its metric	Appear	2
AI-07	Claim verification stamp	Review screen	Claim verified in code	Check mark draws 180 ms, chip border turns solid	Instant check	2
AI-08	Claim-to-source line	Review screen and client approval page	Hover or tap on a number	A path draws from the number to its source quote in 300 ms, quote highlights	Highlight only	2

ID	Animation	Where	Trigger	Spec	Reduced motion	P
AI-09	Refine with AI button states	Editor, every text field except quotes	Hover, click, finish	Idle: faint shimmer border on hover. Working: a small dot orbits the button. Done: morphs into Accept and Reject buttons, 260 ms	Static spinner text	1
AI-10	Inline diff	Editor, after Refine	Suggestion returned	Removed words strike and fade 200 ms, added words fade in with an orange underline that settles after 600 ms	Highlight colors only	1
AI-11	Restore original rewind	Editor	Restore clicked	The diff plays in reverse in 300 ms	Instant swap	3
AI-12	Draft typewriter	Social post drafts, demo captions, chat scripts	Draft generated	Text types into the card at 1 to 2 characters per frame, then settles	Show full text	2
AI-13	Regenerate cross-dissolve	Any AI draft	Regenerate clicked	Old text fades out 160 ms while new text fades in, height animates smoothly	Instant swap	2
AI-14	AI error	Any AI action	Failure	Gentle shake of the card (plus or minus 4 px, 280 ms), mascot M-05, retry button fades in	Static message	1
AI-15	AI badge pulse	Spark icon beside AI actions	Idle and working	Slow scale pulse 1 to 1.1 over 2.4 s only while working	Static	3
AI-16	Suggestion chips	Refine presets, demo helpers	Menu opens	Chips fade up with 30 ms stagger	Fade	3

F series, part 1: onboarding to editor

ID	Animation	Where	Trigger	Spec	Reduced motion	P
F-01	Onboarding step transition	/onboarding	Next or back	Direction-aware slide plus fade, 480 ms. A progress ring around the step number fills	Fade	2
F-02	Profile card assembly	/onboarding	Fields filled	A live profile card builds up as each field is completed, each line fading in 200 ms	Static card	3
F-03	Welcome completion	End of onboarding	Finish	Mascot M-04 celebrates, dashboard fades in behind it, 600 ms	Fade	2
F-04	KPI cards entrance	/app/dashboard	Mount	Cards fade up with 40 ms stagger. Numbers count up (G-29)	Fade, final numbers	1
F-05	Next best action pulse	/app/dashboard	New suggestion	Card border glows orange once (opacity 0.25, 800 ms), no loop	Static highlight	3
F-06	Empty dashboard scene	/app/dashboard with no data	Idle	Mascot M-01 idle loop with dots drifting toward the magnet, 6 s slow loop	Static illustration	2
F-07	Create request to envelope	/app/requests/new	Send clicked	Form collapses (260 ms) into an envelope that slides off and fades (400 ms), then a success check	Fade to success message	2
F-08	Link copy morph	Request detail	Copy clicked	Uses G-39 plus the link text briefly highlights	Text swap	1

ID	Animation	Where	Trigger	Spec	Reduced motion	P
F-09	Request status transition	Requests list and detail	Status change	Uses G-32. A timeline dot fills along a line from sent to started to completed, 300 ms	Instant	2
F-10	Reminder sent	Request detail	Reminder sent	A small paper plane arcs out from the button, 400 ms, then a toast	Toast only	3
F-11	Revoke link	Request detail	Revoke confirmed	Link chip splits in two and fades, status chip changes to Revoked, 320 ms	Chip changes only	3
F-12	Case study grid entrance	/app/case-studies	Mount	G-22 stagger. Thumbnails blur-up (G-28)	Fade	2
F-13	Case study status badge	Case study cards and headers	Status change	G-32. Published gets a single soft orange pulse	Instant	3
F-14	Source popover	Review screen	Tap a claim	Popover scales from the claim (G-13) with the source quote highlighted	Fade	2
F-15	Edited-claim highlight	Review and editor	Verified claim edited	Underline in orange draws left to right in 300 ms and a small Needs re-approval chip pops in	Chip appears	2
F-16	Template card tilt	/case-studies/[id]/template	Pointer move	Card tilts up to 4 degrees toward the pointer, 140 ms smoothing. Not on touch	None	3
F-17	Template switch morph	Template gallery and editor	Template selected	Live preview crossfades 260 ms and sections slide to new positions by layout animation. Content never changes	Crossfade	1

ID	Animation	Where	Trigger	Spec	Reduced motion	P
F-18	Lock unlock	Template cards	Upgrade completed	Lock icon rotates open and fades, card border glows once	Lock disappears	3
F-19	Watermark preview	Paid templates on a free plan	Preview	A diagonal Preview watermark fades in at 0.12 opacity	Static watermark	3
F-20	Section insert	Editor	Add section	New section slides in from below (12 px) and expands, 260 ms. Preview scrolls to it	Fade	2
F-21	Section drag reorder	Editor	Drag	Uses G-37 and G-23	Instant	2
F-22	Autosave indicator	Editor header	Save	Cloud icon cycles Saving (rotating dot) to Saved (check draws) to idle, 400 ms	Text only	2
F-23	Edit highlight flash	Editor preview	Text edited	Changed block background flashes orange tint (opacity 0.15) for 600 ms	None	3
F-24	Device preview morph	Editor preview	Device toggle	Frame width and radius animate between desktop, tablet and phone by layout spring	Instant resize	1
F-25	Theme change crossfade	Editor preview	Color or font change	200 ms crossfade of colors. Font swaps with a fade to avoid a jump	Instant	3

F series, part 2: approval to demos

ID	Animation	Where	Trigger	Spec	Reduced motion	P
F-26	Approval status timeline	Case study header	Request approval clicked	A horizontal timeline (Draft, Sent, Viewed, Signed) fills along with each real event, 300 ms per step	Steps change instantly	2
F-27	Awaiting to approved	Case study header	Client signs	Status chip morphs, a check draws, and a subtle confetti-free glow appears once	Instant chip change	2
F-28	Publish progress	Publish button	Publish clicked	Button morphs into a progress ring (G-16), then a pulse expands outward from the button once	Spinner then text	1
F-29	Live URL reveal	After publish	Published	The public URL types in at 30 ms per character with a copy button (G-39)	URL appears	2
F-30	Celebration burst (restrained)	After first publish only	First publish	24 small orange and black particles burst for 900 ms with a magnet pull back to center	Static check and message	2
F-31	Unpublish fade	Case study header	Unpublish	Live badge fades, page thumbnail desaturates to grey over 260 ms	Instant	3
F-32	New referral entrance	/app/referrals	Referral arrives	Card slides in from the top with default spring and a single orange glow	Fade	2

ID	Animation	Where	Trigger	Spec	Reduced motion	P
F-33	Referral network lines	/app/referrals	Mount	Lines draw from the client node to referral nodes, 500 ms, stagger 80 ms	Static graph	3
F-34	Analytics charts	Dashboard and case study analytics	Mount or range change	G-30. On range change, old values morph into new by interpolation, 400 ms	Instant	2
F-35	Chart tooltip spring	Charts	Hover or touch	Tooltip follows the pointer with snappy spring, point marker scales 1 to 1.4	Static tooltip	3
F-36	Funnel bars	Demo and request funnels	Mount	Bars grow left to right with stagger, drop-off percentages count up (G-29)	Static	3
F-37	Community card hover	/app/finder	Hover	G-21. Platform badge nudges 2 px	None	3
F-38	Finder status change	/app/finder	Status select	Chip morphs (G-32) and the card slides to its new group with layout animation	Instant move	3
F-39	Invite sent	/app/settings/team	Invite sent	New row slides in with a pending chip that pulses once	Fade	3
F-40	Role change	/app/settings/team	Role changed	Role chip morphs (G-32), row flashes with a tint	Instant	3
F-41	Plan card billing toggle	/app/settings/billing	Monthly to annual	Prices roll like a counter, a Save badge scales in, card heights adjust by layout animation	Final values	2

ID	Animation	Where	Trigger	Spec	Reduced motion	P
F-42	Price roll	Pricing cards	Toggle	Digits roll vertically 300 ms with tabular figures	Instant	3
F-43	Upgrade success	After payment	Subscription active	Plan card gets the success ring (S-16), unlocked features list fades in with 40 ms stagger, mascot M-04	Static success	2
F-44	Usage meter fill	Billing and header	Mount, usage change	Bar fills with a default spring. Turns amber then red thresholds with 200 ms crossfade	Instant	2
F-45	Limit nudge	When 80 percent of a limit is reached	Threshold crossed	Meter pulses once, an upgrade chip slides in from the right	Static chip	3
F-46	Connection snap	Integrations	Connection completed	Two connector icons slide together and snap with a bouncy spring, status chip turns green	Icons joined instantly	2
F-47	Flow line pulse	Automations editor	Rule enabled, run	A small dot travels along the lines between nodes, 800 ms, accelerate easing	Lines highlighted	3
F-48	Rule enable ripple	Automations list	Toggle on	G-19 plus a soft ripple from the thumb, 400 ms	Instant	3
F-49	Run log row entry	Automation run log	New run	Row slides in from the top, success or failure icon draws (S-16 or S-17)	Fade	3

ID	Animation	Where	Trigger	Spec	Reduced motion	P
F-50	Post cards compose	Social publishing	Case study published	Cards for each network assemble from the case study blocks, 60 ms stagger, 300 ms each	Fade	2
F-51	Carousel slide fan-out	Social publishing	Carousel generated	Slides fan out from a stack with 8 degree rotation then align in a row, 480 ms	Static row	3
F-52	Schedule picker	Social publishing	Open	Uses G-11. Selected time slot scales 1.04 and fills orange tint	Instant	3
F-53	Posted ticks	Social publishing	Post published	Per-network check draws in 180 ms, stagger 120 ms	Instant ticks	3
F-54	Hotspot pulse	Demo player and editor	Step is active	Orange ring expands 1 to 1.8 and fades, 1.6 s loop, stops after 3 pulses	Static ring	1
F-55	Demo step transition	Demo player	Next step	Screenshot crossfades 260 ms. Tooltip moves to the next hotspot with default spring	Crossfade	1
F-56	Chat simulator playback	Demo chat scene	Scene starts	Messages appear in sequence using AI-01 typing then C-03 bubbles, per the scripted delays	All messages visible	1
F-57	Workflow sequence	Demo workflow scene	Scene starts	Nodes light up in order (200 ms each) and a dot travels along each connecting edge (F-47)	All nodes highlighted	2

ID	Animation	Where	Trigger	Spec	Reduced motion	P
F-58	Before and after slider	Demo compare scene	Load, drag	On load the handle eases from 50 to 40 to 60 percent once to hint at dragging. Dragging follows the finger	Static at 50 percent	2
F-59	Scene list reorder	Demo editor	Drag	G-37 and G-23	Instant	2
F-60	Lead gate modal	Demo player	Gate reached	G-10 with the demo behind blurred 8 px	Fade	2

C series: client-facing and public screens

Clients and visitors have no account and often use a phone. These screens must be light: keep animation code small, avoid heavy libraries on these routes, and prefer CSS animations over JavaScript where possible. Pages under /i and /sign must keep the JavaScript budget from the build plan.

ID	Animation	Where	Trigger	Spec	Reduced motion	P
C-01	Interview intro entrance	/i/[token] intro	Load	Header illustration fades in 260 ms, text lines fade up with 40 ms stagger	Fade	1
C-02	Consent checkbox draw and unlock	/i/[token] intro	Checkbox ticked	G-20. The Continue button unlocks with a 200 ms fade from disabled to enabled	Instant	1
C-03	Chat bubble spring-in	/i/[token] chat	New message	Bubble scales 0.92 to 1 and fades with default spring, aligned to its sender side	Fade	1
C-04	Question progress ring	/i/[token] chat	Question answered	Ring around the question counter fills with a 300 ms emphasized ease	Instant	2

ID	Animation	Where	Trigger	Spec	Reduced motion	P
C-05	Send answer feedback	/i/[token] chat	Send	Send button scales 0.9 and back, the user's bubble slides up from the input, 200 ms	Fade	2
C-06	Switch to form	/i/[token]	Switch clicked	Chat slides left and the form slides in from the right, 280 ms	Fade	3
C-07	Upload progress and thumbnail pop	/i/[token] closing	File chosen	Progress ring 0 to 100 percent, then the thumbnail pops in (scale 0.9 to 1)	Static progress	3
C-08	Closing celebration	/i/[token] closing	Interview submitted	Mascot M-10 small cheer and a check ring (S-16), no confetti on a client page	Static check	2
C-09	Referral ask card	/i/[token] closing	Reached	Card slides up 12 px and fades, 260 ms	Fade	3
C-10	Thank-you scene	/i/[token] end	Done	Illustration ILL-30 fades in, a short line of text fades after 200 ms	Fade	2
C-11	Claim source expand	/sign/[token]	Tap a claim	G-38 accordion with the source quote highlighted (AI-08)	Instant	2
C-12	Changes diff panel	/sign/[token]	Panel opened	Slides down 260 ms. Changed words fade between original and edited as the client toggles Original or Edited	Instant toggle	2
C-13	Signature ink stroke	/sign/[token]	Drawing	Stroke renders live with slight smoothing and line width reacting to speed. Clear button fades the canvas out in 160 ms	Plain stroke	1

ID	Animation	Where	Trigger	Spec	Reduced motion	P
C-14	Sign stamp	/sign/[token]	Sign pressed	Button morphs (G-16), a seal stamps with a quick scale 1.2 to 1 and a short settle, 360 ms	Check only	2
C-15	Certificate unfold	Signed confirmation, /verify	After signing	A document card unfolds from the seal (height and fade, 420 ms) with a Download button	Fade	2
C-16	Withdraw consent confirmation	Withdraw consent page	Confirmed	Seal gets a diagonal line drawn through it, status changes to Withdrawn, 400 ms	Status text only	3
C-17	Public page hero entrance	Public case study page	Load	Headline fades up 16 px, client logo fades 100 ms later, 400 ms total	Fade	2
C-18	Metric counters	Public case study page	In view	G-29 on each metric with 80 ms stagger, once	Final values	2
C-19	Quote reveal	Public case study page	In view	Quote text reveals line by line (mask slide up), 500 ms, attribution fades after	Fade	3
C-20	CTA attention	Public case study page	After 6 s idle or at the end of the page	Button does a single gentle scale pulse 1 to 1.04 to 1, never loops	None	3
C-21	Wall of proof carousel	Widget and public pages	Idle, hover	Cards auto-scroll slowly (20 px per second), pause on hover and focus, drag to scroll	Static grid	3
C-22	Embed widget fade-in	/embed/{slug} inside customer sites	Load	Fade 200 ms only. Height changes are not animated to avoid layout jank on host pages	None	2
C-23	Takedown report confirmation	Report form	Submitted	Check ring (S-16) and a short confirmation, 400 ms	Static check	3

ID	Animation	Where	Trigger	Spec	Reduced motion	P
C-24	Demo player shell	Public demo pages	Load, step change	Uses F-54 to F-60 with the lighter budget above	Per component	1

S series: system states and special moments

ID	Animation	Where	Trigger	Spec	Reduced motion	P
S-01	Splash and launch	PWA cold start, marketing hero	App launch	Logo letters lean toward the magnet one by one and settle, 800 ms total. Skipped on warm starts and when the app is already loaded	Logo fades in	2
S-02	Magnet loader	Inline loading, buttons, pull to refresh	Loading longer than 400 ms	Dots drawn toward the magnet with the accelerate easing, 2.4 s loop, staggered	Static magnet with dots	1
S-03	Page skeletons	Every route with async data	Navigation	G-27 and G-48 with layouts that match the final page to avoid jumps	Static	1
S-04	Empty state idle loops	Each module with no data	Mount	Mascot idle (M-01) and the module's illustration with a slow 6 s drift. Paused when the tab is hidden	Static	2
S-05	404 page	Not found	Load	Mascot M-05 with one dot rolling away, then the dot rolls back on hover	Static	3

ID	Animation	Where	Trigger	Spec	Reduced motion	P
S-06	Link expired or revoked	Client links	Load	Magnet with a broken link icon, a gentle fade-in 260 ms, no looping motion	Static	2
S-07	Offline	App shell	Connection lost	Banner slides down 260 ms. Mascot M-07 sleeping with slow breathing. Banner leaves when back online with a check	Banner only	2
S-08	Limit reached	Plan limits	Limit hit	Meter fills and shakes once, upgrade card slides up (G-11)	Static card	2
S-09	Payment failed	Billing	Webhook event	Warning banner slides in, amber pulse once (S-18), Update payment button highlighted	Banner only	2
S-10	Milestone celebration	First case study published, first referral, tenth interview	Event, once per milestone	Mascot M-04, 24 restrained particles for 900 ms, short message toast. Never repeats for the same milestone	Static message	2
S-11	PWA install prompt	App header	Install available	Prompt slides down 260 ms. After accepting, the app icon slides toward a home screen grid and settles	Fade	3
S-12	Push permission prompt	Settings, after a user action	Toggle on	Bell icon rings once (G-40), dialog uses G-10	Static	3
S-13	Update available	App shell	New service worker	Toast with a refresh icon that rotates once, G-12	Static toast	2

ID	Animation	Where	Trigger	Spec	Reduced motion	P
S-14	Session expired	App shell	Auth expiry	Dialog G-10, lock icon closes with a small bounce, sign-in form focuses	Static	3
S-15	Maintenance or AI spend breaker	Interview and AI features	Server flag	Calm full-card message with mascot M-07, no loops, retry timer counts down	Static	3
S-16	Success check (generic)	Everywhere success is confirmed	Success	Ring draws in 350 ms and the check draws in 220 ms, a soft pulse ring expands once, 800 ms total	Static check	1
S-17	Failure cross (generic)	Everywhere failure is shown	Failure	Ring draws and the cross draws, a short shake, 500 ms	Static cross	1
S-18	Warning pulse	Warnings	Warning shown	Amber triangle scales 1 to 1.1 to 1 once, 400 ms	Static	3
S-19	Guided tour hotspots	First-time user tours	Tour step	Spotlight cutout fades 260 ms, orange pulse ring on the target (F-54 style), tooltip springs in	Static outline	3
S-20	Feature spotlight	New feature announcements	First visit after release	A small dot badge pulses 3 times then stays still. Popover uses G-13	Static badge	3

Mascot states and illustration catalog

Style guide

- Flat geometric shapes, thick rounded strokes and the black, paper and orange palette, matching the magnet logo.
- Use a small shape vocabulary (circles, rounded rectangles, arcs, dots) so every illustration looks like one family.

- Inline SVG components themed through CSS variables, so they work in light and dark mode. Orange stays orange in both.
- No gradients on illustrations, no tiny details that disappear on a phone. Test at 120 px and at 480 px wide.
- Consider Rive (state machines) or Lottie for animated versions. Static SVG must exist for every asset as the reduced-motion fallback.

Mascot (the magnet)

Implement as one `<Mascot state="..." size="..." />` component with a state machine. Each state is also a static pose.

ID	State	Used by	Motion
M-01	Idle	Empty states, dashboard empty (F-06, S-04)	Slow blink every 5 s, dots drift toward the magnet
M-02	Thinking	AI-03 generation, interview waiting	Dots orbit slowly, eyes look up
M-03	Working	Loaders (S-02), pull to refresh (G-26)	Pulls dots in with accelerate easing, 2.4 s loop
M-04	Celebrating	F-03, F-43, S-10	Hops once, dots burst outward then return, 900 ms
M-05	Sad or error	AI-14, 404 (S-05), failures	Dots drop and bounce once, magnet tilts
M-06	Waiting	Awaiting client approval, pending requests	Taps foot or tilts side to side every 3 s
M-07	Sleeping	Offline (S-07), maintenance (S-15)	Slow breathing scale, closed eyes
M-08	Pointing	Guided tour (S-19), onboarding tips	Leans toward the pointed element
M-09	Loading small	Inline button loaders	Reduced two-dot version of M-03 for small sizes
M-10	Cheer small	Client pages (C-08)	Single small hop with a check, no particles

Illustration assets

ID	Asset	Where it is used	Notes
ILL-01 to ILL-03	Onboarding scenes: collect, publish, attract	/onboarding (F-01)	Wide scenes, 3 steps of one story
ILL-04	Empty: no requests	/app/requests	Envelope and magnet
ILL-05	Empty: no case studies	/app/case-studies	A blank page being pulled in by the magnet
ILL-06	Empty: no referrals	/app/referrals	Dots with a connecting line
ILL-07	Empty: no leads	Leads inbox	Empty tray with a magnet above
ILL-08	Empty: no analytics yet	Analytics	Flat chart outline
ILL-09	Empty: no communities saved	/app/finder	Map pin and magnet
ILL-10	Empty: no demos	/app/demos	Play button on a screen frame
ILL-11	Empty: no social posts	Social publishing	Speech bubbles
ILL-12	Empty: no automations	Integrations	Two connectors apart
ILL-13	Empty: no team members	/app/settings/team	A single avatar and a plus
ILL-14	Error: 404	S-05	Lost dot
ILL-15	Error: link expired	S-06, client pages	Broken link
ILL-16	Error: link revoked	S-06	Link with a cross
ILL-17	Error: limit reached	S-08	Full meter
ILL-18	Error: payment failed	S-09	Card with a warning
ILL-19	Error: offline	S-07	Cloud with a slash
ILL-20	Success: published	F-28, F-29	Page with a live beacon
ILL-21	Success: approved	F-27	Page with a check
ILL-22	Success: signed	C-14, C-15	Seal on a document
ILL-23	Success: upgraded	F-43	Unlocked padlock
ILL-24	Client interview header	C-01	Friendly chat bubbles and the magnet

ID	Asset	Where it is used	Notes
ILL-25	Consent shield	C-02	Shield with a check
ILL-26	Approval page header	C-11	Document with highlighted lines
ILL-27	Paywall and upgrade	Template locks, limits	Key and magnet
ILL-28	Demo player scenes	Demo module	Play, chat, workflow icons as scene illustrations
ILL-29	Device frames	F-24 preview	Desktop, tablet and phone outlines
ILL-30	Client thank-you	C-10	Magnet with dots gathered around it
ILL-31	Maintenance	S-15	Magnet resting
ILL-32	Milestone badges	S-10	First published, first referral, tenth interview

Icons, patterns, email, social and marketing assets

Custom icon set (ILL-40 series)

One stroke weight (2 px at 24 px), rounded caps and joins, one corner radius. Do not mix icon libraries. Each icon needs an outline version and, where it helps, a filled active version for navigation.

ID	Group	Icons to draw
ILL-40	Navigation	Home, requests, case studies, demos, referrals, analytics, finder, integrations, social, team, billing, settings
ILL-41	Actions	Add, edit, delete, copy, share, download, upload, send, refresh, reorder, drag handle, filter, search, more
ILL-42	Status	Check, cross, warning, info, clock, lock, unlock, eye, eye off, link, broken link, bell

ID	Group	Icons to draw
ILL-43	AI and content	Spark (AI), refine, quote, metric, claim, source, template, device (desktop, tablet, phone), play, chat, workflow
ILL-44	Networks	LinkedIn, Instagram, Facebook as simple neutral marks (check each platform's brand rules before use)

Patterns and surfaces

ID	Asset	Where	Notes
ILL-50	Dot grid background	Hero areas, empty states	Faint dots at 0.06 opacity that echo the magnet's dots
ILL-51	Orange stripe texture	Marketing, badges	The motion-line stripes from the logo
ILL-52	Glass surface	Sidebar, sheets, sticky headers	Translucent surface with backdrop blur 16 px and a hairline border
ILL-53	Hairline border and layered shadow tokens	Cards, dialogs	0.5 px border plus two soft shadows, 2 and 12 px
ILL-54	Noise-free flat fills	Everywhere	No gradients or noise to keep the style consistent

Email

ID	Asset	Notes
ILL-60	Interview invite header	Magnet with an envelope, static image (email clients do not support motion reliably)
ILL-61	Reminder header	Magnet checking a watch
ILL-62	Approval request header	Document with a signature line
ILL-63	Signed certificate email header	Seal
ILL-64	Notification and referral header	Magnet with a new dot

Animated GIFs are optional in email and should stay under 300 KB with a static first frame.

Social and marketing

ID	Asset	Notes
ILL-70	Social carousel templates (3)	1080 x 1350 slides in the brand palette for case study quotes, metrics and CTAs
ILL-71	Open Graph image template	1200 x 630, auto-generated per published case study with client name and top metric
ILL-72	Marketing hero scene	The magnet pulling dots and proof cards, animated version for the website (G-34)
ILL-73	How it works, 3 steps	Interview, approve, attract
ILL-74	Integrations scene	Connector icons orbiting the magnet
ILL-75	Pricing page accents	Small illustrations per plan
ILL-76	Product Hunt and directory gallery images	Screens in device frames with captions

Implementation notes

Libraries and approach (confirm current versions and browser support before relying on them)

Need	Suggested tool	Notes
Springs, layout animations, enter and exit, shared elements	A React motion library	Used for most G, AI and F animations
Route transitions	CSS View Transitions where supported, with the motion library as fallback	Check support, including inside installed PWAs
Mascot state machine	Rive, or Lottie for simple loops	Lazy-load. Always ship a static SVG fallback
Illustrations and icons	Inline SVG components	Theme with CSS variables for dark mode
Charts	The charting library already in the stack, with CSS or motion draw-in	Keep data-heavy charts static on reduced motion
Confetti and particles	A tiny canvas particle function (a few KB)	Only for F-30 and S-10
Haptics	The Vibration API on supported Android browsers	Limited or unsupported on iOS Safari, so treat as an extra. Verify
Sound	Web Audio, off by default	Optional, never required to understand the UI
Scroll-linked effects	CSS scroll-driven animations where supported, otherwise IntersectionObserver	Verify support before depending on it

Performance budgets

- 60 fps on a mid-range Android phone. Profile with throttled CPU.
- Animation code is split by route. /i, /sign and public pages must not load the full motion library if CSS can do the job.
- Lazy-load Rive or Lottie runtimes only on screens that show the mascot.
- Pause looping animations when the tab is hidden or the element is off screen.
- No animation on the critical path of first contentful paint.

Accessibility

- Honor `prefers-reduced-motion` and an in-app Reduce motion toggle that overrides it. Every row lists the fallback.

- No content depends on animation to be understood. Progress and AI status are also text, announced via `aria-live`.
- No flashing above 3 per second. Keep celebration effects short and dismissible.
- Manage focus after transitions (move focus to the new page heading or dialog).
- Keep interactive targets stable during animation so tapping never misses.

Testing

- A `/dev/motion` page that renders every implemented ID with a reduced-motion toggle.
- Playwright tests that load key screens with reduced motion enabled and assert no transform animations run.
- A visual check on a real phone for sheets, swipe actions and pull to refresh.
- A Lighthouse and performance trace on `/i/[token]` and a public page after adding animation.

Registry

`/src/lib/motion/registry.ts` exports a list of `{ id, name, component, file, status }`. Status is one of `planned`, `built`, `needs-review`. The audit prompt reads this and compares it with this document.

Claude Code prompts

Run them in order, one per session. Each prompt tells Claude Code to read the reference file, so the specs stay in one place. After each prompt, review the diff, open `/dev/motion`, test with reduced motion on, and commit.

P0: Foundation and registry (run first)

Read `/docs/animation-reference.md` fully. Then set up the motion foundation:

1. Ask me before adding any dependency. Propose a React motion library and an optional Rive or Lottie runtime with the reason for each.
2. Create `/src/lib/motion` with `tokens.ts` (durations, easings, spring presets exactly as in the reference), `variants.ts` (`fadeUp`, `scaleIn`, `slideDirection`, `stagger`), `springs.ts`, `useReducedMotion.ts` (respects `prefers-reduced-motion` and an in-app Reduce motion preference stored per user, with the in-app setting overriding), and `registry.ts` (list of `{ id, name, component, file, status }`).
3. Add a Reduce motion toggle in settings.
4. Create a `/dev/motion` page that lists every registered animation ID with a live demo and a reduced-motion switch.
5. Rules to follow in all later work: animate only transform and opacity, interruptible animations, no input blocking, every animation tags its root element with `data-anim="ID"` and registers itself, and every animation implements the reduced-motion fallback from the reference.

Show me the file tree and explain any decision that deviates from the reference.

P1: Navigation and overlays (G-01 to G-14, G-43)

Read `/docs/animation-reference.md`. Implement G-01 to G-14 and G-43 as reusable components or hooks: `PageTransition` (G-01), `AnimatedTabs` (G-02, G-03), `Sidebar behavior` (G-04, G-05), `BottomTabBar` (G-06), `CommandPalette` (G-07), large title and sticky header behavior (G-08, G-09), `Dialog` (G-10), `Sheet with detents and drag` (G-11, dialog on desktop), `Toast` (G-12), `Popover` (G-13), `Tooltip` (G-14), `ContextMenu` (G-43). Apply them across the app shell and replace existing ad hoc versions. Follow the Spec and Reduced motion columns exactly. Tag with `data-anim`, register in the registry, show each in `/dev/motion`. Add tests for focus management, keyboard use, reduced motion, and that interrupting an animation does not break state.

P2: Controls and lists (G-15 to G-26, G-37 to G-39, G-44 to G-47)

Read `/docs/animation-reference.md`. Implement G-15 to G-26, G-37, G-38, G-39 and G-44 to G-47: `PressableButton` with loading and success states, `Input` with floating label and focus ring, validation shake and error slide, `Switch`, `Checkbox` and `Radio` with drawn check, `Card hover lift`, list stagger and reorder, delete collapse, swipe actions (touch only), pull to refresh with the magnet (use a placeholder until the Mascot exists), drag and drop feedback, `Accordion`, `CopyButton`, segmented control hover, search expand, filter chips, table row states. Replace existing controls app-wide with these versions. Tag, register, add to `/dev/motion` and write tests including keyboard operability and reduced motion.

P3: Data, loading and decoration (G-27 to G-36, G-40 to G-42, G-48)

Read `/docs/animation-reference.md`. Implement Skeleton and the skeleton-to-content crossfade (G-27, G-48) with layouts that match each real page to avoid jumps, image blur-up, AnimatedNumber, chart draw-in for the existing charts, progress bar and ring, status chip morph, scroll reveal and parallax (public pages only, lightweight), cursor glow (desktop only), focus-visible ring, notification badge pop, theme switch crossfade, avatar stack hover. Apply to the dashboard, lists and public pages. Keep public-page code small: prefer CSS and IntersectionObserver over the full motion library. Tag, register, test, and run a performance trace on the dashboard and a public page.

P4: AI moments (AI-01 to AI-16)

Read `/docs/animation-reference.md`. Implement all AI series animations. Build `AiProgress` that takes real stage events from the server (do not fake progress; if the server gives no stage events, add them to the generation endpoint as streamed status updates) and shows the narrated steps with an aria-live region. Build the typing indicator and streaming text reveal for the interview chat (keep the client interview JavaScript within the existing budget), the quote pull, section assembly, claim chip snap-in, verification stamp and claim-to-source line on the review screen, the Refine with AI button states and inline diff with Restore original, the draft typewriter and regenerate cross-dissolve for social and demo drafts, the AI error state using the Mascot error state (placeholder until M series exists), the AI badge pulse and suggestion chips. Never animate in a way that hides what the AI changed: diffs must stay readable. Tag, register, test with reduced motion and screen reader announcements.

P5: Feature screens, part 1 (F-01 to F-25)

Read `/docs/animation-reference.md`. Implement F-01 to F-25 on the routes listed in the route map: onboarding, dashboard, requests (envelope, status timeline, reminders, revoke), case study list, review screen details, template gallery (tilt, switch morph, lock, watermark), and the editor (section insert, drag reorder, autosave indicator, edit flash, device preview morph, theme crossfade). Reuse G and AI components where the spec says so. Tag, register, test and add each to `/dev/motion`.

P6: Feature screens, part 2 (F-26 to F-45)

Read `/docs/animation-reference.md`. Implement F-26 to F-45: approval timeline and approved transition, publish progress, live URL reveal, restrained celebration burst (first publish only), unpublish fade, referrals entrance and network lines, analytics charts and tooltips, funnel bars, finder interactions, team invite and role changes, billing plan toggle, price roll, upgrade success, usage meter and limit nudge. The celebration must fire once per milestone using a stored flag, and never block the next action. Tag, register, test and add to `/dev/motion`.

P7: Integrations, social and demos (F-46 to F-60)

Read `/docs/animation-reference.md`. Implement F-46 to F-60: connection snap, flow line pulse, rule enable ripple, run log entry, social post compose, carousel fan-out, schedule picker, posted ticks, and the demo module animations (hotspot pulse, step transition, chat simulator playback, workflow sequence, before and after slider, scene reorder, lead gate modal). The demo player runs on public pages, so keep it lightweight and use CSS for animation where possible. Tag, register, test and add to `/dev/motion`.

P8: Client interview (C-01 to C-10)

Read `/docs/animation-reference.md`. Implement C-01 to C-10 on `/i/[token]`. This route has a strict JavaScript budget (under 100 KB). Use CSS animations and the lightest possible JavaScript, and do not load the full motion library or Rive here. Chat bubbles, progress ring, send feedback, switch to form, upload progress, closing cheer with a static SVG mascot pose, referral card and thank-you scene. Test on a 360 px wide viewport and throttled CPU, run Lighthouse mobile, and report the JavaScript size before and after.

P9: Approval and e-signature (C-11 to C-16)

Read `/docs/animation-reference.md`. Implement C-11 to C-16 on `/sign/[token]`, `/verify` and the withdraw-consent page: claim source expand, the changes diff toggle between Original and Edited, signature canvas ink stroke (pointer events, smoothing, speed-based width, touch and mouse, with a typed-name fallback), sign stamp, certificate unfold, withdrawn status. The signature canvas must stay accurate and responsive: no animation may delay capturing strokes. Keep within the JavaScript budget of the route. Tag, register, test with touch simulation and reduced motion.

P10: Public pages and widget (C-17 to C-24)

Read `/docs/animation-reference.md`. Implement C-17 to C-24 on public case study pages, the embeddable widget and the demo player shell. Use CSS and `IntersectionObserver`. Do not animate height changes inside the embed widget. Keep layout shift (CLS) at zero and verify with Lighthouse. Metric counters and quote reveals run once. Respect reduced motion by showing final states immediately.

P11: System states (S-01 to S-20)

Read `/docs/animation-reference.md`. Implement S-01 to S-20: splash and launch (cold start only), magnet loader, page skeleton set, empty state loops with a pause when the tab is hidden, 404, expired and revoked link pages, offline banner, limit reached, payment failed, milestone celebrations with once-only flags, PWA install prompt, push permission prompt, update-available toast, session expired dialog, maintenance message, generic success, failure and warning, guided tour hotspots, and feature spotlights. Provide static versions for every item. Tag, register, test and add to `/dev/motion`.

P12: Mascot component (M-01 to M-10)

Read `/docs/animation-reference.md`. Build `<Mascot state size />` with the ten states in the Mascot table. Draw the magnet as inline SVG from the logo geometry (orange horseshoe, black tips, opening to the left, dots as circles). Implement each state as a static pose first, then animate with CSS or Rive if I approve the dependency. Expose a typed state union, a reduced-motion static fallback, and a hook `useMascotState(event)` that maps app events (generating, error, offline, success, idle) to states. Replace the placeholders used in earlier prompts. Show all states in `/dev/motion`.

P13: Illustration and icon library (ILL series)

Read `/docs/animation-reference.md`. Create themed inline SVG components for the ILL assets, starting with the empty states (ILL-04 to ILL-13), errors (ILL-14 to ILL-19) and successes (ILL-20 to ILL-23). Follow the style guide: flat shapes, thick rounded strokes, the black, paper and orange palette via CSS variables, readable at 120 px. Build the custom icon set (ILL-40 to ILL-43) with a single stroke weight and corner radius. Add an `/dev/illustrations` page showing every asset in light and dark mode. Replace placeholders across the app. Do not use external illustration packs.

P14: Email, social and marketing assets (ILL-60 to ILL-76)

Read `/docs/animation-reference.md`. Create the static email header images, the three social carousel templates, and the Open Graph image generator for published case studies (title, client, top metric, brand colors, 1200 x 630). Generate images server-side, store them in a private bucket for drafts and serve public copies only for published pages. Do not include any unverified claims in generated images: use only fields from the approved case study.

Single-ID prompt template

Read `/docs/animation-reference.md` and implement animation [ID] exactly as specified (Where, Trigger, Spec, Reduced motion). Reuse existing motion tokens and components, tag the root element with `data-anim="[ID]"`, register it in the registry, add it to `/dev/motion`, and add a test for the reduced-motion fallback. List the files you changed and anything in the spec you could not follow.

Audit prompt (run after each phase)

Read `/docs/animation-reference.md` and `/src/lib/motion/registry.ts`. Scan the codebase for `data-anim` attributes. Produce a table of every ID in the reference with: status (built, partial, missing), file and component, whether the reduced-motion fallback exists, and whether it animates anything other than transform and opacity. Flag animations that run on `/i`, `/sign` or public pages and report the JavaScript size of those routes. Do not change code. Recommend the next 10 IDs to build by priority.

Build order and tracking checklist

Build by priority, not by series. Priority 1 items give most of the premium feel. Stop after each tier, use the app for a few days on a real phone and desktop, and only then continue.

Tier 1: the premium baseline (priority 1 items)

- ☐ P0 Foundation, registry and `/dev/motion`
- ☐ G-01, G-02, G-03, G-05, G-06 (navigation and tabs)
- ☐ G-10, G-11, G-12, G-13 (dialogs, sheets, toasts, popovers)
- ☐ G-15, G-16, G-22, G-27, G-48, G-31, G-39 (buttons, lists, skeletons, progress, copy)
- ☐ AI-01, AI-02, AI-03, AI-05, AI-09, AI-10, AI-14 (AI moments)
- ☐ F-04, F-08, F-17, F-24, F-28 (dashboard, template switch, device preview, publish)
- ☐ C-01, C-02, C-03, C-13, C-24 (interview, signature, demo shell)
- ☐ F-54, F-55, F-56 (demo player core)
- ☐ S-02, S-03, S-16, S-17 (magnet loader, skeletons, success and failure marks)

- ☐ M-01 to M-05 and the empty-state illustrations ILL-04 to ILL-13

Tier 2: depth (priority 2 items)

- ☐ Claim tracing and verification (AI-04, AI-06, AI-07, AI-08, F-14, F-15)
- ☐ Editing polish (F-20 to F-23, F-25, G-23, G-37, G-38)
- ☐ Approval and publishing (F-26, F-27, F-29, F-30, C-11 to C-15)
- ☐ Dashboard data (F-34, F-41, F-43, F-44, G-29, G-30)
- ☐ Public pages (C-17, C-18, C-22, G-33)
- ☐ System states (S-01, S-04, S-06, S-07, S-08, S-09, S-10, S-13)
- ☐ Remaining mascot states (M-06 to M-10) and error and success illustrations ILL-14 to ILL-23
- ☐ Demo module (F-57 to F-60)

Tier 3: polish (priority 3 items)

- ☐ Tilt, cursor glow, parallax, avatar fan-out, notification pop (F-16, G-34, G-35, G-40, G-42)
- ☐ Network lines, flow pulses, carousel fan-out (F-33, F-47, F-51)
- ☐ Guided tours and spotlights (S-19, S-20)
- ☐ Optional haptics and sound
- ☐ Email, social and marketing assets (ILL-60 to ILL-76)

Done criteria for each animation

- ☐ Implemented to the Spec column and tagged with data-anim
- ☐ Registered in the registry and visible in /dev/motion
- ☐ Reduced-motion fallback works
- ☐ Animates only transform and opacity
- ☐ Tested on a mid-range phone, no dropped frames
- ☐ Screen reader and keyboard behavior checked where relevant
- ☐ Route JavaScript budgets still met for /i, /sign and public pages

Rule of restraint

If a screen feels slow or busy after adding animation, remove something. Premium apps move less than people expect, and every motion has a reason.