

DayFrame Dogfood Testing Punch List

Remaining or incompletely verified tasks based on the UX dogfooding completed through August 31, 2026. This is a testing checklist, not a remediation plan.

Priority 1 - Still Not Successfully Exercised

	Test	What to verify
■	Goal proposal / candidate generation	Find the path that turns an authored Goal into proposed schedule candidates. Verify where proposals appear, what information they contain, and whether accepting one places the resulting work on the Month Planner.
■	Goal-to-commitment workflow	Link an existing commitment to a Goal and determine whether the relationship changes planning behavior, recommendations, progress reporting, or candidate generation.
■	Multi-part / multi-day Goal planning	Attempt a Goal that requires several sessions across multiple days. Determine whether DayFrame can decompose it, propose sessions, and show progress toward completion.
■	Goal candidate acceptance and rejection	If candidates can be generated, test accept, reject, modify, and defer paths. Confirm what persists and what becomes visible on the Month Planner.

Priority 2 - Core Planner Behaviors to Finish Verifying

	Test	What to verify
■	Work-pattern transition across shifts	Complete a valid Day Shift -> Evening Shift transition and verify the Month Planner changes on the intended date. Record any hidden validation rules or save failures.
■	Work-pattern validation and recovery	Deliberately create an overlap, gap, reversed date, missing shift reference, or incomplete segment. Verify whether DayFrame identifies the exact problem and offers an actionable recovery path.
■	Planning-range boundary behavior	Test commitments, work, manual events, and generated items immediately before, inside, and after the configured planning range. Confirm which objects require generation and which remain independently placeable.
■	Very long planning ranges	Generate a long range again and record performance, usability, navigation, and whether any old Preview surface becomes impractically large.
■	Month navigation after generation	Move backward and forward across several generated months and confirm each month displays the correct work, commitments, friction, manual events, and partial-coverage state.

Priority 3 - Friction and Recovery

	Test	What to verify
■	Friction from Month Planner	Create several different conflicts and begin resolution from the affected Month Planner day. Verify the complete path without relying on accidental knowledge of the old Preview UI.
■	Alternative friction resolutions	For one conflict, exercise more than one offered resolution. Verify previews/choices are understandable and that accepting a choice updates the intended schedule.
■	Accepted-choice lifecycle	Accept a proposed resolution, confirm it, regenerate if required, then remove or reverse it. Verify the Month Planner and history/state remain coherent.

	Test	What to verify
■	Unplaced commitment recovery	Create a commitment DayFrame cannot place. Verify how the Month Planner signals it, where recovery controls appear, and whether moving/skipping/editing resolves it.

Priority 4 - Today / Execution / History

	Test	What to verify
■	Today surface across a full day	Use Today with work, sleep, manual events, and other commitments present. Verify chronological presentation and what is considered actionable.
■	Commitment execution semantics	Test Record Outcome / completion behavior on an ordinary first-order commitment. Determine whether a must-do commitment is being treated as execution history, optional progress, or something else.
■	Sleep and work logging	Exercise their logging controls and compare the resulting semantics with ordinary commitments and Goals. Record whether the interaction matches the intended domain model.
■	Historical persistence	Record outcomes on several days, navigate away/reload, and verify the historical records remain attached to the correct occurrence without altering authored intent.

Priority 5 - Summary and Feedback

	Test	What to verify
■	Summary surface	Exercise Summary with a non-trivial generated schedule containing work, commitments, Goals, friction, and outcomes. Verify that its metrics and recommendations correspond to Planner state.
■	Goal progress in Summary	After recording Goal measurements or completing supporting work, verify whether Summary reflects progress accurately and understandably.
■	Coverage / capacity reporting	Test partial planning coverage, fully generated coverage, and out-of-range months. Confirm Summary distinguishes 'not generated' from genuinely empty/free time.
■	Recommendations	If recommendations appear, trace one from Summary back to an actionable Planner context and verify the user can act without entering a separate disconnected workflow.

Priority 6 - Persistence, Navigation, and Context Surfaces

	Test	What to verify
■	Reload persistence	After meaningful Planner edits, reload the application and confirm work patterns, commitments, Goals, manual events, accepted choices, outcomes, and selected planning state persist as intended.
■	Saved Setup Profiles	Test save/load only enough to document current behavior and conflicts with the emerging live-Planner model. Do not spend substantial time optimizing this legacy workflow during dogfooding.
■	Backup export/import	Perform one complete backup round trip and verify important authored and historical state survives. Record whether generated/preview state is intentionally excluded.
■	Context-surface behavior	Exercise Month, Work Pattern, Commitment Library, Review Schedule, Goal details, and day details while noting which open as standalone/tab-like surfaces instead of contextual overlays.

	Test	What to verify
■	Return/navigation paths	From every major editor or detail surface, verify the user can predictably return to the same Month Planner context and selected day.

Suggested stopping point

Once the items above have either been exercised or clearly documented as unreachable, the dogfood pass should have enough evidence to move from discovery into the UX Remediation Plan. The goal is not to exhaustively test every field; it is to expose the remaining user-facing workflows, their mental models, and their failure/recovery behavior.