Candela Base Class

2025-09-24 15:21:38.126027

Parallel Tests

Traffic Details

s/no	test_name	Duration	status
1	MULTICAST TEST [Parallel 5]	1 mins	NOT EXECUTED
2	PING TEST [Parallel 1]	1.0 mins	EXECUTED
3	FTP TEST [Parallel 3]	1 mins	EXECUTED
4	HTTP TEST [Parallel 4]	1 mins	EXECUTED
5	QoS TEST [Parallel 2]	1 mins	EXECUTED

PING Test

Test Setup Information	SSID	None
	Security	open
	Website / IP	www.google.com
	No of Devices	3 (V:0, A:0, W:3, L:0, M:0)
	Duration (in minutes)	1.0

Packets sent vs packets received vs packets dropped



Wireless Client	MAC	Channel	SSID	Mode	Packets Sent	Packets Received	Packets Loss
DESKTOP-IUQFRCV Windows	24:ee:9a:39:2e:61	0		AUTO 20	59	54	5
DESKTOP-F0HLI17 Windows	00:bb:60:0b:5a:fe	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	59	56	3

DESKTOP-3KOIAJR Windows	f4:8c:50:e2:01:67	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	59	55	4

Ping Latency Graph



Wireless Client	MAC	Channel	SSID	Mode	Min Latency (ms)	Average Latency (ms)	Max Latency (ms)
DESKTOP-IUQFRCV Windows	24:ee:9a:39:2e:61	0		AUTO 20	10.0	25.759	240.0
DESKTOP-F0HLI17 Windows	00:bb:60:0b:5a:fe	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	9.0	17.621	87.0
DESKTOP-3KOIAJR Windows	f4:8c:50:e2:01:67	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	8.0	17.655	107.0

QOS Test

Test Configuration	Device List	DESKTOP-IUQFRCV(Windows), DESKTOP-F0HLI17(Windows), DESKTOP-3KOIAJR(Windows)
	Number of Stations	Total(3) Windows(3)
	AP Model	Test-AP
	SSID	None
	Traffic Duration in hours	0.02
	Security	open
	Protocol	TCP
	Traffic Direction	Download
	TOS	['VO', 'VI', 'BE', 'BK']
	Per TOS Load in Mbps	10.0 Mbps

Overall Download Throughput for all TOS i.e BK | BE | Video (VI) | Voice (VO)

No of Stations	Throughput for Load 10.0 Mbps-download
3	BK : 29.93, BE : 29.37, VI: 29.48, VO: 30.31

Overall Download throughput for 3 clients with different TOS.

The below graph represents overall Download throughput for all connected stations running BK, BE, VO, VI traffic with different intended loads10.0 Mbps

per tos



Individual Download throughput with intended load 10.0 Mbps/station for traffic BK(WiFi).

The below graph represents individual throughput for 3 clients running BK (WiFi) traffic. X- axis shows "Throughput in Mbps" and Y-axis shows "number of clients".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6		Background	0.0 Mbps	10.0 Mbps	0.0 Mbps	9.94 Mbps	0.0	0.01
1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	OpenWifi_psk2	Background	0.0 Mbps	10.0 Mbps	0.0 Mbps	10.0 Mbps	0.0	0.05
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	OpenWifi_psk2	Background	0.0 Mbps	10.0 Mbps	0.0 Mbps	9.56 Mbps	0.0	0.03

Individual Download throughput with intended load 10.0 Mbps/station for traffic BE(WiFi).

The below graph represents individual throughput for 3 clients running BE (WiFi) traffic. X- axis shows "number of clients" and Y-axis shows "Throughput in Mbps".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6		Besteffort	0.0 Mbps	10.0 Mbps	0.0 Mbps	9.98 Mbps	0.0	0.03
1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	OpenWifi_psk2	Besteffort	0.0 Mbps	10.0 Mbps	0.0 Mbps	9.98 Mbps	0.0	0.02
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	OpenWifi_psk2	Besteffort	0.0 Mbps	10.0 Mbps	0.0 Mbps	9.98 Mbps	0.0	0.03

Individual Download throughput with intended load 10.0 Mbps/station for traffic VI(WiFi).

The below graph represents individual throughput for 3 clients running VI (WiFi) traffic. X- axis shows "number of clients" and Y-axis shows "Throughput in Mbps".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6		Video	0.0 Mbps	10.0 Mbps	0.0 Mbps	7.42 Mbps	0.0	1.44
1.113 Win DESKTOP-	00:bb:60:0b:5a:fe	OpenWifi_psk2	Video	0.0 Mbps	10.0 Mbps	0.0 Mbps	7.0 Mbps	0.0	0.00

F0HLI17									
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	OpenWifi_psk2	Video	0.0 Mbps	10.0 Mbps	0.0 Mbps	8.7 Mbps	0.0	0.00

Individual Download throughput with intended load 10.0 Mbps/station for traffic VO(WiFi).

The below graph represents individual throughput for 3 clients running VO (WiFi) traffic. X- axis shows "number of clients" and Y-axis shows "Throughput in Mbps".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6		Voice	0.0 Mbps	10.0 Mbps	0.0 Mbps	8.85 Mbps	0.0	0.0
1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	OpenWifi_psk2	Voice	0.0 Mbps	10.0 Mbps	0.0 Mbps	8.41 Mbps	0.0	0.0
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	OpenWifi_psk2	Voice	0.0 Mbps	10.0 Mbps	0.0 Mbps	8.14 Mbps	0.0	0.0

Information	contact	support@candelatech.com

FTP Test

Test Setup Information

Test Setup Information	AP Name	None
	SSID	None
	Security	open
	Device List	DESKTOP-IUQFRCV(Windows), DESKTOP-F0HLI17(Windows), DESKTOP-3KOIAJR(Windows)
	No of Devices	Total(3) Windows(3)
	Failed CXs	NONE
	File size	5MB
	File location	/home/lanforge
	Traffic	

Direction	Download
Traffic Duration	1.0m

No of times file Download

The below graph represents number of times a file Download for each client(WiFi) traffic. X- axis shows "No of times file Download" and Y-axis shows Client names.



Average time taken to Download file

The below graph represents average time taken to Download for each client (WiFi) traffic. X- axis shows "Average time taken to Download a file " and Y-axis shows Client names.



File Download Time (sec)

The below table will provide information of minimum, maximum and the average time taken by clients to download a file in seconds

Minimum	Maximum	Average
0.0	0.0	0.0

Overall Results

Clients	MAC	Channel	SSID	Mode	No of times File downloaded	Time Taken to Download file (ms)	Bytes-rd (Mega Bytes)	RX RATE (Mbps)	Failed Urls
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6	0		AUTO 20	0	1.446	0.0	0.0	47
1.113 Win	00:bb:60:0b:5a:fe	36	OpenWifi_psk2	802.11abgn-	0	0.527	0.0	0.0	55

DESKTOP-F0HLI17				AC 20 1x1					
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	0	1.267	0.0	0.0	56

HTTP Test

Test Setup Information

Test Setup Information	AP Name	TestAP
	SSID	None
	Device List	DESKTOP-IUQFRCV(Windows), DESKTOP-F0HLI17(Windows), DESKTOP-3KOIAJR(Windows)
	Security	open
	No of Devices	Total(3) Windows(3)
	Traffic Direction	Download
	Traffic Duration	1.0m
	File size	5MB
	File location	/usr/local/lanforge/nginx/html
	failed_cx's	NONE



Average time taken to download file

The below graph represents average time taken to download for each client . X- axis shows "Average time taken to download a file " and Y-axis shows Client names.



Download Time Table Description

This Table will provide you information of the minimum, maximum and the average time taken by clients to download a webpage in seconds

Minimum	Maximum	Average
0.6	0.8	0.7

Overall Results

Clients	MAC	Channel	SSID	Mode	No of times File downloaded	Average time taken to Download file (ms)	Bytes-rd (Mega Bytes)	Rx Rate (Mbps)	Failed url's
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6	0		AUTO 20	8	582.749	40.0	5.7638	0
1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	8	700.249	40.0	5.7622	0
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	8	797.750	40.0	5.7622	0

THROUGHPUT Test