Candela Base Class

2025-09-24 16:35:34.207106

Parallel Tests

Traffic Details

s/no	test_name	Duration	status
1	THROUGHPUT TEST [Parallel 5]	1 mins	EXECUTED
2	FTP TEST [Parallel 3]	1 mins	EXECUTED
3	HTTP TEST [Parallel 4]	1 mins	EXECUTED
4	QoS TEST [Parallel 2]	1 mins	EXECUTED

PING Test

Test Setup Information	SSID	None
	Security	open
	Website / IP	www.google.com
	No of Devices	4 (V:0, A:1, W:3, L:0, M:0)
	Duration (in minutes)	1.0

Packets sent vs packets received vs packets dropped



Wireless Client	MAC	Channel	SSID	Mode	Packets Sent	Packets Received	Packets Loss
DESKTOP-IUQFRCV Windows	24:ee:9a:39:2e:61	0		AUTO 20	0	0	0
DESKTOP-F0HLI17 Windows	00:bb:60:0b:5a:fe	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	0	0	0
DESKTOP-3KOIAJR Windows	f4:8c:50:e2:01:67	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	0	0	0
Vivo_R2_C5 Android	1e:ea:80:de:35:38	36	OpenWifi_psk2	802.11abgn-AC 80	0	0	0

Ping Latency Graph



Wireless Client	MAC	Channel	SSID	Mode	Min Latency (ms)	Average Latency (ms)	Max Latency (ms)
DESKTOP-IUQFRCV Windows	24:ee:9a:39:2e:61	0		AUTO 20	0.0	0.0	0.0
DESKTOP-F0HLI17 Windows	00:bb:60:0b:5a:fe	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	0.0	0.0	0.0
DESKTOP-3KOIAJR Windows	f4:8c:50:e2:01:67	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	0.0	0.0	0.0
Vivo_R2_C5 Android	1e:ea:80:de:35:38	36	OpenWifi_psk2	802.11abgn-AC 80	0.0	0.0	0.0

Notes

Wireless Client	Port	Remarks
DESKTOP-IUQFRCV	1.110.wlan0	No output for ping
DESKTOP-F0HLI17	1.113.wlan0	No output for ping
DESKTOP-3KOIAJR	1.117.wlan0	No output for ping
Vivo_R2_C5	1.11.wlan0	No output for ping

QOS Test

Test Configuration	Device List	DESKTOP-IUQFRCV(Windows), DESKTOP-F0HLI17(Windows), DESKTOP-3KOIAJR(Windows), Vivo_R2_C5(Android)
	Number of Stations	Total(4) Android(1) Windows(3)
	AP Model	Test-AP
	SSID	None
	Traffic Duration in hours	0.02
	Security	open
	Protocol	TCP
	Traffic Direction	Download
	TOS	['VO', 'VI', 'BE', 'BK']
	Per TOS Load in Mbps	10.0 Mbps

Overall Download Throughput for all TOS i.e BK | BE | Video (VI) | Voice (VO)

No of Stations	Throughput for Load 10.0 Mbps-download
4	BK : 0.0, BE : 0.0, VI: 0.0, VO: 0.0

Overall Download throughput for 4 clients with different TOS.

The below graph represents overall Download throughput for all connected stations running BK, BE, VO, VI traffic with different intended loads10.0 Mbps per tos



Individual Download throughput with intended load 10.0 Mbps/station for traffic BK(WiFi).

The below graph represents individual throughput for 4 clients running BK (WiFi) traffic. X- axis shows "Throughput in Mbps" and Y-axis shows "number of clients".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6		Background	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	OpenWifi_psk2	Background	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	OpenWifi_psk2	Background	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.11 android Vivo_R2_C5	e:ea:80:de:35:38	OpenWifi_psk2	Background	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0

Individual Download throughput with intended load 10.0 Mbps/station for traffic BE(WiFi).

The below graph represents individual throughput for 4 clients running BE (WiFi) traffic. X- axis shows "number of clients" and Y-axis shows "Throughput in Mbps".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6		Besteffort	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	OpenWifi_psk2	Besteffort	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	OpenWifi_psk2	Besteffort	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.11 android Vivo_R2_C5	e:ea:80:de:35:38	OpenWifi_psk2	Besteffort	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0

Individual Download throughput with intended load 10.0 Mbps/station for traffic VI(WiFi).

The below graph represents individual throughput for 4 clients running VI (WiFi) traffic. X- axis shows “number of clients” and Y-axis shows “Throughput in Mbps”.



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6		Video	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	OpenWifi_psk2	Video	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	OpenWifi_psk2	Video	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.11 android Vivo_R2_C5	e:ea:80:de:35:38	OpenWifi_psk2	Video	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0

Individual Download throughput with intended load 10.0 Mbps/station for traffic VO(WiFi).

The below graph represents individual throughput for 4 clients running VO (WiFi) traffic. X- axis shows “number of clients” and Y-axis shows “Throughput in Mbps”.



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6		Voice	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0

1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	OpenWifi_psk2	Voice	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	OpenWifi_psk2	Voice	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0
1.11 android Vivo_R2_C5	e:ea:80:de:35:38	OpenWifi_psk2	Voice	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	0.0

Information	contact	support@candelatech.com

FTP Test

Test Setup Information

Test Setup Information	AP Name	None
	SSID	None
	Security	open
	Device List	DESKTOP-IUQFRCV(Windows), DESKTOP-F0HLI17(Windows), DESKTOP-3KOIAJR(Windows), Vivo_R2_C5(Android)
	No of Devices	Total(4) Android(1) Windows(3)
	Failed CXs	NONE
	File size	5MB
	File location	/home/lanforge
	Traffic Direction	Download
	Traffic Duration	1.0m

No of times file Download

The below graph represents number of times a file Download for each client(WiFi) traffic. X- axis shows “No of times file Download” and Y-axis shows Client names.



Average time taken to Download file

The below graph represents average time taken to Download for each client (WiFi) traffic. X- axis shows “Average time taken to Download a file ” and Y-axis shows Client names.



File Download Time (sec)

The below table will provide information of minimum, maximum and the average time taken by clients to download a file in seconds

Minimum	Maximum	Average
0.0	0.0	0.0

Overall Results

Clients	MAC	Channel	SSID	Mode	No of times File downloaded	Time Taken to Download file (ms)	Bytes-rd (Mega Bytes)	RX RATE (Mbps)	Failed Urls
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6	36	OpenWifi_psk2	802.11abgn-AC 80	0	0.0	0.0	0.0	0
1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	0		AUTO 20	0	0.0	0.0	0.0	0
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	0	0.0	0.0	0.0	0
1.11 android Vivo_R2_C5	e:ea:80:de:35:38	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	0	0.0	0.0	0.0	0

HTTP Test

Test Setup Information

Test Setup Information	AP Name	TestAP
	SSID	None
	Device List	DESKTOP-IUQFRCV(Windows), DESKTOP-F0HLI17(Windows), DESKTOP-3KOIAJR(Windows), Vivo_R2_C5(Android)
	Security	open
	No of Devices	Total(4) Android(1) Windows(3)
	Traffic Direction	Download
	Traffic Duration	1.0m
	File size	5MB
	File location	/usr/local/lanforge/nginx/html
	failed_cx's	NONE



Average time taken to download file

The below graph represents average time taken to download for each client . X- axis shows “Average time taken to download a file ” and Y-axis shows Client names.



Download Time Table Description

This Table will provide you information of the minimum, maximum and the average time taken by clients to download a webpage in seconds

Minimum	Maximum	Average
0.0	0.0	0.0

Overall Results

Clients	MAC	Channel	SSID	Mode	No of times File downloaded	Average time taken to Download file (ms)	Bytes-rd (Mega Bytes)	Rx Rate (Mbps)	Failed url's
1.110 Win DESKTOP-IUQFRCV	24:ee:9a:39:2e:6	36	OpenWifi_psk2	802.11abgn-AC 80	0	0.0	0.0	0.0	0
1.113 Win DESKTOP-F0HLI17	00:bb:60:0b:5a:fe	0		AUTO 20	0	0.0	0.0	0.0	0
1.117 Win DESKTOP-3KOIAJR	f4:8c:50:e2:01:6	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	0	0.0	0.0	0.0	0
1.11 android Vivo_R2_C5	e:ea:80:de:35:38	36	OpenWifi_psk2	802.11abgn-AC 20 1x1	0	0.0	0.0	0.0	0

THROUGHPUT Test

Input Parameters

The below tables provides the input parameters for the test

Test Configuration	Test name	fsghfsd
	Device List	DESKTOP-IUQFRCV(Windows), DESKTOP-F0HLI17(Windows), DESKTOP-3KOIAJR(Windows), Vivo_R2_C5(Android)
	No of Devices	Total(4) Android(1) Windows(3)
	Increment	None
	Traffic Duration in minutes	1.0
	Traffic Type	UDP
	Traffic Direction	Upload
	Upload Rate(Mbps)	10.0Mbps
	Download Rate(Mbps)	0.0Mbps
	Load Type	Per Client Load
	Packet Size	AUTO

Real Time Throughput: Achieved Throughput: Upload : 0.0 Mbps



Per Client Avg-Throughput



RSSI Of The Clients Connected



Detailed Result Table

The below tables provides detailed information for the throughput test on each device.

Device Type	Username	SSID	MAC	Channel	Mode	Offered download rate (Mbps)	Observed Average download rate (Mbps)	Offered upload rate (Mbps)	Observed Average upload rate (Mbps)	RSSI (dBm)	Average RTT (ms)	Packet Size(Bytes)	Average Tx Drop %	Average Rx Drop %
Windows	DESKTOP-IUQFRCV		24:ee:9a:39:2e:6	0	AUTO 20	0.0	0	10.0	0.0		0	AUTO	0.0	0.0

Windows	DESKTOP-F0HLI17	OpenWifi_psk2	00:bb:60:0b:5a:fe	36	802.11abgn-AC 20 1x1	0.0	0	10.0	0.0	-33	0	AUTO	0.0	0.0
Windows	DESKTOP-3KOIAJR	OpenWifi_psk2	f4:8c:50:e2:01:6	36	802.11abgn-AC 20 1x1	0.0	0	10.0	0.0	-33	0	AUTO	0.0	0.0
Android	Vivo_R2_C5	OpenWifi_psk2	e:ea:80:de:35:38	36	802.11abgn-AC 80	0.0	0	10.0	0.0	-39	0	AUTO	0.0	0.0