Candela Base Class

2025-09-25 23:12:52.925790

Parallel Tests

Traffic Details

s/no	test_name	Duration	status
1	MULTICAST TEST [Parallel 5]	1 mins	EXECUTED
2	THROUGHPUT TEST [Parallel 7]	1 mins	EXECUTED
3	FTP TEST [Parallel 3]	1 mins	EXECUTED
4	HTTP TEST [Parallel 4]	1 mins	EXECUTED
5	VIDEO STREAMING TEST [Parallel 6]	1 mins	EXECUTED
6	QoS TEST [Parallel 2]	1 mins	EXECUTED

PING Test

Test Setup Information	SSID	None
	Security	open
	Website / IP	www.google.com
	No of Devices	1 (V:0, A:1, W:0, L:0, M:0)
	Duration (in minutes)	1.0

Packets sent vs packets received vs packets dropped



Wireless Client	MAC	Channel	SSID	Mode	Packets Sent	Packets Received	Packets Loss
samsung1 Android	86:84:7a:c9:aa:ba	11	NETGEAR_2G_wpa2	802.11abgn 20	0	0	0

Ping Latency Graph



Wireless Client	MAC	Channel	SSID	Mode	Min Latency (ms)	Average Latency (ms)	Max Latency (ms)
samsung1 Android	86:84:7a:c9:aa:ba	11	NETGEAR_2G_wpa2	802.11abgn 20	0.0	0.0	0.0

Notes

Wireless Client	Port	Remarks
samsung1	1.11.wlan0	No output for ping

QOS Test

Test Configuration	Device List	samsung1(Android)
	Number of Stations	Total(1) Android(1)
	AP Model	Test-AP
	SSID	None
	Traffic Duration in hours	0.02
	Security	open

Protocol	TCP
Traffic Direction	Download
TOS	['VO', 'VI', 'BE', 'BK']
Per TOS Load in Mbps	10.0 Mbps

Overall Download Throughput for all TOS i.e BK | BE | Video (VI) | Voice (VO)

No of Stations	Throughput for Load 10.0 Mbps-download
1	BK : 4.32, BE : 2.75, VI: 0.0, VO: 0.0

Overall Download throughput for 1 clients with different TOS.

The below graph represents overall Download throughput for all connected stations running BK, BE, VO, VI traffic with different intended loads10.0 Mbps per tos



Individual Download throughput with intended load 10.0 Mbps/station for traffic BK(WiFi).

The below graph represents individual throughput for 1 clients running BK (WiFi) traffic. X- axis shows "Throughput in Mbps" and Y-axis shows "number of clients".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.11 android samsung1	86:84:7a:c9:aa:ba	NETGEAR_2G_wpa2	Background	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.4 Mbps	0.0	58.34

Individual Download throughput with intended load 10.0 Mbps/station for traffic BE(WiFi).

The below graph represents individual throughput for 1 clients running BE (WiFi) traffic. X- axis shows "number of clients" and Y-axis shows "Throughput in Mbps".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.11 android samsung1	86:84:7a:c9:aa:ba	NETGEAR_2G_wpa2	Besteffort	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.12 Mbps	0.0	67.98

Individual Download throughput with intended load 10.0 Mbps/station for traffic VI(WiFi).

The below graph represents individual throughput for 1 clients running VI (WiFi) traffic. X- axis shows "number of clients" and Y-axis shows "Throughput in Mbps".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.11 android samsung1	86:84:7a:c9:aa:ba	NETGEAR_2G_wpa2	Video	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.05 Mbps	0.0	78.54

Individual Download throughput with intended load 10.0 Mbps/station for traffic VO(WiFi).

The below graph represents individual throughput for 1 clients running VO (WiFi) traffic. X- axis shows "number of clients" and Y-axis shows "Throughput in Mbps".



Client Name	MAC	SSID	Type of traffic	Offered upload rate	Offered download rate	Observed average upload rate	Observed average download rate	Observed Upload Drop (%)	Observed Download Drop (%)
1.11 android samsung1	86:84:7a:c9:aa:ba	NETGEAR_2G_wpa2	Voice	0.0 Mbps	10.0 Mbps	0.0 Mbps	0.0 Mbps	0.0	96.97

Information	contact	support@candelatech.com

FTP Test

Test Setup Information

Test Setup Information	AP Name	None
	SSID	None
	Security	open
	Device List	samsung1(Android)
	No of Devices	Total(1) Android(1)
	Failed CXs	NONE
	File size	5MB
	File location	/home/lanforge
	Traffic Direction	Download
	Traffic Duration	1.0m

No of times file Download

The below graph represents number of times a file Download for each client(WiFi) traffic. X- axis shows "No of times file Download" and Y-axis shows Client names.



Average time taken to Download file

The below graph represents average time taken to Download for each client (WiFi) traffic. X- axis shows "Average time taken to Download a file " and Y-axis shows Client names.



File Download Time (sec)

The below table will provide information of minimum, maximum and the average time taken by clients to download a file in seconds

Minimum	Maximum	Average
0.0	0.0	0.0

Overall Results

Clients	MAC	Channel	SSID	Mode	No of times File downloaded	Time Taken to Download file (ms)	Bytes-rd (Mega Bytes)	RX RATE (Mbps)	Failed Urls
1.11 android samsung1	86:84:7a:c9:aa:ba	11	NETGEAR_2G_wpa2	802.11abgn 20	0	0.0	0.0	0.0	0

HTTP Test

Test Setup Information

Test Setup Information	AP Name	TestAP
	SSID	None
	Device List	samsung1(Android)
	Security	open
	No of Devices	Total(1) Android(1)
	Traffic Direction	Download
	Traffic Duration	1.0m
	File size	5MB
	File location	/usr/local/lanforge/nginx/html
	failed_cx's	NONE



Average time taken to download file

The below graph represents average time taken to download for each client . X- axis shows "Average time taken to download a file " and Y-axis shows Client names.



Download Time Table Description

This Table will provide you information of the minimum, maximum and the average time taken by clients to download a webpage in seconds

Minimum	Maximum	Average
0.0	0.0	0.0

Overall Results

Clients	MAC	Channel	SSID	Mode	No of times File downloaded	Average time taken to Download file (ms)	Bytes-rd (Mega Bytes)	Rx Rate (Mbps)	Failed url's
1.11 android samsung1	86:84:7a:c9:aa:ba	11	NETGEAR_2G_wpa2	802.11abgn 20	0	0.0	0.0014	0.0004	0

MULTICAST Test

Device Under Test Information

Device Under Test	DUT Name	
	DUT Hardware Version	

	DUT Software Version	
	DUT Serial Number	

Test Configuration

Test Configuration	LANforge ip	192.168.204.75
	LANforge port	8080
	Upstream	eth1
	Test Duration	1m
	Polling Interval	5s
	Total No. of Devices	1

Radio Configuration

Individual throughput mcast download bps: 10000000 traffic VO (WiFi).

The below graph represents individual throughput for 1 clients running VO (WiFi) traffic. Y- axis shows "Client names" and X-axis shows "Throughput in Mbps".



Client Alias	Host eid	Host Name	Device Type / Hw Ver	Endp Name	Port Name	Mode	Mac	SSID	Channel	Type of traffic	Traffic Protocol	Offered Upload Rate Per Client	Offered Download Rate Per Client	Upload Rate Per Client	Download Rate Per Client	Drop Percentage (%)
1.11_21DKGB09_Android	1.11	21DKGB09	samsung SM-M045F r14 sdk: 34	MLT-mrx-VO-wlan0-1	1.11.wlan0	802.11abgn 20	86:84:7a:c9:aa:ba	NETGEAR_2G_wpa2	11	VO	Mcast	0	10000000	0	7286	0.0

Individual throughput upstream endp, offered upload bps: 0 offered download bps: 10000000 /station for traffic VO (WiFi).

The below graph represents individual throughput for 1 clients running VO (WiFi) traffic. Y- axis shows "Client names" and X-axis shows "Throughput in Mbps".



Client Alias	Host eid	Host Name	Device Type / HW Ver	Endp Name	Port Name	Mode	Mac	SSID	Channel	Type of traffic	Traffic Protocol	Offered Upload Rate Per Client	Offered Download Rate Per Client	Upload Rate Per Client	Download Rate Per Client	Drop Percentage (%)
1.1_lf0312-7d02_Linux	1.1	lf0312-7d02	Linux/x86-64	MLT-mtx-VO-eth1-0	1.1.eth1		00:03:2d:3f:7d:03		[channel: 1]	VO	Mcast	0	10000000	0	7472638	0.0

Layer 3 Cx Traffic Last Reporting Interval eth1

Time epoch	Time	Total-Station-Count	UL-Min-Requested	UL-Max-Requested	DL-Min-Requested	DL-Max-Requested	UL-Min-PDU	UL-Max-PDU	DL-Min-PDU	DL-Max-PDU	Attenuation	Name	Rx-Bps	Tx-Bps	Rx-Link-Rate	Tx-Link-Rate	RSSI	AP	Mode	MAC	Channel
1758822134	09_25_2025_23_12_14	2	0	0	10000000	10000000	MTU	MTU	MTU	MTU	-1	eth1	2438438	5915008	10 Mbps	10 Mbps	NaN	NaN	NaN	00:03:2d:3f:7d:03	[channel: 1]

Layer 3 Cx Traffic Last Reporting Interval 1.11.wlan0

Time epoch	Time	Total-Station-Count	UL-Min-Requested	UL-Max-Requested	DL-Min-Requested	DL-Max-Requested	UL-Min-PDU	UL-Max-PDU	DL-Min-PDU	DL-Max-PDU	Attenuation	Name	Rx-Bps	Tx-Bps	Rx-Link-Rate	Tx-Link-Rate	RSSI	AP	Mode	
1758822134	09_25_2025_23_12_14	2	0	0	10000000	10000000	MTU	MTU	MTU	MTU	-1	1.11.wlan0	3953285	5431601	78 Mbps	78 Mbps	-21	94:A6:7E:74:26:22	802.11abgn 20	86:84:7

Video Streaming Test

Input Parameters

Test Setup Information	Testname	asdas_1213
	Device List	samsung1 (Android)
	No of Devices	Total(1): Android(1)
	Incremental Values	No Incremental Value provided
	URL	https://test-streams.mux.dev/x36xhzz/x36xhzz.m3u8

Media Source	HLS
Media Quality	4k
Total Duration (min)	1

Realtime Video Rate: Number of devices running: 1



Total Urls Per Device



Max/Min Video Rate Per Device



Wait Time Per Device



Overall - Detailed Result Table

The below tables provides detailed information for the Video Streaming test.

DEVICE TYPE	Username	SSID	MAC	Channel	Mode	Buffers	Wait-Time(Sec)	Min Video Rate(Mbps)	Avg Video Rate(Mbps)	Max Video Rate(Mbps)	Total URLs	Total Errors	RSSI (dbm)	Link Speed	Bytes Read (bytes)	Average Rx Rate (Mbps)
Android	samsung1	NETGEAR_2G_wpa2	86:84:7a:c9:aa:ba	11	802.11abgn 20	1	1.47	2.15	0.42	2.15	0	0	-21 dbm	86 Mbps	13101156	0.23

Detailed Total Errors Table

The below tables provides detailed information of total errors for the web browsing test.

DEVICE	TOTAL ERRORS
samsung1	0

THROUGHPUT Test

Input Parameters

The below tables provides the input parameters for the test

Test Configuration	Test name	asdas_1213
	Device List	samsung1(Android)
	No of Devices	Total(1) Android(1)
	Increment	None
	Traffic Duration in minutes	1.0
	Traffic Type	UDP
	Traffic Direction	Upload
	Upload Rate(Mbps)	10.0Mbps
	Download Rate(Mbps)	0.0Mbps
	Load Type	Per Client Load
	Packet Size	AUTO

Real Time Throughput: Achieved Throughput: Upload : 2.46 Mbps



Per Client Avg-Throughput



RSSI Of The Clients Connected



Detailed Result Table

The below tables provides detailed information for the throughput test on each device.

Device Type	Username	SSID	MAC	Channel	Mode	Offered download rate (Mbps)	Observed Average download rate (Mbps)	Offered upload rate (Mbps)	Observed Average upload rate (Mbps)	RSSI (dBm)	Average RTT (ms)	Packet Size(Bytes)	Average Tx Drop %	Average Rx Drop %
Android	samsung1	NETGEAR_2G_wpa2	86:84:7a:c9:aa:ba	11	802.11abgn 20	0.0	0	10.0	2.46	-21	1733	AUTO	1.22	0.0