

The Google Hosted Libraries is a stable, reliable, high-speed, globally available content distribution network for the most popular, open-source JavaScript libraries.

Google works directly with the key stakeholders for each library effort and accepts the latest versions as they are released.

Libraries

To load a hosted library, copy and paste the HTML snippet for that library (shown below) in your web page. For instance, to load jQuery, embed the `<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>` snippet in your web page.

We recommend that you load libraries from the CDN via HTTPS, even if your own website only uses HTTP. Nowadays, performance is fast, and caching works just the same. The CDN's files are served with CORS (<http://www.w3.org/TR/cors/#access-control-allow-origin-response-header>) and Timing-Allow (<http://www.w3.org/TR/resource-timing/#cross-origin-resources>) headers and allowed to be cached for 1 year.

Bootstrap

snippet:

```
<script
src="https://ajax.googleapis.com/ajax/libs/bootstrap/5.3.3/js/bootstra
p.min.js"></script>
```

site:

github.com/twbs/bootstrap (<https://github.com/twbs/bootstrap>)

versions:

5.3.3

Bootstrap-Table

snippet:

```
<script src="https://ajax.googleapis.com/ajax/libs/bootstrap-table/1.23.2/dist/bootstrap-table.min.css"></script>
```

site:

github.com/wenzhixin/bootstrap-table (https://github.com/wenzhixin/bootstrap-table)

versions:

1.23.2

CesiumJS

snippet:

```
<script  
src="https://ajax.googleapis.com/ajax/libs/cesiumjs/1.78/Build/Cesium/  
Cesium.js"></script>
```

site:

github.com/CesiumGS/cesium (https://github.com/CesiumGS/cesium)

versions:

1.78

D3.js

snippet:

```
<script  
src="https://ajax.googleapis.com/ajax/libs/d3js/7.9.0/d3.min.js">  
</script>
```

site:

d3js.org (https://d3js.org/)

versions:

7.9.0, 7.8.5, 7.8.4, 7.8.3, 7.8.2, 7.8.1, 7.8.0, 7.7.0, 7.6.1, 7.4.2, 7.0.0
6.7.0, 6.6.2, 6.6.1, 6.6.0, 6.5.0, 6.3.1, 6.2.0, 6.1.1
5.16.0, 5.15.1, 5.15.0, 5.14.2, 5.12.0, 5.11.0, 5.9.7, 5.9.2, 5.9.0, 5.8.0, 5.7.0

4.13.0

3.5.17

Dojo

snippet:

```
<script  
src="https://ajax.googleapis.com/ajax/libs/dojo/1.13.0/dojo/dojo.js">  
</script>
```

site:

dojotoolkit.org (<http://dojotoolkit.org/>)

versions:

1.13.0, 1.12.3, 1.12.2, 1.12.1, 1.11.5, 1.11.4, 1.11.3, 1.11.2, 1.11.1, 1.10.9, 1.10.8,
1.10.7, 1.10.6, 1.10.5, 1.10.4, 1.10.3, 1.10.2, 1.10.1, 1.10.0, 1.9.11, 1.9.10, 1.9.9, 1.9.8,
1.9.7, 1.9.6, 1.9.5, 1.9.4, 1.9.3, 1.9.2, 1.9.1, 1.9.0, 1.8.14, 1.8.13, 1.8.12, 1.8.11, 1.8.10,
1.8.9, 1.8.8, 1.8.7, 1.8.6, 1.8.5, 1.8.4, 1.8.3, 1.8.2, 1.8.1, 1.8.0, 1.7.12, 1.7.11, 1.7.10,
1.7.9, 1.7.8, 1.7.7, 1.7.6, 1.7.5, 1.7.4, 1.7.3, 1.7.2, 1.7.1, 1.7.0, 1.6.5, 1.6.4, 1.6.3, 1.6.2,
1.6.1, 1.6.0, 1.5.6, 1.5.5, 1.5.4, 1.5.3, 1.5.2, 1.5.1, 1.5.0, 1.4.8, 1.4.7, 1.4.6, 1.4.5, 1.4.4,
1.4.3, 1.4.1, 1.4.0, 1.3.2, 1.3.1, 1.3.0, 1.2.3, 1.2.0, 1.1.1

Ext Core

snippet:

```
<script src="https://ajax.googleapis.com/ajax/libs/ext-core/3.1.0/ext-  
core.js"></script>
```

site:

[sencha.com/products/extcore](http://www.sencha.com/products/extcore) (<http://www.sencha.com/products/extcore>)

versions:

3.1.0, 3.0.0

Hammer.JS

snippet:

```
<script
src="https://ajax.googleapis.com/ajax/libs/hammerjs/2.0.8/hammer.min.js"></script>
```

site:

hammerjs.github.io (<http://hammerjs.github.io/>)

versions:

2.0.8

Indefinite Observable

snippet:

```
<script type="module">
  import { IndefiniteObservable } from
  "https://ajax.googleapis.com/ajax/libs/indefinite-
  observable/2.0.1/indefinite-observable.bundle.js";
</script>
```

site:

<https://github.com/material-motion/indefinite-observable-js>
(<https://github.com/material-motion/indefinite-observable-js>)

versions:

2.0.1, 1.0.1

jQuery

3.x snippet:

```
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"
></script>
```

2.x snippet:

```
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/2.2.4/jquery.min.js"
></script>
```

1.x snippet:

```
<script  
src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.4/jquery.min.js  
></script>
```

site:

jquery.com (http://jquery.com/)

versions:

3.7.1, 3.7.0, 3.6.4, 3.6.3, 3.6.2, 3.6.1, 3.6.0, 3.5.1, 3.5.0, 3.4.1, 3.4.0, 3.3.1, 3.2.1, 3.2.0, 3.1.1, 3.1.0, 3.0.0, 2.2.4, 2.2.3, 2.2.2, 2.2.1, 2.2.0, 2.1.4, 2.1.3, 2.1.1, 2.1.0, 2.0.3, 2.0.2, 2.0.1, 2.0.0, 1.12.4, 1.12.3, 1.12.2, 1.12.1, 1.12.0, 1.11.3, 1.11.2, 1.11.1, 1.11.0, 1.10.2, 1.10.1, 1.10.0, 1.9.1, 1.9.0, 1.8.3, 1.8.2, 1.8.1, 1.8.0, 1.7.2, 1.7.1, 1.7.0, 1.6.4, 1.6.3, 1.6.2, 1.6.1, 1.6.0, 1.5.2, 1.5.1, 1.5.0, 1.4.4, 1.4.3, 1.4.2, 1.4.1, 1.4.0, 1.3.2, 1.3.1, 1.3.0, 1.2.6, 1.2.3

note:

3.3.0, 2.1.2, 1.2.5 and 1.2.4 are not hosted due to their short and unstable lives in the wild.

jQuery Mobile

snippet:

```
<link rel="stylesheet"  
href="https://ajax.googleapis.com/ajax/libs/jquerymobile/1.4.5/jquery.  
mobile.min.css">  
<script  
src="https://ajax.googleapis.com/ajax/libs/jquerymobile/1.4.5/jquery.m  
obile.min.js"></script>
```

site:

jquerymobile.com (http://jquerymobile.com/)

versions:

1.4.5, 1.4.4, 1.4.3, 1.4.2, 1.4.1, 1.4.0

note:

This library depends on jQuery. You must also load jQuery before loading this module.

jQuery UI

snippet:

```
<link rel="stylesheet"
href="https://ajax.googleapis.com/ajax/libs/jqueryui/1.14.1/themes/smoothness/jquery-ui.css">
<script
src="https://ajax.googleapis.com/ajax/libs/jqueryui/1.14.1/jquery-ui.min.js"></script>
```

site:

jqueryui.com (http://jqueryui.com/)

versions:

1.14.1, 1.14.0, 1.13.3, 1.13.2, 1.13.1, 1.13.0, 1.12.1, 1.12.0, 1.11.4, 1.11.3, 1.11.2, 1.11.1, 1.11.0, 1.10.4, 1.10.3, 1.10.2, 1.10.1, 1.10.0, 1.9.2, 1.9.1, 1.9.0, 1.8.24, 1.8.23, 1.8.22, 1.8.21, 1.8.20, 1.8.19, 1.8.18, 1.8.17, 1.8.16, 1.8.15, 1.8.14, 1.8.13, 1.8.12, 1.8.11, 1.8.10, 1.8.9, 1.8.8, 1.8.7, 1.8.6, 1.8.5, 1.8.4, 1.8.2, 1.8.1, 1.8.0, 1.7.3, 1.7.2, 1.7.1, 1.7.0, 1.6.0, 1.5.3, 1.5.2

note:

This library depends on jQuery. You must also load jQuery before loading this module. Version 1.8.3 is not hosted due to its short life, and the alias 1.8.3 actually loads 1.8.4.

List.js

snippet:

```
<script
src="https://ajax.googleapis.com/ajax/libs/listjs/2.3.1/list.min.js">
</script>
```

site:

listjs.com (https://listjs.com/)

versions:

2.3.1

Material Motion

snippet:

```
<script type="module">
  import {
    Draggable,
    Point2DSpring,
    Tossable,
    combineStyleStreams,
    getPointerEventStreamsFromElement,
  } from "https://ajax.googleapis.com/ajax/libs/material-
motion/0.1.0/material-motion.bundle.js";
</script>
```

site:

<https://github.com/material-motion/material-motion-js>
(<https://github.com/material-motion/material-motion-js>)

versions:

0.1.0

Model-Viewer

snippet:

```
<script src="https://ajax.googleapis.com/ajax/libs/model-
viewer/3.0.0/model-viewer.min.js"></script>
```

site:

modelviewer.dev (<https://modelviewer.dev/>)

versions:

3.0.0, 2.1.1, 2.1.0, 2.0.2, 2.0.1, 2.0.0, 1.12.0, 1.11.1, 1.10.0, 1.9.0, 1.8.0, 1.7.2, 1.7.0,
1.6.0, 1.5.1, 1.3.1, 1.2.1, 1.1.0, 1.0.0

MooTools

snippet:

```
<script  
src="https://ajax.googleapis.com/ajax/libs/mootools/1.6.0/mootools.min  
.js"></script>
```

site:

mootools.net (http://mootools.net/)

versions:

1.6.0, 1.5.2, 1.5.1, 1.5.0, 1.4.5, 1.4.4, 1.4.3, 1.4.2, 1.4.1, 1.4.0, 1.3.2, 1.3.1, 1.3.0, 1.2.5,
1.2.4, 1.2.3, 1.2.2, 1.2.1, 1.1.2, 1.1.1

note:

For versions 1.5.1 and earlier, the filename of the minified version is called mootools-yui-compressed.js instead of mootools.min.js.

Myanmar Tools

snippet:

```
<script src="https://ajax.googleapis.com/ajax/libs/myanmar-  
tools/1.2.1/zawgyi_detector.min.js"></script> <script  
src="https://ajax.googleapis.com/ajax/libs/myanmar-  
tools/1.2.1/zawgyi_converter.min.js"></script>
```

site:

<https://github.com/google/myanmar-tools/> (https://github.com/google/myanmar-tools/)

recommended versions:

1.2.1

all hosted versions:

1.0.1

1.1.0

1.1.1

1.1.3

1.2.0

1.2.1

Prototype

snippet:

```
<script  
src="https://ajax.googleapis.com/ajax/libs/prototype/1.7.3.0/prototype  
.js"></script>
```

site:

prototypejs.org (<http://prototypejs.org/>)

versions:

1.7.3.0, 1.7.2.0, 1.7.1.0, 1.7.0.0, 1.6.1.0, 1.6.0.3, 1.6.0.2

script.aculo.us

snippet:

```
<script  
src="https://ajax.googleapis.com/ajax/libs/scriptaculous/1.9.0/scripta  
culous.js"></script>
```

site:

script.aculo.us (<http://script.aculo.us/>)

versions:

1.9.0, 1.8.3, 1.8.2, 1.8.1

note:

This library depends on **Prototype**. Before loading this module, you must load Prototype.

Shaka Player

snippet:

```
<!-- for non-UI builds: -->
<script src="https://ajax.googleapis.com/ajax/libs/shaka-
player/5.1.0/shaka-player.compiled.js"></script>

<!-- or, for UI builds: -->
<script src="https://ajax.googleapis.com/ajax/libs/shaka-
player/5.1.0/shaka-player.ui.js"></script>
<link rel="stylesheet"
href="https://ajax.googleapis.com/ajax/libs/shaka-
player/5.1.0/controls.css">
```

site:

<https://github.com/google/shaka-player/> (<https://github.com/google/shaka-player/>)

maintained versions:

5.1.0, 5.0.11, 4.16.27, 4.15.39

all hosted versions:

5.1.0, 5.0.0 - 5.0.11, 4.16.0 - 4.16.27, 4.15.0 - 4.15.39, 4.14.0 - 4.14.28, 4.13.0 - 4.13.25, 4.12.0 - 4.12.18, 4.11.0 - 4.11.21, 4.10.0 - 4.10.26, 4.9.0 - 4.9.36, 4.8.0 - 4.8.20, 4.7.0 - 4.7.15, 4.6.0 - 4.6.18, 4.5.0, 4.4.0 - 4.4.3, 4.3.0 - 4.3.16, 4.2.0 - 4.2.14, 4.1.0 - 4.1.7, 4.0.0 - 4.0.5, 3.3.0 - 3.3.19, 3.2.0 - 3.2.21, 3.1.0 - 3.1.8, 3.0.0 - 3.0.15, 2.5.0-beta - 2.5.23, 2.4.0 - 2.4.7, 2.3.0 - 2.3.10, 2.2.0 - 2.2.10, 2.1.0 - 2.1.9, 2.0.6 - 2.0.9, 1.6.5

SPF

snippet:

```
<script src="https://ajax.googleapis.com/ajax/libs/spf/2.4.0/spf.js">
</script>
```

site:

youtube.github.io/spfjs (<http://youtube.github.io/spfjs/>)

versions:

2.4.0, 2.3.2, 2.3.1, 2.3.0, 2.2.0, 2.1.2, 2.1.1, 2.1.0, 2.0.1, 2.0.0

SWFObject

snippet:

```
<script  
src="https://ajax.googleapis.com/ajax/libs/swfobject/2.2/swfobject.js"  
></script>
```

site:

github.com/swfobject/swfobject (https://github.com/swfobject/swfobject)

versions:

2.2, 2.1

three.js

snippet:

```
<script  
src="https://ajax.googleapis.com/ajax/libs/threejs/r84/three.min.js">  
</script>
```

site:

threejs.org (http://threejs.org/)

versions:

r84, r83, r82, r81, r80, r79, r78, r77, r76, r75, r74, r73, r72, r71, r70, r69, r68, r67, r49

Web Font Loader

snippet>

```
<script  
src="https://ajax.googleapis.com/ajax/libs/webfont/1.6.26/webfont.js">  
</script>
```

site:

github.com/typekit/webfontloader (https://github.com/typekit/webfontloader)

versions:

1.6.26, 1.6.16, 1.5.18, 1.5.10, 1.5.6, 1.5.3, 1.5.2, 1.5.0

Troubleshooting

Seeing an outdated version? Make sure you're not using the "automatic version" links, like `/jqueryui/1/...`, but instead use URLs referring to exact versions. Due to concerns over caching and lack of compatibility between even minor versions, we have deprecated and stopped updating the automatic version aliases some time ago, so they will forever refer to an old version (in order to not break existing sites that still use them).

If you encounter problems:

- Look for typos. Remember that JavaScript is a case-sensitive language.
- Use a JavaScript debugger. In Chrome, use the [Chrome DevTools](https://developer.chrome.com/devtools) (<https://developer.chrome.com/devtools>). In Firefox, you can use the built-in [Firefox DevTools](https://developer.mozilla.org/en-US/docs/Tools) (<https://developer.mozilla.org/en-US/docs/Tools>). In IE, you can use the [F12 developer tools](http://msdn.microsoft.com/library/ie/bg182326.aspx) (<http://msdn.microsoft.com/library/ie/bg182326.aspx>).

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/) (<https://creativecommons.org/licenses/by/4.0/>), and code samples are licensed under the [Apache 2.0 License](https://www.apache.org/licenses/LICENSE-2.0) (<https://www.apache.org/licenses/LICENSE-2.0>). For details, see the [Google Developers Site Policies](https://developers.google.com/site-policies) (<https://developers.google.com/site-policies>). Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2026-04-15 UTC.