Structured Perceptron

Computational Linguistics: Jordan Boyd-Graber

University of Maryland

Hands-On Demo

Problem setup

- Restricted set of POS tags: adjective, preposition, verb, determiner, noun
- We first have sentence "answer the question" with true POS sequence DET NN VB PRO
- Features are $(z_i, z_{i+1}), (z_i, w_i)$
- What's a maximum violation POS sequence?

Problem setup

- Restricted set of POS tags: adjective, preposition, verb, determiner, noun
- We first have sentence "answer the question" with true POS sequence DET NN VB PRO
- Features are $(z_i, z_{i+1}), (z_i, w_i)$
- What's a maximum violation POS sequence?
- Can do on paper because search is tractable

Problem setup

- Restricted set of POS tags: adjective, preposition, verb, determiner, noun
- We first have sentence "answer the question" with true POS sequence DET NN VB PRO
- Features are $(z_i, z_{i+1}), (z_i, w_i)$
- What's a maximum violation POS sequence?
- Can do on paper because search is tractable
- So we're all on the same page, let's all use DET DET
- · Break ties lexicographically

• Prediction: DET DET DET

• Prediction: DET DET DET

Prediction: DET DET DET

Gold Features

(START, VB)

(VB, DET)

(DET, NN)

(VB, answer)

(NN, question)

Shared Features

(DET, the)

Predicted Features

(START, DET)

(DET, DET)

(DET, answer)

(DET, question)

• Prediction: DET DET DET

Gold Features
(START, VB)
(VB, DET)
(DET, NN)
(VB, answer)
(NN, question)

Shared Features (DET, the)

Predicted Features (START, DET) (DET, DET) (DET, answer) (DET, question)

New feature vector: (DET, DET): -2.00; (DET, NN): 1.00;
 (DET, answer): -1.00; (DET, question): -1.00; (NN, question): 1.00;
 (VB, DET): 1.00; (VB, answer): 1.00; (START, DET): -1.00;
 (START, VB): 1.00

• Prediction: DET DET DET

Gold Features
(START, VB)
(VB, DET)
(DET, NN)
(VB, answer)
(NN, question)

Shared Features (DET, the)

Predicted Features (START, DET) (DET, DET) (DET, answer) (DET, question)

New feature vector: (DET, DET): -2.00; (DET, NN): 1.00;
 (DET, answer): -1.00; (DET, question): -1.00; (NN, question): 1.00;
 (VB, DET): 1.00; (VB, answer): 1.00; (START, DET): -1.00;
 (START, VB): 1.00

$$S = \frac{PRO}{NN} \begin{pmatrix} NN \\ DET \\ VB \end{pmatrix}$$
 (1)

WSTART, PRO + WPRO, question =
$$0.00 + 0.00 = 0.00$$

$$\delta = \frac{PRO}{NN} \begin{pmatrix} 0.00 \\ NN \\ DET \\ VB \end{pmatrix}$$
 (1)

$$w_{START, NN} + w_{NN, question} = 0.00 + 1.00 = 1.00$$

$$\delta = \frac{PRO}{NN} \begin{pmatrix} 0.00 \\ 1.00 \\ DET \\ VB \end{pmatrix}$$
 (1)

wSTART, DET + wDET, question =
$$-1.00 + -1.00 = -2.00$$

$$\delta = \frac{PRO}{NN} \begin{pmatrix} 0.00 \\ 1.00 \\ -2.00 \\ VB \end{pmatrix}$$
 (1)

$$w_{START, VB} + w_{VB, question} = 1.00 + 0.00 = 1.00$$

$$\delta = \frac{PRO}{NN} \begin{pmatrix} 0.00 \\ 1.00 \\ -2.00 \\ VB \end{pmatrix}$$
 (1)

$$\delta_0(NN) + w_{NN, PRO} + w_{PRO, the} = 1.00 + 0.00 + 0.00 = 1.00$$

$$\delta = \frac{PRO}{NN} \begin{pmatrix} 0.00 & 1.00 \\ 1.00 & \\ DET & \\ VB & 1.00 \end{pmatrix}$$
 (1)

$$\delta_0(NN) + w_{NN, NN} + w_{NN, the} = 1.00 + 0.00 + 0.00 = 1.00$$

$$\delta = \frac{PRO}{DET} \begin{pmatrix} 0.00 & 1.00 \\ 1.00 & 1.00 \\ -2.00 \\ 1.00 & 1.00 \end{pmatrix}$$
 (1)

$$\delta_0(VB) + w_{VB, DET} + w_{DET, the} = 1.00 + 1.00 + 0.00 = 2.00$$

$$\delta = \frac{PRO}{DET} \begin{pmatrix} 0.00 & 1.00 \\ 1.00 & 1.00 \\ -2.00 & 2.00 \\ 1.00 \end{pmatrix}$$
 (1)

$$\delta_0(NN) + w_{NN, VB} + w_{VB, the} = 1.00 + 0.00 + 0.00 = 1.00$$

$$\delta = \frac{PRO}{NN} \begin{pmatrix} 0.00 & 1.00 \\ 1.00 & 1.00 \\ 1.00 & 1.00 \\ -2.00 & 2.00 \\ 1.00 & 1.00 \end{pmatrix}$$
 (1)

$$\delta_1(DET) + w_{DET, PRO} + w_{PRO, answer} = 2.00 + 0.00 + 0.00 = 2.00$$

$$\delta = \begin{array}{c} \text{question}_0 & \text{the}_1 & \text{answer}_2 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 & 2.00 \\ 1.00 & 1.00 \\ -2.00 & 2.00 \\ 1.00 & 1.00 \\ \end{pmatrix} \tag{1}$$

$$\delta_1(DET) + w_{DET, NN} + w_{NN, answer} = 2.00 + 1.00 + 0.00 = 3.00$$

$$\delta = \begin{array}{c} \text{question}_0 & \text{the}_1 & \text{answer}_2 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 & 2.00 \\ 1.00 & 1.00 & 3.00 \\ -2.00 & 2.00 \\ 1.00 & 1.00 \\ \end{pmatrix} \tag{1}$$

$$\delta_1(VB) + w_{VB, DET} + w_{DET, answer} = 1.00 + 1.00 + -1.00 = 1.00$$

$$\delta = \begin{array}{c} \text{question}_0 & \text{the}_1 & \text{answer}_2 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 & 2.00 \\ 1.00 & 1.00 & 3.00 \\ -2.00 & 2.00 & 1.00 \\ 1.00 & 1.00 \\ \end{pmatrix} \tag{1}$$

$$\delta_1(DET) + w_{DET, VB} + w_{VB, answer} = 2.00 + 0.00 + 1.00 = 3.00$$

$$\delta = \frac{PRO}{DET} \begin{pmatrix} 0.00 & 1.00 & 2.00 \\ 1.00 & 1.00 & 3.00 \\ -2.00 & 2.00 & 1.00 \\ 1.00 & 1.00 & 3.00 \end{pmatrix}$$
 (1)

Scores

$$\delta = \begin{array}{c} \text{question}_0 & \text{the}_1 & \text{answer}_2 \\ PRO \left(\begin{array}{cccc} 0.00 & 1.00 & 2.00 \\ 1.00 & 1.00 & 3.00 \\ -2.00 & 2.00 & 1.00 \\ 1.00 & 1.00 & 3.00 \end{array} \right) \end{array} \tag{1}$$

Backpointers

$$\beta = \begin{cases} \text{PRO} & \text{NN} & \text{DET} \\ \text{NN} & \text{DET} \\ \text{DET} & \text{VB} & \text{VB} \\ \text{NN} & \text{DET} \end{cases}$$
 (2)

Scores

$$\delta = \begin{array}{c} \text{question}_0 & \text{the}_1 & \text{answer}_2 \\ PRO \left(\begin{array}{cccc} 0.00 & 1.00 & 2.00 \\ 1.00 & 1.00 & 3.00 \\ -2.00 & 2.00 & 1.00 \\ 1.00 & 1.00 & 3.00 \end{array} \right) \end{array} \tag{1}$$

Backpointers

$$\beta = \begin{cases} \text{PRO} & \text{NN} & \text{DET} \\ \text{NN} & \text{DET} \\ \text{DET} & \text{VB} & \text{VB} \\ \text{NN} & \text{DET} \end{cases}$$
 (2)

Scores

$$\delta = \frac{PRO}{NN} \begin{pmatrix} 0.00 & 1.00 & 2.00 \\ 1.00 & 1.00 & 3.00 \\ -2.00 & 2.00 & 1.00 \\ 1.00 & 1.00 & 3.00 \end{pmatrix}$$
(1)

Backpointers

$$\beta = \frac{\text{PRO} \left(\begin{array}{ccc} NN & DET \\ NN & DET \\ \text{DET} & VB & VB \\ NN & DET \end{array} \right)}{NN & DET}$$
(2)

Reconstruction: VB DET NN

• Prediction: VB DET NN

• Prediction: VB DET NN

Prediction: VB DET NN

Shared Features

(START, VB)

(VB, DET)

(DET, NN)

(VB, question)

(DET, the)

(NN, answer)

Predicted Features

5

Gold Features

Prediction: VB DET NN

Gold Features

Shared Features

(START, VB)

(VB, DET)

(DET, NN)

(VB, question)

(DET, the)

(NN, answer)

Predicted Features

New feature vector: (DET, DET): -2.00; (DET, NN): 1.00; (DET, answer): -1.00; (DET, question): -1.00; (NN, question): 1.00; (VB, DET): 1.00; (VB, answer): 1.00; (START, DET): -1.00; (START, VB): 1.00

5

$$\delta = \frac{PRO}{NN} \begin{pmatrix} \\ NN \\ DET \\ VB \end{pmatrix}$$
 (3)

$$w_{START, PRO} + w_{PRO, you} = 0.00 + 0.00 = 0.00$$

$$S = \frac{PRO}{DET} \begin{pmatrix} 0.00 \\ VB \end{pmatrix}$$
 (3)

$$w_{START, NN} + w_{NN, you} = 0.00 + 0.00 = 0.00$$

$$\delta = \frac{PRO}{NN} \begin{pmatrix} 0.00 \\ 0.00 \\ DET \\ VB \end{pmatrix}$$
 (3)

$$w_{START, DET} + w_{DET, you} = -1.00 + 0.00 = -1.00$$

$$\delta = \frac{PRO}{NN} \begin{pmatrix} 0.00 \\ 0.00 \\ 0.00 \\ -1.00 \end{pmatrix}$$
 (3)

$$w_{START, VB} + w_{VB, you} = 1.00 + 0.00 = 1.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ NN & 0.00 & 0.00 \\ DET & -1.00 & 0.00 \\ 1.00 & 0.00 \end{array} \right) \tag{3}$$

$$\delta_0(VB) + w_{VB, PRO} + w_{PRO, demand} = 1.00 + 0.00 + 0.00 = 1.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO & 0.00 & 1.00 \\ NN & 0.00 & \\ -1.00 & \\ VB & 1.00 & \\ \end{array} \right) \tag{3}$$

$$\delta_0(VB) + w_{VB, NN} + w_{NN, demand} = 1.00 + 0.00 + 0.00 = 1.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 \\ 0.00 & 1.00 \\ -1.00 \\ 1.00 \\ \end{array} \right) \tag{3}$$

$$\delta_0(VB) + w_{VB, DET} + w_{DET, demand} = 1.00 + 1.00 + 0.00 = 2.00$$

$$\delta = \begin{array}{cccc} & \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO & 0.00 & 1.00 & \\ NN & 0.00 & 1.00 & \\ -1.00 & 2.00 & \\ 1.00 & \end{array} \right) \tag{3}$$

$$\delta_0(VB) + w_{VB, VB} + w_{VB, demand} = 1.00 + 0.00 + 0.00 = 1.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 \\ 0.00 & 1.00 \\ -1.00 & 2.00 \\ 1.00 & 1.00 \\ \end{pmatrix} \tag{3}$$

$$\delta_1(DET) + w_{DET, PRO} + w_{PRO, the} = 2.00 + 0.00 + 0.00 = 2.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 & 2.00 \\ 0.00 & 1.00 \\ -1.00 & 2.00 \\ 1.00 & 1.00 \\ \end{pmatrix} \tag{3}$$

$$\delta_1(DET) + w_{DET, NN} + w_{NN, the} = 2.00 + 1.00 + 0.00 = 3.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 & 2.00 \\ 0.00 & 1.00 & 3.00 \\ -1.00 & 2.00 \\ 1.00 & 1.00 \\ \end{pmatrix} \tag{3}$$

$$\delta_1(VB) + w_{VB, DET} + w_{DET, the} = 1.00 + 1.00 + 0.00 = 2.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 & 2.00 \\ 0.00 & 1.00 & 3.00 \\ -1.00 & 2.00 & 2.00 \\ 1.00 & 1.00 \\ \end{pmatrix} \tag{3}$$

$$\delta_1(DET) + w_{DET, VB} + w_{VB, the} = 2.00 + 0.00 + 0.00 = 2.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 & 2.00 \\ 0.00 & 1.00 & 3.00 \\ -1.00 & 2.00 & 2.00 \\ 1.00 & 1.00 & 2.00 \\ \end{pmatrix} \tag{3}$$

$$\delta_2(NN) + w_{NN, PRO} + w_{PRO, delay} = 3.00 + 0.00 + 0.00 = 3.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO & 0.00 & 1.00 & 2.00 & 3.00 \\ 0.00 & 1.00 & 3.00 \\ -1.00 & 2.00 & 2.00 \\ 1.00 & 1.00 & 2.00 \end{array} \right) \tag{3}$$

$$\delta_2(DET) + w_{DET, NN} + w_{NN, delay} = 2.00 + 1.00 + 0.00 = 3.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO & 0.00 & 1.00 & 2.00 & 3.00 \\ 0.00 & 1.00 & 3.00 & 3.00 \\ -1.00 & 2.00 & 2.00 \\ 1.00 & 1.00 & 2.00 \end{array} \right) \tag{3}$$

$$\delta_2(NN) + w_{NN, DET} + w_{DET, delay} = 3.00 + 0.00 + 0.00 = 3.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO & 0.00 & 1.00 & 2.00 & 3.00 \\ 0.00 & 1.00 & 3.00 & 3.00 \\ -1.00 & 2.00 & 2.00 & 3.00 \\ 1.00 & 1.00 & 2.00 & \end{array} \right) \tag{3}$$

$$\delta_2(NN) + w_{NN, VB} + w_{VB, delay} = 3.00 + 0.00 + 0.00 = 3.00$$

$$\delta = \begin{array}{c} \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO \\ NN \\ DET \\ VB \end{array} \begin{pmatrix} 0.00 & 1.00 & 2.00 & 3.00 \\ 0.00 & 1.00 & 3.00 & 3.00 \\ -1.00 & 2.00 & 2.00 & 3.00 \\ 1.00 & 1.00 & 2.00 & 3.00 \\ \end{pmatrix} \tag{3}$$

Scores

$$\delta = \begin{array}{ccccc} & \text{you}_0 & \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ PRO & 0.00 & 1.00 & 2.00 & 3.00 \\ 0.00 & 1.00 & 3.00 & 3.00 \\ -1.00 & 2.00 & 2.00 & 3.00 \\ 1.00 & 1.00 & 2.00 & 3.00 \\ \end{array} \right) \tag{3}$$

Backpointers

$$\beta = \begin{pmatrix} \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ \text{PRO} \begin{pmatrix} VB & DET & NN \\ VB & DET & DET \\ VB & VB & NN \\ VB & DET & NN \end{pmatrix}$$

$$(4)$$

Scores

$$S = \begin{pmatrix} you_0 & demand_1 & the_2 & delay_3 \\ PRO & 0.00 & 1.00 & 2.00 & 3.00 \\ 0.00 & 1.00 & 3.00 & 3.00 \\ -1.00 & 2.00 & 2.00 & 3.00 \\ 1.00 & 1.00 & 2.00 & 3.00 \end{pmatrix}$$
(3)

Backpointers

$$\beta = \begin{pmatrix} \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ \text{PRO} \begin{pmatrix} VB & DET & NN \\ VB & DET & DET \\ VB & VB & NN \\ VB & DET & NN \end{pmatrix}$$

$$(4)$$

Scores

Backpointers

$$\beta = \begin{pmatrix} \text{demand}_1 & \text{the}_2 & \text{delay}_3 \\ \text{PRO} \begin{pmatrix} VB & DET & NN \\ VB & DET & DET \\ VB & VB & NN \\ VB & DET & NN \end{pmatrix}$$

$$(4)$$

Reconstruction: VB DET NN DET

Wrapup

- Not just for POS tagging: parsing, machine translation
- Hard to overstate how important features $\vec{\Phi}$ are
- Deep learning: get algorithm to find features for us?

Wrapup

- Not just for POS tagging: parsing, machine translation
- Hard to overstate how important features $\vec{\Phi}$ are
- Deep learning: get algorithm to find features for us?
- Project ideas:
 - Deep learning of features
 - Applying perceptron to your favorite problem, designing great features
 - Efficient data structures for finding max violation