

Font Size and Type Face

In this lesson we'll learn how to change font size and type face. This is also done using the font tag. To specify a font size, we simply write:

```
<font size="x">This is some text.</font>
```

where x is an integer. For example we can write:

```
<font size="3">My name is Joe.</font>
```

You can set different attributes using the same font tag. Let's suppose that we wanted the text to appear red and set the font size to 5. This could be done by writing:

```
<font size="5" color="red">My name is Joe.</font>
```

This produces:

My name is Joe.

To change the typeface, we can set the *face* attribute in a font tag. For example, to set the font of a text string to *verdana*, we write:

```
<font face="verdana">My other friend is Bob.</font>
```

And we obtain:

My other friend is Bob.

As before we can combine multiple attributes including the typeface. So let's set the text to green, the face to verdana, and also set the size attribute of the text.

```
<font color="green" face="verdana" size="4">My other friend is Bob.</font>
```

This gives us:

My Other friend is Bob.

Being able to change these font attributes gives us the power to improve the appearance of our web pages. Referring to the html of the last chapter, suppose that we changed it to:

```
<body>
<center>
<h1><font color="red">Hello World!</font></h1>
</center>
<h3><font color="blue">Friends</font></h3>
<font color="red" size="5">My name is Joe.</font>
<br>
<br>
<font color="blue" size="4">My best friend is Sally.</font>
<br>
<br>
<font color="green" face="verdana" size="4">My other friend is Bob.</font>
<br>
<br>
</body>
</html>
```

Now we see:

Hello World!

Friends

My name is Joe.

My best friend is Sally.

My other friend is Bob.