LBB-8. import joura.util. cleus wrongage eschend lauphion ? oystem.out.paintlo(oggeannotloson); Woongage (int 5, int F)} Jystem.out.psintln (6+ " sons oge cannot be more man faths" + P)? class fathers ? static ent fage; Pashs Cintage)?

Fage = age;

3 class bon asctends fathus ?
int S-oge; Son (int sage, int fege)? super (jege); 6-oge = soge;

	Noid Display of theous Wrongage {
_	Noid Display of meous Wrongage ?
	8/ (P-age <0)}
	I theow new wwongogel);
	f (P-age <0)? Theow new wwogage();
	esseil (Facel 15-001)
, (3)	menu au Mungon (a-on Bon)
A ^M	esseif (Fage 13-0ge)? meownew warngoge (s-oge, Roge)
	clse ? (A 14) & 1 million market
400	System. out painter ("Patners, Page:"
	-1 Rage):
in Clark	System.out.puinten ("Patners, Roge:" -1 Rhage); System.out.puinten ("Sons oge: "+5-oge); 3
- Jan-	3
· ·	3
	Teless Farner 3
_	public dass App?
Jun.	
X	public static void mais (string Mays)
h	public static void mais (string Margs) theous Roughiers?
\~ <u>.</u>	
<u> </u>	Seannes ming z new scannes (System. in)
h	System, out plintly ("Entis Fathes agy");
h	System. out. pdintln ("entis Fatnes agi"); int P. Minp, nextmes;
`~.	System. out. printer (" entre fone ace"):
4	System. out. printin ("entis Lons age"); Son &1 = new son (3,F);
h-	SA. Display co;
h	
h	
h-	3
1	