N Sou public day App ? * CDB - 5.0 de impost java. util. a; Class Bank & Bank () } Sconny Binp = new Scanny (System.in): (1) protesti (1); 1 Devount Class class Devounts extends Bank? int A-no; String Drame = newString (); int D-autype; void get DerDatal)? D-pone = Brip. nesothing); Brautype = 8-inp. nisetInter; System. out. paintin ("Entre Account Newber") A-no = B-inp. resditato; inter two proper and been 3 ed the policy 1600 14.092


N Gare Class class Save Accesitioneds Account & double Bal; int inters = 3; void getDepasite (int Depo, Bowe Accob) { ob. Ball - ob. Bal + Depo; System. out. paintles ("the Balance amount after deposition is; "+ ob. Bal); void get Bal (Save Ace Ob)

Job. Bal >=500)

System. out. prinkln (fin balance and 14)'+

ob. Bal); System. Dul. printlo ("you don than minimen Bel"); System. out-parillo ("your Bolonu of the dedulion genarges is + ob. Bel): void get Baldnteest (6 àve Dec) } ob. Bal = ob. Bal + (0.03) + ob. Bal;

System. out. peridle (4 pre below ant is 4 Db. Bal);



paux class class Curtico extends Account ? double Bal; void get repositi (int Depo, lune Du ob) ?

ob. Bal = ob. Bal + repo;

System. out. println (" the Balance amount ofter deposition if 4. void getBal (currAll 06)?
if (06.18a1 > > 5000) } System.out. penter (o the bakence amount is " + ob. Bal); else if (ob.Bal<6000 ff 0b.Bal = 0) } 0b.Bal = 0b.Bal - 20; System, out. pensen luyou dont hau misimum Balance "). System. out. piirto l'the balance anourt ofthe the charges deduction Vis "+0b. Bal); voidgetwilhDrau (int wind, lundelob) {
if (withD<=0b.18al) { ob. Bal = 06. Bal - with ?; System.out. peintles ("You went Bolance ofthe widerdeaul is "+ ob. Bal) Bystem. out. pentln (" Insufficient Belance");

void get All info (wer All ob, String Manie, intolo) 3 System. out. paintly C" your Duoint Detart aun Ogpten. out, penter Ol"Mone" + Many; Systemous partly (" DUMO" - NO). System out pentin (" Dutype: "Curing Du ") System. out pentist" auent Bal: " ob. Bar) Public class App ? public static word main (Sting Marg)? Scanner Minp = new Scansh (System, M) System. out. pertly (" Please Rote ") Durn Diznew Buonts, Ol-getouratacn; if CAI. A- actipe == 1) } Some Au 51= nus Some Acel); for (::) } Systm. out. pertly 3 "1 Deposition 2. Balence In 3. William In 4. Bel with Inter 1 10. show Info NO Any ky to esul "); int c = M-onp. neset Tutes; Switch (c)? case as system, out parting (a Rah and to be Depositudi) ind Depo = Minp. res CTUIN: St. get Despositi (Depo, 51);

bleak; Case 8: system.out.pantin ("Rentu theant for will drawld");
int will = Minp. nuchnics;
E1. getwo moreul (S1, will);
buck. Casi Li 81. get Belintus 1 (51); S1. Geracinjo (d1, D1.D-Hans, D-NO); buel; default:

System.csc1(0):

beat: