LAB-7: import java. utiol. 4; class Generics (T)?

Trass;

void Genieres (Tgvas) }
vois = gvas;
3

T gaisplay()?

setuen val1;

public class App?

public static void main (stuing args 17) }

Scanne Ming = new Scannes (System. in);

Genicies < Integus Rollino = new Genicies < Integus ();

genius stringt Name = new Genius'es Lethingtos;

Systemout parities ("Entis Mame of Student"); Stuing Sname = Minp, nesestanico; Name. Geniais (Sname);

System.out.puritle ("Entre USNof Student"); ent sono-Minp. neset Int (»; ROLLINO. Genisius (sno);

Eystem. out. paintles ("the Student details aus ?").

Bystem. out. puintles ("Name: "+ Name.

4 displayes); System.out. println (" vont: a Rollno. 9displayes); Minp. close 12; sold geninies (Taras) ! Output: 12200 mates Entu StudentMomu: Rolly Entis USM; 2002 No ainy biox intoto siding In 6 Fudent detail an displayed: Name: Rocky 26M : 2002 MA (400 LATE > 2014) genius Estring > 11ams a new generalies ocut parath (ofato Marie of Studente); Elving Snow : whop, withouts; Sylvenocus, purition (rentu work of Erndent Prof. One - Minp. mod And (2): Rolling German (end)