EXP 1:

- 1. \$ git init
- 2. (create an html file)
- 3. \$ git status
- 4. \$ git add First.html
- 5. \$ git status
- 6. \$ git config --global user.email "22r01a05a3.cmrithyderabad.edu.in"
- 7. \$ git config --global user.name "RamyaReddyM"
- 8. \$ git commit -m "First file added"
- 9. (create a repository on github)
- 10.\$ git remote add origin https://github.com/RamyaReddyM/5A3.git
- 11. \$ git push -u origin master
- 12. \$ git branch b1
- 13.\$ git branch
- 14. \$ git checkout b1
- 15.\$ git branch
- 16. (create another html file)
- 17. \$ git status
- 18. \$ git add Second.html
- 19. \$ git status
- 20.\$ git commit -m "Second file added"
- 21.\$ git branch
- 22. \$ git push -u origin b1
- 23.\$ git checkout master
- 24. \$ git merge b1
- 25.\$ git checkout b1
- 26.\$ git push -u origin master
- 27.\$ git branch -d b1
- 28.\$ git checkout master
- 29. \$ git branch -d b1
- 30. \$ git push origin --delete b1

EXP 5:

- 1. node -v (check if node in installed)
- 2. npm install node
- 3. npm install express
- 4. node server.js

EXP 6:

- 1. npm install express node jsonwebtoken fs path
- 2. node server.js

EXP 7:

- 1. npm install express node jsonwebtoken fs path
- 2. node server.js

EXP 8:

- 1. npm install mongodb express node
- 2. node server.js

EXP 9:

- 1. npm install -g @angular/cli
- ng new prog9 (CSS Enter)
 - (No Enter)
- 3. cd prog9
- 4. ng g c header (No Enter)
- 5. ng g c home
- 6. ng g c profile
- 7. code.
- 8. src>index.html(add bootstrap links)
- 9. header.html(add routerLink, routerLinkActive)
- 10. header.ts(imports:[RouterModule])
- 11. app.component.html
- 12. app.component.ts(imports)
- 13. app.routes.ts(add code)
- 14. profile.html
- 15. home.html
- 16. ng serve

EXP 10:

1. same as 9 except change code in profile.ts, profile.html

EXP 11:

- 1. npm install -g npx
- 2. npm install -g create-react-app
- 3. npx create-react-app spa
- 4. cd spa
- 5. npm start
- 6. npm install react-router-dom
- 7. npm install bootstrap
- 8. npm install react-bootstrap bootstrap@5.1.3

EXP 12:

- 1. python -version
- 2. py -m pip install -user virtualenv
- 3. py -m venv venv
- 4. .\venv\scripts\activate
- 5. py -m install Django (or) pip install Django
- 6. py -m Django -version
- 7. django-admin startproject exp12
- 8. cd exp12
- 9. pip install djangorestframework
- 10. py manage.py runserver (or) python manage.py runserver

EXP 13:

- 1. py -m pip install -user virtualenv
- 2. py -m venv venv
- 3. .\venv\scripts\activate
- 4. py -m install Django (or) pip install Django
- 5. django-admin startproject exp13
- 6. cd exp13
- 7. pip install djangorestframework
- 8. code.
- 9. py manage.py runserver (or) python manage.py runserver

EXP 14:

- 1. python -version
- 2. py -m pip install -user virtualenv
- 3. py -m venv venv
- 4. .\venv\scripts\activate
- 5. py -m install Django (or) pip install Django
- 6. py -m Django -version
- 7. django-admin startproject exp14
- 8. cd exp14
- 9. pip install djangorestframework
- 10. django-admin startapp api
- 11. django-admin startapp base
- 12. py manage.py makemigrations
- 13. py manage.py migrate
- 14. py manage.py runserver (or) python manage.py runserver