

Module 8

Lesson : Positions In CSS

Introduction to CSS Layout

Normal Flow

Display and Visibility

Float and Clear

- **Float Layout:** Floats elements to the left or right within a container, allowing others to flow around them.
- Float Property:
 - float: left;
 - float: right;
- Clear Property: Controls how elements clear floated elements.
 - clear: left; (clears left-floated elements)
 - clear: right; (clears right-floated elements)
 - clear: both; (clears both left and right-floated elements)
 - clear: none; (no clearing)
 - clear: inherit; (inherits from parent element)

CSS Positions (Part 1)

- **CSS Positioning:** Controls element layout on a webpage.
- **Types:** Static, Relative, Absolute, Fixed, Sticky.
- **Benefits:** Control layout, relative positioning, remove from flow, overlap elements, maintain position during scrolling.
- **Position Properties:** Top, Bottom, Left, Right.

CSS Positions (Part 2)

- Absolute vs Relative Positioning:
 - Relative: Moves element, doesn't break flow.
 - Absolute: Positioned relative to ancestor, breaks flow.
- Fixed Positioning:
 - Positioned relative to the viewport, stays fixed during scrolling.
- Sticky Positioning:
 - Initially behaves like a relative, then becomes fixed at the scroll point.
- Fixed vs Sticky:
 - Fixed: Position relative to the viewport, breaks flow.
 - Sticky: Initially behaves like a relative, then becomes fixed.

Overflow and Z-Index

- Overflow:
 - Determines behavior of content exceeding container boundaries.
 - Values include visible, hidden, scroll, and auto.

- visible: Content overflows container.
 - hidden: Overflowing content is clipped.
 - scroll: Adds scrollbars.
 - auto: Scrollbars appear when needed.
- Index:
 - Determines the stacking order of elements along the z-axis.
 - Higher values place elements on top of lower ones.
 - Applied using the z-index property.