



#### What we did:

- Create two new game states PLAY and END. Assign different game behaviour for the different states.
- Group similar game objects together in a group and assign the same behaviour to all
  of them
- Create colliders for the T-Rex and each obstacle. End the game if T-Rex collides with the obstacle.

#### How we did it:

**Step 1:** Group all objects into a single group (Cloud and obstacle(cactus)) Using group properties program the behaviour of all the objects in a single stroke.

```
//generate some randome number here
var rand = randomNumber(1,100);
console.log(rand);

//create Obstacle and Cloud Groups
var ObstacleGroup = createGroup();
var CloudsGroup = createGroup();

//set text
textSize(18);
textFont("Georgia");
```



Step 2: Add the sprites to groups

```
Toolbox
  World
                  Sprites
  Groups
                  Drawing
  Control
                  Math
  Variables
                  Functions
              createGroup()
var group =
group.add(sprite)
group.remove(sprite)
group.clear()
group.contains(sprite)
group.get(i)
group.isTouching(target)
group.bounce(target)
group.bounceOff(target)
group.collide(target)
group.displace(target)
group.overlap(target)
88
        //assign scale and lifetime to the obstacle
89
90
        obstacle.scale = 0.5;
91
        obstacle.lifetime = 70;
92
        //add each obstacle to the group
93
        ObstaclesGroup.add(obstacle);
94
95
96
```



```
//adjust the depth
cloud.depth = trex.depth;
trex.depth = trex.depth + 1;

//add each cloud to the group
CloudsGroup.add(cloud);

//add each cloud to the group
CloudsGroup.add(cloud);
```

**Step 3:** Introduce a variable which will hold the value of the game state. Game State could be PLAY or END.

```
1 //initiate Game STATES
2 var PLAY = 1;
3 var END = 0;
4 var gameState = PLAY;
6 //create a trex sprite
7 var trex = createSprite(200,380,20,50);
8 trex.setAnimation("trex");
```

# Step 4: Put an IF and ELSE IF condition inside the function draw()

```
34

35 - if(gameState === PLAY){

36

37

38

39 - else if(gameState === END) {

40

41

41

}
```

#### **Step 5:** Put code behaviours inside the game state

```
38 - function draw() {
39    //set background to white
40    background("white");
41
42 - if(gameState === PLAY){
43    }
44    }
45    |
46 - else if(gameState === END) {
47
```



## **Step 6:** Move the ground, in PLAY state, stop the movement in END state

```
38 - function draw() {
      //set background to white
39
      background("white");
40
41
42 +
      if(gameState === PLAY){
        //move the ground
43
44
        ground.velocityX = -6;
      }
45
46
      else if(gameState === END) {
47 -
48
        ground.velocityX = 0;
49
      }
50
```

## Step 7: Display score at all times

```
38 - function draw() {
39
      //set background to white
      background("white");
40
41
     //display score
42
      text("Score: "+ count, 250, 100);
43
44
      if(gameState === PLAY){
45 -
46
        //move the ground
47
        ground.velocityX = -6;
48
        //scoring
49
        count = Math.round(World.frameCount/4);
50
```

#### Step 8: Reset ground during play state

```
44
        //scoring
45
        count = Math.round(World.frameCount/4);
46
47 -
        if (ground.x < 0){
48
          ground.x = ground.width/2;
49
50
51
52 -
      else if(gameState === END) {
53
        ground.velocityX = 0;
54
```

Make T-Rex jump during play state only



```
49
50
         //jump when the space key is pressed
51
        if(keyDown("space") && trex.y >= 359){
52 -
53
          trex.velocityY = -10;
        }
54
55
        //add gravity
56
        trex.velocityY = trex.velocityY + 0.8;
57
58
```

### **Step 9:** Make the invisible ground support the T-Rex at all times

```
61 -
      else if(gameState === END) {
        ground.velocityX = 0;
62
63
64
      //console.log(trex.y);
65
66
67
      //stop trex from falling down
      trex.collide(invisibleGround);
68
69
70
      //spawn the clouds
71
      spawnClouds();
```

### Step 10: Spawn the cloud and the obstacles In PLAY state

```
//spawn the clouds
80 spawnClouds();
81
82 //spawn obstacles
83 spawnObstacles();
84
```

### Step 11:

Write code to END the game when the T-Rex collides with the obstacles/ cactus.

Give '0' velocity to all the obstacles and the clouds in the game when the T-Rex collides with an obstacle.

© 2019 The content of this email is confidential and intended for the recipient specified in message only. It is strictly forbidden to share any part of this message with any third party without a written consent of the sender. If you received this message by mistake, please reply to this message and follow with its deletion, so that we can ensure such a mistake does not occur in the future.



```
72
      else if(gameState === END) {
73 +
74
        ground.velocityX = 0;
75
        ObstaclesGroup.setVelocityXEach(0);
76
        CloudsGroup.setVelocityXEach(0);
77
78
79
80
      //console.log(trex.y);
81
      //stop trex from falling down
82
      trex.collide(invisibleGround);
83
```

What's next?: Fix More Bugs