



What we did:

- Correct the memory leak problem in the code.
- Use string concatenation to randomly spawn the different kinds of obstacles in the game.
- Design a simple scoring system

How we did it:

Step 1: Spawn different kinds of obstacles on the way in the T-Rex runner game. Assign lifetime to each cloud variable which is getting created. (Formula: Time = Distance/ Speed; 400/3 = 134)

```
50 - function spawnClouds() {
51
      //write code here to spawn the clouds
      if (World.frameCount % 60 === 0) {
52 -
53
        var cloud = createSprite(400,320,40,10);
54
        cloud.y = randomNumber(280,320);
55
        cloud.setAnimation("cloud");
56
        cloud.scale = 0.5;
57
        cloud.velocityX = -3;
58
59
        //assign lifetime to the variable
60
        cloud.lifetime = 134;
61
        //adjust the depth
62
63
        cloud.depth = trex.depth;
64
        trex.depth = trex.depth + 1;
65
```



Step 2: Print a string on the console

When any text information is stored in a computer, it is written inside quotes "_" and called a String.

Step 3: String Concatenation

Two strings can be joined together using + sign. Like this: "Hello" and "World".

```
var invisibleGround = createSprite(200,385,400,5);
  15
      invisibleGround.visible = false;
  16
      console.log("Hello" + "World");
  17
  18
  19
  20
  21 - function draw() {
  22
        //set background to white
  23
        background("white");
  24
        ground.velocityX = -2;
  25
  26
        //console.log(trex.y);
  27
  28
   Debug Console
                     A Debug Sprites: Off
                                          8 Clear
                                                             Wat
HelloWorld
                                                   Variable / Prog
```

A word and number can also be used together.

```
var invisibleGround = createSprite(200,385,400,5);
invisibleGround.visible = false;

console.log("Hello" + 5);
18
19
```

Step 4: Create an empty function called spawnObstacles and use it inside the draw function.



```
//spawn the clouds
45
      spawnClouds();
46
47
      //spawn obstacles on the ground
48
      spawnObstacles();
49
50
      drawSprites();
51 }
52
53 - function spawnObstacles() {
55 }
56
57 - function spawnClouds() {
      //write code here to engun the cloude
```

Step 5: Create an obstacle sprite every 60 frames or so.

Give the obstacle the same velocity as the ground. The obstacles need to move with the ground.

```
45
      spawnClouds();
46
47
      //spawn obstacles
48
      spawnObstacles();
49
50
      drawSprites();
51
52
53 - function spawnObstacles() {
54 -
      if(World.frameCount % 60 === 0) {
55
        var obstacle = createSprite(400,365,10,40);
56
        obstacle.velocityX = -6;
57
      }
58 }
59
60 - function spawnClouds() {
61
      //write code here to spawn the clouds
        (World framaCount of
```

Step 6: Generate and store a random number between 1 to 6.

Use string concatenation to randomly assign different obstacle animations for the obstacle sprites.

```
53 - function spawnObstacles() {
54 - if(World.frameCount % 60 === 0) {
55     var obstacle = createSprite(400,365,10,40);
56     obstacle.velocityX = -6;
57
58     var rand = randomNumber(1,6);
59     obstacle.setAnimation("obstacle" + rand);
60     }
61 }
```



Scale the obstacles by half and give them a lifetime.

```
53 - function spawnObstacles() {
     if(World.frameCount % 60 === 0) {
        var obstacle = createSprite(400,365,10,40);
55
56
        obstacle.velocityX = -6;
57
        var rand = randomNumber(1,6);
58
59
        obstacle.setAnimation("obstacle" + rand);
60
        obstacle.scale = 0.5;
61
62
        obstacle.lifetime = 70;
63
   }
64
65
```

Build a simple scoring system. We can use the frameCount as the score.

```
21
   //set text
22
   textSize(18);
   textFont("Georgia");
23
24
25 - function draw() {
      //set background to white
26
      background("white");
27
28
29
      ground.velocityX = -6;
30
31
      //scoring
32
      var count = World.frameCount;
33
      text("Score: "+ count, 250, 100);
```



© 2019 The content of this email is confidential and intended for the recipient specified in message only. It is strictly forbidden to share any part of this message with any third party without a written consent of the sender. If you received this message by mistake, please reply to this message and follow with its deletion, so that we can ensure such a mistake does not occur in the future.



Step 7: Take one fourth of the frameCount as the score.

Code:

```
29
     ground.velocityX = -6;
30
31
     //scoring
32
     var count = Math.round(World.frameCount/4);
     text("Score: "+ count, 250, 100);
33
34
35
     //console.log(trex.y);
36
37 -
     if (ground.x < 0){
38
        around v = around width/2.
```

Output:



What's next?: Build collision with the obstacles and using game states