1. Employees Table

```
CREATE TABLE employees (
    emp_id INT,
    emp_name VARCHAR(50),
    department VARCHAR(50),
    salary INT,
    join_date DATE
);
```

INSERT INTO orders VALUES

(1, 'Amit', 'Chennai', 2000, '2023-01-01'),

(2, 'Ravi', 'Hyderabad', 1500, '2023-01-02'),

(3, 'Sneha', 'Chennai', 3000, '2023-01-03'),

(4, 'Kiran', 'Bangalore', 2500, '2023-01-04'),

(5, 'Priya', 'Chennai', 2000, '2023-01-05'),

(6, 'Arjun', 'Hyderabad', 1800, '2023-01-06'),

(7, 'Neha', 'Bangalore', 2200, '2023-01-07'),

(8, 'Vikas', 'Chennai', 3000, '2023-01-08'),

(9, 'Anjali', 'Hyderabad', 1700, '2023-01-09'),

(10, 'Rahul', 'Bangalore', 2600, '2023-01-10'),

(11, 'Suresh', 'Chennai', 2800, '2023-01-11'),

(12, 'Pooja', 'Hyderabad', 1600, '2023-01-12'),

(13, 'Manoj', 'Bangalore', 2400, '2023-01-13'),

(14, 'Divya', 'Chennai', 2100, '2023-01-14'),

(15, 'Karthik', 'Hyderabad', 1900, '2023-01-15'),

(16, 'Meena', 'Bangalore', 2300, '2023-01-16'),

(17, 'Raj', 'Chennai', 2700, '2023-01-17'),

(18, 'Simran', 'Hyderabad', 2000, '2023-01-18'),

(19, 'Deepak', 'Bangalore', 2500, '2023-01-19'),

(20, 'Nisha', 'Chennai', 2600, '2023-01-20');

ROW_NUMBER() ONLY Questions

1. Assign a unique row number to all employees based on salary (highest first).
2. Assign row numbers to employees **within each department** based on salary descending.
3. Assign row numbers based on employee joining date (latest first).
4. Assign row numbers within each department based on earliest joining date.
5. Assign row numbers to orders based on order date.
6. Assign row numbers to orders within each city based on order amount (highest first).
7. Assign row numbers to employees based on salary (lowest first).
8. Assign row numbers within department for employees based on name alphabetically.

⍰ RANK() ONLY Questions

9. Rank all employees based on salary (highest first).
10. Rank employees within each department based on salary.
11. Rank employees based on joining date (latest gets rank 1).
12. Rank orders based on order amount (highest first).
13. Rank orders within each city based on order amount.
14. Rank employees within department based on salary (lowest first).
15. Rank employees based on name alphabetically.
16. Rank orders within each city based on order date.

⍰ DENSE_RANK() ONLY Questions

17. Assign dense rank to employees based on salary (highest first).
18. Assign dense rank within each department based on salary.
19. Assign dense rank to employees based on joining date.
20. Assign dense rank to orders based on order amount.
21. Assign dense rank within each city based on order amount.
22. Assign dense rank to employees based on salary (lowest first).
23. Assign dense rank within department based on joining date.
24. Assign dense rank to orders based on order date.