- 1. Working with Vi editor
  - a. Create a file EditorFile using vi cmd

[siddharrth@siddharrth linux]\$ vi Editor\ File

b. Insert some text of your choice - i (insert mode)

c. Practise the following cmds.

### Exiting vi

i. :q - quit - if you have made any changes, vi will warn you of this, and you'll need to use one of the other quits.

```
Hi, this is editor using vi editor

~

E37: No write since last change (add ! to override)
```

ii. :w - write to disk

```
Hi, this is editor using vi editor

"Editor File" [New] 1L, 35B written
```


iii. :w filename - write to disk as filename

```
Hi, this is editor using vi editor saving as new file

"
"
"newFilename" [New] 2L, 55B written
```

iv. :wq! - write to disk and quit

Hi, this is editor using vi editor saving as new files saving and quit



v. ZZ - write to disk and quit

Hi, this is editor using vi editor saving as new files saving and quit doing again using zz

vi. :q! - quit without writing to disk

```
Hi, this is editor using vi editor saving as new files saving and quit doing again using zz quit without saving
```

## **Inserting text**

i. a - append text after cursor \*

Hi, this is editor using vi editor saving as new files saving and quit doing again using zz

ii. A - append text at end of line \*

Hi, this is editor using vi editor saving as new files saving and quit doing again using zz

iii. i - insert text before cursor \*

Hi, this is editor using vi editor saving as new files saving and quit doing again using zz

iv. I - insert text at beginning of line \*

Hi, this is editor using vi editor saving as new files saving and quit doing again using zz

v. o - open a blank line after the current line for text input \*

Hi, this is editor using vi editor saving as new files saving and quit doing again using zz

vi. O - open a blank line before the current line for text input \*

Hi, this is editor using vi editor

saving as new files

saving and quit
doing again using zz

\*Note: hit ESC (escape) key when finished inserting!

#### **Deleting text**

i. x - delete character at cursor

Hi, this is editor using vi editor saving as new files
saving and quit doing again using

ii. dh - delete character before cursor

Hi, this is editor using vi editor saving as new files saving and quit doing again usig

iii. nx - delete n characters at cursor

Hi, this is editor using vi editor saving as new files now copying the text and pasteing doing again using now copying the text and paste now copying the text and pastg

iv. dnw - delete n words from cursor

Hi, this is editor using vi editor saving as new files now copying the text and pasteing doing again using now copying the text and paste now copying the text and pas

v. D - delete to end of line

Hi, this is editor using vi editor saving as new files now copying the text and pasteing doing again using now copying the text and paste now copying the t

vi. dd - delete current line

Hi, this is editor using vi editor saving as new files now copying the text and pasteing doing again using now copying the text and paste

vii. ndd - delete n lines (start at current line)

```
Hi, this is editor using vi editor saving as new files now copying the text and pasteing
```

# **Copying lines**

i. yy - "yank": copy 1 line into buffer

```
Hi, this is editor using vi editor saving as new files doing again using now copying the text and pasteing
```

ii. nyy - "yank": copy n lines into buffer

```
copying the data
datas
datas
datas
```

iii. p - put contents of buffer after current line

```
Hi, this is editor using vi editor saving as new files doing again using now copying the text and pasteing now copying the text and pasteing
```

iv. P - put contents of buffer before current

```
Hi, this is editor using vi editor saving as new files now copying the text and pasteing doing again using now copying the text and pasteing now copying the text and pasteing
```

# Searching / Substituting

i. /str - search forward for str

```
Hi, this is editor using vi editor saving as new files now copying the text and pasteing doing again using now copying the text and pasteing now copying the text and pasteing and pasteing
```

ii. ?str - search backward for str

Hi, this is editor using vi editor
saving as new files
now copying the text and pasteing
doing again using
now copying the text and pasteing
now copying the text and pasteing
~

:? cop

iii. n - find next occurrence of current string

Hi, this is editor using vi editor saving as new files now copying the text and pasteing doing again using now copying the text and pasteing now copying the text and pasteing

iv. N - repeat previous search in reverse direction

Hi, this is editor using vi editor
saving as new files
now copying the text and pasteing
doing again using
now copying the text and pasteing
now copying the text and pasteing

v. :s/old/new - substitute new for first occurrence of old in current line

Hi, this is editor using vi editor saving as new files now copying the text and pasteing replace the word second be first

:s/first/second

vi. :s/old/new/g - substitute new for all occurrences of old in current line

```
Hi, this is editor using vi editor
saving as new files
now copying the text and pasteing
replace the word second
example to replaced the words and replaced the phrase in line
```

:s/replace/replaced/g

```
Hi, this is editor using vi editor
saving as new files
now copying the text and pasteing
changed the word second
example to changedd the words and changedd the phrase in line
```

## SHEET -4 – VI EDITOR, USER ACC MGMT AND FILE OWNERSHIP

- 2. User Account management (Become root user) Create users and groups complete exercise 3 and then perform delete.
  - a. Add users Saurav, Robin, Ronaldo and Messi using useradd cmd

```
[root@siddharrth siddharrth]# useradd Saurav
[root@siddharrth siddharrth]# useradd Robin
[root@siddharrth siddharrth]# useradd Ronaldo
[root@siddharrth siddharrth]# useradd Messi
```

b. Add groups – Football and Cricket using groupadd cmd

[root@siddharrth siddharrth]# groupadd Football
[root@siddharrth siddharrth]# groupadd Criket

c. Add Saurav and Robin to Cricket grp using usermod -aG groupname username

[root@siddharrth siddharrth]# usermod -aG Criket Saurav
[root@siddharrth siddharrth]# usermod -aG Criket Robin

d. Add Messi and Ronaldo to Football grp using usermod -aG groupname username

[root@siddharrth siddharrth]# usermod -aG Football Messi [root@siddharrth siddharrth]# usermod -aG Football Ronaldo

e. Verify using id cmd - id username

```
[root@siddharrth siddharrth]# id Saurav
uid=1009(Saurav) gid=1009(Saurav) groups=1009(Saurav),1014(Criket)
[root@siddharrth siddharrth]# id Robin
uid=1010(Robin) gid=1010(Robin) groups=1010(Robin),1014(Criket)
[root@siddharrth siddharrth]# id Ronaldo
uid=1011(Ronaldo) gid=1011(Ronaldo) groups=1011(Ronaldo),1013(Football)
[root@siddharrth siddharrth]# id Messi
uid=1012(Messi) gid=1012(Messi) groups=1012(Messi),1013(Football)
```

f. Verify using groups cmd – groups username

```
[root@siddharrth siddharrth]# groups Saurav
Saurav : Saurav Criket
[root@siddharrth siddharrth]# groups Robin
Robin : Robin Criket
[root@siddharrth siddharrth]# groups Ronaldo
Ronaldo : Ronaldo Football
[root@siddharrth siddharrth]# groups Messi
Messi : Messi Football
```

1

g. Add user Dravid to group Cricket – useradd -G groupname username

```
[root@siddharrth siddharrth]# useradd -G Criket Dravid
[root@siddharrth siddharrth]# groups Dravid
Dravid : Dravid Criket
[root@siddharrth siddharrth]# id Dravid
uid=1013(Dravid) gid=1015(Dravid) groups=1015(Dravid),1014(Criket)
[root@siddharrth siddharrth]#
```

h. Add user Neymar to group Football – useradd -G groupname username

```
[root@siddharrth siddharrth]# useradd -G Football Neymar
[root@siddharrth siddharrth]# groups Neymar
Neymar : Neymar Football
[root@siddharrth siddharrth]# id Neymar
uid=1014(Neymar) gid=1016(Neymar) groups=1016(Neymar),1013(Football)
[root@siddharrth siddharrth]#
```

i. Observe the files - /etc/passwd , /etc/shadow , /etc/groups

```
[root@siddharrth siddharrth]# tail -5 /etc/passwd
Robin:x:1010:1010::/home/Robin:/bin/bash
Ronaldo:x:1011:1011::/home/Ronaldo:/bin/bash
Messi:x:1012:1012::/home/Messi:/bin/bash
Dravid:x:1013:1015::/home/Dravid:/bin/bash
Neymar:x:1014:1016::/home/Neymar:/bin/bash
[root@siddharrth siddharrth]# tail -5 /etc/shadow
Robin:!!:20007:0:99999:7:::
Ronaldo:!!:20007:0:99999:7:::
Messi:!!:20007:0:99999:7:::
Dravid:!!:20007:0:99999:7:::
Neymar:!!:20007:0:99999:7:::
[root@siddharrth siddharrth]# tail -5 /etc/group
Messi:x:1012:
Football:x:1013:Messi,Ronaldo,Neymar
Criket:x:1014:Saurav,Robin,Dravid
Dravid:x:1015:
Neymar:x:1016:
```

j. Create a group players. Add all the users to Players grp.

```
[root@siddharrth siddharrth]# usermod -aG Players Saurav [root@siddharrth siddharrth]# usermod -aG Players Robin [root@siddharrth siddharrth]# usermod -aG Players Ronaldo [root@siddharrth siddharrth]# usermod -aG Players Messi [root@siddharrth siddharrth]# usermod -aG Players Dravid [root@siddharrth siddharrth]# usermod -aG Players Neymar [root@siddharrth siddharrth]#
```

k. Delete user Saurav and Messi including their home directory

```
[root@siddharrth siddharrth]# userdel -r Saurav
```

```
[root@siddharrth home]# ls -ltr | tail -6
drwxr-xr-x. 18 siddharrth siddharrth 4096 Oct 8 15:06 siddharrth
drwx-----. 3 Robin Robin 78 Oct 11 14:30 Robin
drwx----. 3 Ronaldo Ronaldo 78 Oct 11 14:30 Ronaldo
drwx----. 3 Messi Messi 78 Oct 11 14:31 Messi
drwx----. 3 Dravid Dravid 78 Oct 11 14:37 Dravid
drwx----. 3 Neymar Neymar 78 Oct 11 14:39 Neymar
[root@siddharrth home]#
```

I. Remove user Neymar and Dravid from Player grp using gpasswd -d username groupname

```
[root@siddharrth home]# gpasswd -d Neymar Players
Removing user Neymar from group Players
[root@siddharrth home]# id Neymar
uid=1014(Neymar) gid=1016(Neymar) groups=1016(Neymar),1013(Football)
[root@siddharrth home]# gpasswd -d Dravid Players
Removing user Dravid from group Players
[root@siddharrth home]# id Dravid
uid=1013(Dravid) gid=1015(Dravid) groups=1015(Dravid),1014(Criket)
```

m. Delete group Football using groupdel cmd

```
[root@siddharrth home]# groupdel Football
[root@siddharrth home]# tail /etc/group
einstein:x:1006:
bob:x:1007:
adrian:x:1008:
Robin:x:1010:
Ronaldo:x:1011:
Messi:x:1012:
Criket:x:1014:Robin,Dravid
Dravid:x:1015:
Neymar:x:1016:
Players:x:1017:Robin,Ronaldo,Messi
```

n. Create group Chess and add users Pragg, Anand, vaishala and gukesh

```
[root@siddharrth home]# useradd -G Chess Pragg
[root@siddharrth home]# useradd -G Chess Anand
[root@siddharrth home]# useradd -G Chess Vaishala
[root@siddharrth home]# useradd -G Chess gukesh
[root@siddharrth home]# tail -5 /etc/passwd
Neymar:x:1014:1016::/home/Neymar:/bin/bash
Pragg:x:1015:1020::/home/Pragg:/bin/bash
Anand:x:1016:1021::/home/Anand:/bin/bash
Vaishala:x:1017:1022::/home/Vaishala:/bin/bash
gukesh:x:1018:1023::/home/gukesh:/bin/bash
[root@siddharrth home]# tail -5 /etc/group
Chess:x:1019:Pragg,Anand,Vaishala,gukesh
Pragg:x:1020:
Anand:x:1021:
Vaishala:x:1022:
gukesh:x:1023:
```

o. Delete user Pragg and Anand using userdel -r username and observe the changes.

```
[root@siddharrth home]# userdel -r Pragg
[root@siddharrth home]# userdel -r Anand
[root@siddharrth home]# tail -5 /etc/passwd
Messi:x:1012:1012::/home/Messi:/bin/bash
Dravid:x:1013:1015::/home/Dravid:/bin/bash
Neymar:x:1014:1016::/home/Neymar:/bin/bash
Vaishala:x:1017:1022::/home/Vaishala:/bin/bash
gukesh:x:1018:1023::/home/gukesh:/bin/bash
[root@siddharrth home]#
```

- p. Add a user of your choice and add to any grp as primary group
  - i. Usermod -g groupname username

```
[root@siddharrth home]# usermod -g Marvel gukesh
```

ii. Delete this group and observe the changes.

```
[root@siddharrth home]# groupdel Marvel
groupdel: cannot remove the primary group of user 'gukesh'
```

- 3. File Ownership commands
  - a. Cricketers file under your home directory change owner to Saurav using chown username filename

```
[root@siddharrth siddharrth]# chown Dravid cricket
[siddharrth@siddharrth ~]$ ls -ltr cricket
-rw-r--r-. 1 Dravid siddharrth 30 Oct 11 15:16 cricket
[siddharrth@siddharrth ~]$ cat > cricket
bash: cricket: Permission denied
```

b. Sample file under your home directory change group to Cricket using chgrp grpname filename

```
[root@siddharrth siddharrth]# chgrp Criket cricket [root@siddharrth siddharrth]# ls -l cricket -rw-r--r--. 1 Dravid Criket 30_0ct 11 15:16 cricket
```

c. Change owner and grp of file Footballers using chown username:groupname filename

```
[root@siddharrth siddharrth]# ls -l footballers
-rw-r--r-. 1 siddharrth siddharrth 28 Oct 11 15:22 footballers
[root@siddharrth siddharrth]# chown Neymar:Marvel footballers
[root@siddharrth siddharrth]# ls -l footballers
-rw-r--r-. 1 Neymar Marvel 28_Oct 11 15:22 footballers
```

d. For the CEO directory change owner to Neymar and grp to Football

```
[root@siddharrth siddharrth]# chown Neymar:Football CEO/drwxr-xr-x. 6 Neymar Football 90 Oct 3 16:35 CEO
```

e. Observe the changes in its sub directories and files

```
[root@siddharrth siddharrth]# ls -ltr CEO
total 4
drwxr-xr-x. 4 siddharrth siddharrth 48 Oct 1 19:29 VP_Product
drwxr-xr--. 3 siddharrth siddharrth 24 Oct 1 19:31 VP_Sales
drwxr-xr-x. 3 siddharrth siddharrth 21 Oct 1 19:32 VP_People
drwxr-xr-x. 4 siddharrth siddharrth 41 Oct 1 19:34 VP_Engineering
-rw-r----. 1 siddharrth siddharrth 18 Oct 3 16:35 try
```

f. For the CEO directory change owner to Neymar and grp to Football using -R option

```
[root@siddharrth siddharrth]# chown -R Neymar:Football CEO/
```

g. Observe the changes in its sub directories and files

```
[root@siddharrth siddharrth]# ls -ltr CEO
total 4
drwxr-xr-x. 4 Neymar Football 48 Oct 1 19:29 VP_Product
drwxr-xr--. 3 Neymar Football 24 Oct 1 19:31 VP_Sales
drwxr-xr-x. 3 Neymar Football 21 Oct 1 19:32 VP_People
drwxr-xr-x. 4 Neymar Football 41 Oct 1 19:34 VP_Engineering
-rw-r--r-. 1 Neymar Football 18 Oct 3 16:35 try
[root@siddharrth siddharrth]#
```