

PROJECT REPORT

On

Fruit.ai

**COMPUTER SCIENCE AND ENGINEERING
B.E. Batch-2021**

September-2024

Submitted By :-

Priyanshu - 2110992074

Fruit.ai

Health Manager Project

Interfaces Overview

Sign In

Access user accounts and personalized features.

Home

Landing page providing an overview of features.

Chatbot

Interactive assistant for user inquiries and support.

Translator

Language translation features for diverse users.

FAQs

Open Sandbox



Welcome to Fruit.ai

Username

Password

LOGIN

Welcome to Fruit.ai

Manage your health with our smart tools!



Chatbot

Get personalized fruit suggestions through our smart chatbot.

GO TO CHATBOT



Translator

Translate fruit information into your local language.

GO TO TRANSLATOR



FAQs

Find answers to your questions about fruits.

GO TO FAQs



About Us

Learn more about the Fruit.ai mission.

GO TO ABOUT US

Frequently Asked Questions

What is an Apple?

An apple is a fruit.

DELETE

How do bananas grow?

Bananas grow on plants.

DELETE

Add a New FAQ

Question

Answer

ADD FAQ

About Fruit.ai

Fruit.ai is a health management tool designed to help users learn about various fruits and their health benefits. Our chatbot provides real-time fruit information, and the translator helps you understand fruit-related terms in your regional language.

At Fruit.ai, we aim to promote healthy eating habits and provide easy access to fruit-related information with cutting-edge AI technology.

Translate Fruit Names

Enter text

TRANSLATE

Frequently Asked Questions

What is Fruit.ai?




How can I use Fruit.ai?



Is there a mobile app?





```
src > JS App.js > ...
1  import React from 'react';
2  import { BrowserRouter as Router, Route, Routes } from 'react-router-dom';
3  import HomePage from './pages/HomePage';
4  import LoginPage from './pages/LoginPage';
5  import ChatbotPage from './pages/ChatbotPage';
6  import TranslatorPage from './pages/TranslatorPage';
7  import FAQPage from './pages/FAQPage';
8  import AboutPage from './pages/AboutPage';
9
10 function App() {
11   return (
12     <Router>
13       <Routes>
14         <Route path="/" element={<LoginPage />} />
15         <Route path="/home" element={<HomePage />} />
16         <Route path="/chatbot" element={<ChatbotPage />} />
17         <Route path="/translator" element={<TranslatorPage />} />
18         <Route path="/faq" element={<FAQPage />} />
19         <Route path="/about" element={<AboutPage />} />
20       </Routes>
21     </Router>
22   );
23 }
24
25 export default App;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SEARCH ERROR

```
C:\Users\Hp\Downloads\New folder\fruit-ai>
* History restored

Microsoft windows [version 10.0.22631.4169]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Hp\Downloads\New folder\fruit-ai>
```

```
C:\Users\Hp\Downloads\New folder\fruit-ai>
* History restored

Microsoft windows [version 10.0.22631.4169]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Hp\Downloads\New folder\fruit-ai>
```

File Edit Selection View Go Run Terminal Help

fruit-ai

EXPLORER

... age JS index.js ...\TranslatorPage JS index.js ...\ChatbotPage # index.css JS index.js fruit-api JS FAQ.js JS faqRoutes.js JS App.js # App.css

> OPEN EDITORS

FRUIT-AI

fruit-api

.env

JS index.js

package-lock.json

package.json

node_modules

public

src

pages

AboutPage

ChatbotPage

index.css

JS index.js

FAQPage

index.css

JS index.js

HomePage

LoginPage

TranslatorPage

index.css

JS index.js

App.css

JS App.js

JS App.test.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

OUTLINE

TIMELINE

NPM SCRIPTS

src > # App.css > .App

1 .App {

2 text-align: center;

3 }

4

5 .App-logo {

6 height: 40vmin;

7 pointer-events: none;

8 }

9

10 @media (prefers-reduced-motion: no-preference) {

11 .App-logo {

12 animation: App-logo-spin infinite 20s linear;

13 }

14 }

15

16 .App-header {

17 background-color: #282c34;

18 min-height: 100vh;

19 display: flex;

20 flex-direction: column;

21 align-items: center;

22 justify-content: center;

23 font-size: calc(10px + 2vmin);

24 color: white;

25 }

26

27 .App-link {

28 color: #61dafb;

29 }

30

31 @keyframes App-logo-spin {

32 from {

33 transform: rotate(0deg);

34 }

35 to {

36 transform: rotate(360deg);

37 }

Ln 1, Col 1 Spaces: 2 UTF-8 LF CSS Go Live AI Code Chat

0 0 0 Share Code Link Generate Commit Message

00:16 16-09-2024

File Edit Selection View Go Run Terminal Help

fruit-ai

EXPLORER

> OPEN EDITORS

FRUIT-AI

fruit-api

.env

index.js

package-lock.json

package.json

node_modules

public

src

pages

AboutPage

ChatbotPage

index.css

index.js

FAQPage

index.css

index.js

HomePage

index.css

index.js

LoginPage

TranslatorPage

index.css

index.js

App.css

App.js

App.test.js

index.css

index.js

OUTLINE

TIMELINE

NPM SCRIPTS

JS index.js ...\HomePage X

JS index.js ...\AboutPage

JS index.js ...\FAQPage

JS index.js ...\TranslatorPage

JS index.js ...\ChatbotPage

index.css

JS index.js fruit-api

src > pages > HomePage > JS index.js > ...

1 import React from 'react';

2 import { Container, Grid, Card, CardContent, Typography, Button } from '@mui/material';

3 import { Link } from 'react-router-dom';

4 import ChatIcon from '@mui/icons-material/Chat';

5 import TranslateIcon from '@mui/icons-material/Translate';

6 import HelpIcon from '@mui/icons-material/Help';

7 import InfoIcon from '@mui/icons-material/Info';

8

9 const HomePage = () => {

10 return (

11 <Container>

12 <Typography variant="h2" align="center" gutterBottom style={{ marginTop: '30px', fontFamily: 'Poppins', color: '#2d2d2d' }}>

13 | Welcome to Fruit.ai

14 </Typography>

15

16 <Typography variant="h5" align="center" color="textSecondary" paragraph>

17 | Manage your health with our smart tools!

18 </Typography>

19

20 <Grid container spacing={4} style={{ marginTop: '40px' }}>

21 { /* Chatbot */ }

22 <Grid item xs={12} sm={6} md={3}>

23 <Card>

24 <CardContent style={{ textAlign: 'center' }}>

25 <ChatIcon style={{ fontSize: 60, color: '#4caf50' }} />

26 <Typography variant="h6" gutterBottom>Chatbot</Typography>

27 <Typography variant="body2" color="textSecondary">

28 | Get personalized fruit suggestions through our smart chatbot.

29 </Typography>

30 <Button component={Link} to="/chatbot" variant="contained" color="primary" style={{ marginTop: '10px' }}>

31 | Go to Chatbot

32 </Button>

33 </CardContent>

34 </Card>

35 </Grid>

36

37 { /* Translator */ }

Ln 87, Col 3 Spaces: 2 UTF-8 CRLF {} JavaScript Go Live AI Code Chat

0 0 0 0 Share Code Link Generate Commit Message

Search

16-09-2024 00:16

File Edit Selection View Go Run Terminal Help

fruit-ai

EXPLORER

> OPEN EDITORS

FRUIT-AI

fruit-api

.env

JS index.js

package-lock.json

package.json

node_modules

public

src

pages

AboutPage

ChatbotPage

index.css

JS index.js

FAQPage

index.css

JS index.js

HomePage

index.css

JS index.js

LoginPage

TranslatorPage

index.css

JS index.js

App.css

JS App.js

JS App.test.js

index.css

JS index.js

OUTLINE

TIMELINE

NPM SCRIPTS

JS index.js ...\HomePage

JS index.js ...\AboutPage

JS index.js ...\FAQPage

JS index.js ...\TranslatorPage

JS index.js ...\ChatbotPage

index.css

JS index.js fruit-api

src > pages > FAQPage > JS index.js > default

1 import React, { useState } from 'react';

2 import { Card, CardContent, Typography, Button, TextField, Grid } from '@mui/material';

3 import './index.css';

4

5 const FAQPage = () => {

6 const [faqs, setFaqs] = useState([

7 { id: 1, question: 'What is an Apple?', answer: 'An apple is a fruit.' },

8 { id: 2, question: 'How do bananas grow?', answer: 'Bananas grow on plants.' },

9]);

10 const [newFaq, setNewFaq] = useState({ question: '', answer: '' });

11

12 const addFaq = () => {

13 setFaqs([...faqs, { ...newFaq, id: faqs.length + 1 }]);

14 setNewFaq({ question: '', answer: '' });

15 };

16

17 const deleteFaq = (id) => {

18 setFaqs(faqs.filter(faq => faq.id !== id));

19 };

20

21 return (

22 <div className="faq-page">

23 <Typography variant="h4" gutterBottom>

24 Frequently Asked Questions

25 </Typography>

26 <Grid container spacing={3}>

27 {faqs.map(faq => (

28 <Grid item xs={12} sm={6} key={faq.id}>

29 <Card className="faq-card">

30 <CardContent>

31 <Typography variant="h6">{faq.question}</Typography>

32 <Typography variant="body2">{faq.answer}</Typography>

33 <Button

34 variant="outlined"

35 color="secondary"

36 onClick={() => deleteFaq(faq.id)}

37 style={{ marginTop: '10px' }}>

Ln 80, Col 24 Spaces: 2 UTF-8 CRLF {} JavaScript Go Live AI Code Chat

0 0 0 Share Code Link Generate Commit Message

00:16 16-09-2024