No Environment ▼   Single Column ▼   cURL ▼

ℹ This documentation is not published yet, this is only a preview. Changes to the publishing settings will reload this pa...

User

POST **Create User**

> localhost:4050/api/users

HEADERS

Content-Type   application/json

BODY raw

```
{
    "name":"Anurag",
    "email":"aks@gmail.com",
    "description":"human"
}
```

Example Request   Create User

```
curl --location --request POST 'localhost:4050/api/users' \
--header 'Content-Type: application/json' \
--data-raw '{
    "name":"Anurag",
    "email":"aks@gmail.com",
    "description":"human"
}'
```

GET Get All Users

```
localhost:4050/api/users
```

Example Request   Get All Users

```
curl --location --request GET 'localhost:4050/api/users'
```

PUT Update User By ID

```
localhost:4050/api/users/63c539037dc37194a4a48392
```

HEADERS

Content-Type	application/json

BODY raw

```
{
    "description": "IDK"
}
```

Example Request   Update User By ID

```
curl --location --request PUT 'localhost:4050/api/users/63c539037dc37194a4a
--header 'Content-Type: application/json' \
--data-raw '    {
        "description": "IDK"
    }'
```

DEL Delete User

```
localhost:4050/api/users/63c539037dc37194a4a48392
```

Example Request   Delete User

```
curl --location --request DELETE 'localhost:4050/api/users/63c539037dc37194
```