COL864: Special Topics in AI

Semester II, 2021-22

Course Introduction

Rohan Paul

Today’s lecture

- Last Class
  - Course Organization
- This Class
  - Introduction
    - What is embodied AI?
    - Core challenges: Estimation and Planning

Embodied AI Systems

- Intelligent agents that can perform tasks in the physical world.
- Platforms that can carry a payload, sense the environment and take actions.
- Perform goal-directed tasks in the real world.
- Human interaction – task specification, resolving ambiguity etc.
- Various names: Embodied AI, autonomous systems, robot intelligence.
- The word “Robot” means “labour” in Czech by Karl and Joseph Kapek (1920s).

At a basic level, an embodied AI agent takes observations from the environment and synthesizes goal-directed actions.

A scene from “Rossum’s Universal Robots,” showing three robots, https://www.sciencefriday.com/segments/the-origin-of-the-word-robot/

Historical Perspective

- Quest to create artificial agents that can sense, reason and act intelligently in the world.
- Stanford's Cart (Hans Moravec) following a line.

Obstacle avoidance and navigation in the real world by a seeing robot rover

Responsibility	by Hans Peter Moravec.
Imprint	1980.
Physical description	vii, 170 leaves, bound : ill. ; 28 cm.

https://youtu.be/8Mxk2L3lu9Q

Historical Perspective

- Lab Experiments
  - Create artificial agents that take high-level goals and move in the environment
- Shakey
  - Stanford Research Institute (SRI)
  - The A* planner (Nils Nilsson) emerged from this research project

https://youtu.be/GmU7SimFkpU

Historical Perspective

- Effort towards programs that can understand high-level behaviours
- SHRLDU System
  - Computer AI program, SHRDLU, by Terry Winograd (1972).
  - Instruction-guided manipulation
- Problems
  - Models that may work in the computer world make many simplifying assumptions, cannot easily move to the real world.
  - Still an amazing system!

https://www.youtube.com/watch?v=bo4RvYJYOzI

Mechanical Intelligence (Automation)

- Factories have always needed intelligent machines to perform repetitive tasks
- Factory robots
  - Computer controlled devices.
  - Pre-programmed trajectories.
  - Limitation
    - Very limited reasoning and hence cannot adapt easily.

Robot: PickUp(1.5), Weld(2s), Put(2.0), … Repeat

Precision Guidance and Navigation

- Computer Guidance
  - 1960s.
  - Computers controlling systems
- Task
  - Fuse all the sensor data,
  - Determine the system state and take actions
- Demonstration
  - Apollo program
  - Computers performed that allow precise state estimation and guided navigation.
- Key Innovation
  - Kalman Filtering (later in the course)
  - Advances in handling uncertainty in measurements and actions.

Modern Examples: Autonomous Driving

- Vehicles capable of detecting roads, people, traffic signs, following lanes, avoiding collisions etc.

Darpa Grand Challenge (2005)
https://www.youtube.com/watch?v=M2AcMnfzpNg

Other Examples

- Complex operations in remote and hazardous environments.

https://www.youtube.com/watch?v=N9hXqzkH7YA

Other Examples

Aerial platforms

Sub-sea unmanned vehicles

Persistent monitoring land vehicles

https://www.indiatimes.com/technology/news/5-ways-india-is-boosting-its-drone-industry-and-why-its-good-for-everyone-549715.html

Other Embodied AI Systems

Assistive devices

Monitoring power equipment
https://www.tagup.io/

Traffic Alert and Collision Avoidance Systems

Need for reasoning

Vehicle on the road that can detect and avoid obstacles.

Vehicle that can understand that a ball coming on the road may be followed by a child.

Factory robot that can pick and place tools.

Factory robot that can be instructed to assemble a solar panel

A robot in the hospital that can deliver samples.

A robot that can assist the surgeon by watching the surgery and providing tools, responding to contingencies.

A remote operated vehicle that can relay images.

A vehicle that can be commanded to survey behind the wall, inform if there is a person, deliver supplies.

Writing explicit rules is going to be challenging..... *Uncertainty*
Reason about long-term consequence of actions ..... *Planning*

Performing General Purpose Tasks

https://x.company/projects/everyday-robots

Examples

- Lab demonstration.
- Human-interaction and commonsense reasoning.

Examples

- Experimental demonstration
- Intelligent Physical Interaction

Embodied Agent Representation

- Observations
  - Sensor taks observations from the environment.
- Goal
  - Need for goal directed actions.
- Actions
  - Behavioral abstraction for actions. Pick, place, push …

Agent view is popular in AI

- An agent is anything that can be viewed as perceiving its environment through sensors and acting upon the environment through actuators.
- Examples (from Russell and Norvig)
  - **Alexa**
  - **Robotic system**
  - **Refinery controller**
  - Question answering system
  - Crossword puzzle solver
  - ……
- *How is intelligence measured?*

In this class we are concerned with agents that operate in the physical environment.

Russell and Norvig

Acting Humanly: The Turing Test

Turing (1950) "Computing machinery and intelligence":

- ◇ "Can machines think?" ⟶ "Can machines behave intelligently?"
- ◇ Operational test for intelligent behavior: the Imitation Game

Alan Turing

Thinking Humanly

- Cognitive Science
  - Hard to understand how humans think
- Efforts to build cognitive models of human reasoning.
- Understanding:
  - How humans or animals perceive and act in the the world
- Applications
  - Human computer interaction

Acting Rationally: Maximizing Expected Utility

- An **agent** is an entity that *perceives* and *acts*.
- A **rational agent** selects actions that maximize its (expected) **utility**.
- Characteristics of the **percepts, environment,** and **action space** dictate techniques for selecting rational action.

Slide adapted from D. Klein

Various Definitions for AI Agents

Embodied AI agents can be viewed similarly.

Thinking Humanly	**Thinking Rationally**
"The exciting new effort to make computers think . . . *machines with minds*, in the full and literal sense." (Haugeland, 1985) "[The automation of] activities that we associate with human thinking, activities such as decision-making, problem solving, learning . . ." (Bellman, 1978)	"The study of mental faculties through the use of computational models." (Charniak and McDermott, 1985) "The study of the computations that make it possible to perceive, reason, and act." (Winston, 1992)
Acting Humanly	**Acting Rationally**
"The art of creating machines that perform functions that require intelligence when performed by people." (Kurzweil, 1990) "The study of how to make computers do things at which, at the moment, people are better." (Rich and Knight, 1991)	"Computational Intelligence is the study of the design of intelligent agents." (Poole *et al.*, 1998) "AI . . . is concerned with intelligent behavior in artifacts." (Nilsson, 1998)

Figure 1.1 Some definitions of artificial intelligence, organized into four categories.

Other notions to know about ….

- Weak AI Hypothesis
  - Machines could act as if they were intelligent. They may be simulating.

- Strong AI Hypothesis
  - Machines that act intelligently not just by simulating but actually by thinking.

Agent Representation

- Agent Type
- Performance Measure
- Environment
- Actuators
- Sensors

Embodied AI agents can be viewed similarly.

Agent Type	Performance Measure	Environment	Actuators	Sensors
Medical diagnosis system	Healthy patient, reduced costs	Patient, hospital, staff	Display of questions, tests, diagnoses, treatments, referrals	Keyboard entry of symptoms, findings, patient's answers
Satellite image analysis system	Correct image categorization	Downlink from orbiting satellite	Display of scene categorization	Color pixel arrays
Part-picking robot	Percentage of parts in correct bins	Conveyor belt with parts; bins	Jointed arm and hand	Camera, joint angle sensors
Refinery controller	Purity, yield, safety	Refinery, operators	Valves, pumps, heaters, displays	Temperature, pressure, chemical sensors
Interactive English tutor	Student's score on test	Set of students, testing agency	Display of exercises, suggestions, corrections	Keyboard entry

Figure 2.5 Examples of agent types and their PEAS descriptions.

Domain Characteristics Can Vary

- Fully or Partially observed
- Single vs. Multiple Agents
- Deterministic or Stochastic
- Episodic or Sequential
- Static or dynamic
- Discrete or Continuous

Domain characteristics of this agent?

Challenges: Observations are Noisy

- The agent observes the environment via sensors
- Noisy and uncertainty
  - Give a noisy and incomplete picture of the real world
- Inference task
  - Given observations estimated the true world state.

Challenge II: Partial-Observability

- Task Planning
  - In order to execute a task, we need to know some properties of the environment.
- Problem
  - Some of these properties are not directly observed.
  - Formally, some variables in the robot's state are not directly observed.
  - Example: the internal state of the barrel, inside of cupboards/boxes.
- Partial-observability
  - Formally, some variables in the robot's state are not directly observed.
  - Decision-making models must take this into account. Typically done by "exploration or information gathering actions"
  - Tools such as POMDP, information-theoretic planning

Challenge III: Common sense knowledge

- We acquire a lot of knowledge from experience.
- AI agents often lack such knowledge.
- Examples:
  - To put an object inside the box, the lid must be removed.
  - Milk is an edible food item.
- You may have tried speaking to a Google home or automated reservation system and faced this issue.
  - Common problem in related dialogue systems also.

Challenge IV: Human Interaction

- Interpretable AI
  - Strong push towards AI system that are not black box.
  - Can explain their decision.
- Embodied AI context
  - The agent should be able to iteraction with a human.
- Computational problem
  - How can a program acquire the same semantic representation as a human.
  - Notions of objects, regions, interactions.
  - Also called “symbol grounding” problem

Closely connected algorithmic developments

Visual recognition

Path planning

A* planner

Kalman filtering

State estimation

Localization /mapping,

Deep Learning for

perception

Inverse

reinforcement

Learning

Recent AI Progress: Largely domain specific

Embodied AI systems confront many problems together.
Require general-purpose intelligence.

Intelligence measures an agent's ability to achieve goals in a wide range of environments

$$\Upsilon(\pi) := \sum_{\mu \in E} 2^{-K(\mu)} V_\mu^\pi .$$

Measure of Intelligence

Sum over environments

Complexity penalty

Value achieved

Universal Intelligence: A Definition of Machine Intelligence, Legg & Hutter

Next Time

- This Class
  - Course Introduction
- Next Class
  - Agent Representation